

UHD Commercial TV with Essential Smart Function

UU340C

LG's latest Public Display TV, the UU340C supports UHD/4K resolution to provide optimal viewing in diverse business environments. With enhanced management functions including WOL (Wake On LAN), SNMP (Simple Network Management Protocol), and SuperSign Solution, managers can increase management efficiency while the edge-lit LED display and UHD picture quality improve the digital viewing experience.



* Actual product appearance may differ from the above simulated scene.
* UU340C (N.A.) series basically have a two-pole stand.


UHD Commercial TV with Essential Smart Function

UU340C

Software Solution

SuperSign Control

SuperSign Control is a basic control software. Up to 100 displays are controlled by one account with a single server. Essential factors such as power, volume, scheduling can be remotely adjusted, with firmware updates supported.



Perfect picture quality and color

Enjoy Full HD content in 4K ULTRA HD quality by 4K Upscaler. The 4K Upscale automatically upgrades Full HD content to ULTRA HD through several steps of the upscaling processes. And also this LG TV can deliver intense highlights, vivid colors and deep black on the screen by HDR10.



- * SuperSign Control : Free version (Good at - Operating small and medium-sized signage displays)
- * SuperSign Control+ : Advanced and Paid version (Good at - Operating large-scale signage displays)
- * See more for SuperSign Control+ at LG.com/B2B

UHD Commercial TV with Essential Smart Function UU340C

Easy Management & Usability


Wake-up On LAN

WOL is the Ethernet computer networking standard to turn on TV or PC by transferring a network message. The message is transferred through another computer connected the same local areas.



SNMP

SNMP (Simple Network Management Protocol) ensures convenient network management for SI and business managers.



Compatibility with AV Control system

This LG TV has Crestron Connected® Certification, a function that is dedicated to meeting room and that meets the growing need in corporate meeting space market.



* It is a network based control system.
Available AV control systems may differ by regions.

UHD Commercial TV with Essential Smart Function

UU340C

Value Added Features

Time Scheduler

Create your own time scheduler of your Commercial TV. Once you set opening/ closing hours and holidays, the TV will turn on/off according to work schedule.



USB Auto Playback

Create and sequentially play playlists composed of informative media (video, music and image) you choose without PC and any installation.



Welcome Video / Screen

With the capability to display repeatedly various video formats as well as images, Commercial Lite TVs allow for a greater variation of greeting messages in hotel rooms which make customers feel more welcome and cared for.



External speaker out


Enhance the entertainment experience by adding an additional speaker. Guests listen to and control the TV audio from anywhere in the business areas, including restrooms.




* Except for 86, 75 inches

Dimensions


86"




75"




65"




55"



49"




43"




Connectivity


86"




75"




65"




55"



49"



43"



* Dimensions & Jack Panels (Read/Side) may differ from the above image, so please reach LG salesteam to ensure before order.

Specifications

	86UU340C	75UU340C	65UU340C	55UU340C	49UU340C	43UU340C	
PANEL	Inch	86"	75"	65"	55"	49"	43"
	Backlight Type	Direct	Direct	Direct	Direct	Direct	Direct
	Resolution	3,840 x 2,160 (4K UHD)	3,840 x 2,160 (4K UHD)	3,840 x 2,160 (4K UHD)	3,840 x 2,160 (4K UHD)	3,840 x 2,160 (4K UHD)	3,840 x 2,160 (4K UHD)
	Brightness (cd/m ²)	350	350	500	500	350	350
	Dynamic Contrast Ratio (Dynamic MCI (Hz))	1,000,000:1	1,000,000:1	1,000,000:1	1,000,000:1	1,000,000:1	1,000,000:1
	Static (Panel) Contrast Ratio	1,400:1	1,400:1	1,300 : 1	1,300 : 1	1,300 : 1	1,200 : 1
	Viewing Angle (H x V)	178 x 178	178 x 178	178 x 178	178 x 178	178 x 178	178 x 178
	Response Time (G to G, ms)	5	8	8	8	8	6
BROADCASTING SYSTEM	Analog	• (NTSC)	• (NTSC)	• (NTSC)	• (NTSC)	• (NTSC)	• (NTSC)
	Digital	• (ATSC)	• (ATSC)	• (ATSC)	• (ATSC)	• (ATSC)	• (ATSC)
	XD Engine	•	•	•	•	•	•
VIDEO	Aspect Ratio	• 6 modes (16:9, Original, 4:3, Vertical Zoom, All-Direction Zoom, Just Scan)					
	HDR 10 / HDR Dolby Vision	HDR 10	HDR 10	HDR 10	HDR 10	HDR 10	HDR 10
AUDIO	Audio Output	10W + 10W	10W + 10W	10W + 10W	10W + 10W	10W + 10W	10W + 10W
	Speaker System	2.0 ch	2.0 ch	2.0 ch	2.0 ch	2.0 ch	2.0 ch
	Sound Mode	• 6 modes (Standard, Cinema, Clear Voice III, Sports, Music, Game)					
	Clear Voice	•	•	•	•	•	•
SMART FEATURE	webOS 3.5	webOS 3.5	webOS 4.0	webOS 4.0	webOS 4.0	webOS 4.0	
FUNCTION	USB Cloning, WOL, SNMP, Diagnostics (USB), HTNG-CEC (1.4), HDMI-CEC (1.4), Multi IR Code						
HOSPITALITY FEATURES	Hotel Mode, Lock Mode, Welcome Video, Welcome screen, Insert Image, External Speaker Out, RJP Interface, RJP Compatibility, USB Auto Playback, Auto Off / Sleep Timer, Smart Energy Saving, Motion Eye Care, Time Scheduler (except for 86, 75 inches)						
JACK INTERFACE	Set Side	HDMI In 2.0 (2), USB 3.0	HDMI In 2.0 (2), USB 3.0	HDMI In 2.0, USB 2.0 (2)	HDMI In 2.0, USB 2.0 (2)	HDMI In 2.0, USB 2.0 (2)	HDMI In 2.0, USB 2.0 (2)
	Set Rear	RF In, AV In, Component in (Y/Pb,Pr-Video), Digital Audio Out, HDMI/ HDCP Input, RS-232C (Control&Service), RJ45, External Speaker Out, Debug					
DIMENSION (UNIT : mm)	Vesa	600 x 400	600 x 400	300 x 300	300 x 300	300 x 300	200 x 200
	W x H x D / Weight (with stand)	1,943 x 1,188 x 345 / 45kg	1,693 x 1,048 x 345 / 35.4kg	1,468 x 917 x 269 / 21kg	1,247 x 785 x 231 / 13.9kg	1,110 x 709 x 231 / 11.3kg	977 x 629 x 216 / 8.4kg
	W x H x D / Weight (without stand)	1,943 x 1,188 x 77.9 (SPK: 93.3) / 44.2kg	1,693 x 978 x 73.4 (SPK: 88.8) / 34.6kg	1,468 x 854 x 79.3 (SPK: 89.9) / 20.6kg	1,247 x 729 x 78 (SPK: 88.6) / 13.7kg	1,110 x 650 x 72 (SPK: 81.1) / 11.1kg	977 x 575 x 71.7 (SPK: 80.8) / 8.3kg
	W x H x D / Weight (Packing)	2,116 x 1,261 x 285 / 59kg	1,839 x 1,116 x 231 / 45.7kg	1,600 x 970 x 190 / 28.2kg	1,360 x 835 x 175 / 18.5kg	1,193 x 770 x 158 / 13.4kg	1,060 x 660 x 152 / 10.5kg
POWER (UNIT : WATTS)	Voltage, Hz	100 - 240V, 50/60Hz	100 - 240V, 50/60Hz	100 - 240V, 50/60Hz	100 - 240V, 50/60Hz	100 - 240V, 50/60Hz	100 - 240V, 50/60Hz
	Max	-	-	-	-	-	-
	Typical	301.0	223.0	149.0	123.5	109.6	91.8
	Energy saving (Min/Med/Max)	-	-	-	-	-	-
	Stand-by	0.5↓	0.5↓	0.5↓	0.5↓	0.5↓	0.5↓

* Specifications are subject to change without notice, so please reach LG salesteam to ensure before order.



Download
LG C-Display+
Mobile App

Google Play Store

- www.lg.com/b2b
- www.youtube.com/c/LGCommercialDisplay
- www.facebook.com/LGInformationDisplay
- www.linkedin.com/company/LGInformationDisplay

LG may make changes to specifications and product descriptions without notice.
Copyright © 2018 LG Electronics Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp.
The names of products and brands mentioned here may be the trademarks of their respective owners.

