

# QPS 9600

HIGH POWER AMPLIFIER

## DESCRIPTION

QPS 9600 is a 4 channel power amplifier that can handle exceptionally high power in a compact and lightweight 2 rack units space. Thanks to the class HD technology, this amplifier delivers up to 4 x 2400 W RMS @ 2 Ohm (4800 W RMS bridged @ 4 Ohm), weighting just 16 kg.

It comes with switched mode power supply which ensures that a predominantly resistive load is presented to the mains power supply; this also leads to an improved amplifier performance at high output levels. Thanks to its high efficiency heat sinks and variable speed DC fans, the QPS 9600 can withstand the hardest heat conditions ensuring great reliability.



#### FEATURES

- Fast response and low distortion
- Easy to configure in stereo / mono / bridge modes
- Extensive protective circuits ensure high reliability and operating safety
- Front panel signal / clippings / protection/ temperature LEDs indicators
- Minimum load impedance (stereo / mono): 2 Ohm
- XLR input connectors
- SPEAKON NL4 output connectors
- Voltage clip switchable limiters



#### **TECHNICAL SPECIFICATIONS**

Amplifier specifications	Number of channels:	4
	Power output per channel (@ 2 ohm):	
	Power output per channel (@ 4 ohm):	2200 W RMS
	Power output per channel (@ 8 ohm):	1300 W RMS
	Power output (bridged @ 4 ohm):	4800 W RMS
	Power output (bridged @ 8 ohm):	4400 W RMS
	Frequency Response (-3dB):	20 Hz ÷ 25 kHz
	Signal/noise rate ("A" weighted)	>110 dB
	Distortion (THD+N) @1kHz nominal	<0.1%
	power:	· · · · · / ·
Input section	Total number of inputs:	4
	Balanced:	4
	Mono:	4
	Line inputs:	4
	Line connectors:	XLR
Output section	Signal output number:	2
	Signal output connectors:	XLR
	Power output connectors:	Speakon
Controls	Configuration:	DIP switch, Front panel
Protections	Cooling:	Forced
	Thermal:	Yes
	DC:	Yes
	Fuses:	Yes
	VHF (Very High Frequencies):	Yes
Power requirement	Operating voltage:	220-240/115 V~ 50/60Hz
	Power consumption:	1950 W
Standard compliance	CE marking:	Yes
Physical specifications	Cabinet/Case Material:	Metal
	Rack mounting:	19", 2U
Size	Height:	88 mm / 3.46 inches
		102  mass / 10.00  is ab a a
	Width:	482 mm / 18.98 inches
	Depth:	445 mm / 17.52 inches

# DATASHEET

#### **Shipping informations**

Package Height: Package Width: Package Depth: Package Weight: 150 mm / 5.91 inches 580 mm / 22.83 inches 600 mm / 23.62 inches 18.5 kg / 40.79 lbs

#### PART NUMBER

# · 12135103

QPS 9600 115V EAN 8024530011642

## · 12135102


QPS 9600 220-240V EAN 8024530011635

# · 12100003

QPS 9600 220V EAN 8024530013530




DRAWINGS



#### PANELS

Front panel



#### Rear panel

