

Item Code	Item Name
1236B002AA	EOS Digital Rebel XTi (Black)

Product Photo:



Item	W	H	D	WEIGHT
Dimensions	5.0 in	3.7 in	2.6 in	17.99 oz.

Case Dimensions	Quantity	L	W	H	CUBIC FT.	WEIGHT
Unit Carton	1	8.740 in	6.535 in	5.433 in	0.18 c.ft.	3.357 lb
Inner Carton	NA					
Master Carton	6	17.047 in	13.819 in	10.276 in	1.401 c.ft.	22.355 lb

Item Description	Kit Includes
^h Powerful: High performance digital SLR with 10.1 megapixel Canon CMOS sensor and Digic II Image processor	Digital Rebel XTi Body Eyecup Ef
^h Responsive: Large 2.5 inch LCD monitor with new user interface and wide viewing angle. Fast 3 frames-per-second shooting with 27 frame burst and a 0.2 second start up time. High Precision, wide area 9-point auto focus system.	Wide Strap EW-100DBII Video Cable VC-100 USB Interface Cable IFC-400PCU
^h Exclusive: Picture Style settings for a broad range of control over color, contrast and sharpening. Print/Share button featuring advanced camera direct capabilities for greater user control while direct printing	Battery Pack NB-2LH Battery Charger CB-2LW EOS Digital Solution Disk and Instruction Manual
^h Expandable: Fully compatible with over 50 EF and EF-S Lenses and a wide range of EOS System accessories	IS & Macro Booklets
^h Dependable: Strong, light weight body with the EOS Integrated Cleaning System including a Self Cleaning Sensor System	

UPC Code	Mater Carton Code (SCC14)	Inner Carton Code (If Any)
0 13803 07166 5	10 0 13803 07166 2	

UPC BAR CODE



750845829402

MASTER CARTON BAR CODE



10013803071662

Warranty		Country of Origin	Batt. Req?	Included Battery	Batt. Qty	UL #
LENGTH	TYPE	Japan	Yes	Yes	1	
NA	NA					



UNIVERSAL DATA SHEET

DATE: 07/07/06

Item Code	Item Name
1239B002AA	EOS Digital Rebel XTi (Silver)

Product Photo:



Item Dimensions	W	H	D	WEIGHT
	5.0 in	3.7 in	2.6 in	17.99 oz.

Case Dimensions	Quantity	L	W	H	CUBIC FT.	WEIGHT
Unit Carton	1	8.740 in	6.535 in	5.433 in	0.18 c.ft.	3.357 lb
Inner Carton	NA					
Master Carton	6	17.047 in	13.819 in	10.276 in	1.401 c.ft.	22.355 lb

Item Description	Kit Includes
^h Powerful: High performance digital SLR with 10.1 megapixel Canon CMOS sensor and Digic II Image processor	Digital Rebel XTi Body Eyecup Ef
^h Responsive: Large 2.5 inch LCD monitor with new user interface and wide viewing angle. Fast 3 frames-per-second shooting with 27 frame burst and a 0.2 second start up time. High Precision, wide area 9-point auto focus system.	Wide Strap EW-100DBII Video Cable VC-100 USB Interface Cable IFC-400PCU
^h Exclusive: Picture Style settings for a broad range of control over color, contrast and sharpening. Print/Share button featuring advanced camera direct capabilities for greater user control while direct printing	Battery Pack NB-2LH Battery Charger CB-2LW EOS Digital Solution Disk and Instruction Manual
^h Expandable: Fully compatible with over 50 EF and EF-S Lenses and a wide range of EOS System accessories	IS & Macro Booklets
^h Dependable: Strong, light weight body with the EOS Integrated Cleaning System including a Self Cleaning Sensor System	

UPC Code	Mater Carton Code (SCC14)	Inner Carton Code (If Any)
0 13803 07182 5	10 0 13803 07182 2	

UPC BAR CODE



013803071825

MASTER CARTON BAR CODE



10013803071822

Warranty		Country of Origin	Batt. Req?	Included Battery	Batt. Qty	UL #
LENGTH	TYPE	Japan	Yes	Yes	1	
NA	NA					



UNIVERSAL DATA SHEET

DATE: 07/07/06

Item Code	Item Name
1236B001AA	EOS Digital Rebel XTi Kit (Black)

Product Photo:



Item	W	H	D	WEIGHT
Dimensions	5.0 in	3.7 in	2.6 in	17.99 oz.

Case Dimensions	Quantity	L	W	H	CUBIC FT.	WEIGHT
Unit Carton	1	8.740 in	6.535 in	5.433 in	0.18 c.ft.	3.868 lb
Inner Carton	NA					
Master Carton	6	17.047 in	13.819 in	10.276 in	1.401 c.ft.	25.419 lb

Item Description	Kit Includes
^h Powerful: High performance digital SLR with 10.1 megapixel Canon CMOS sensor and Digic II Image processor	Digital Rebel XTi Body EF-S 18-55mm II
^h Responsive: Large 2.5 inch LCD monitor with new user interface and wide viewing angle. Fast 3 frames-per-second shooting with 27 frame burst and a 0.2 second start up time. High Precision, wide area 9-point auto focus system.	Eyecup Ef Wide Strap EW-100DBII Video Cable VC-100
^h Exclusive: Picture Style settings for a broad range of control over color, contrast and sharpening. Print/Share button featuring advanced camera direct capabilities for greater user control while direct printing	USB Interface Cable IFC-400PCU Battery Pack NB-2LH Battery Charger CB-2LW
^h Expandable: Fully compatible with over 50 EF and EF-S Lenses and a wide range of EOS System accessories	EOS Digital Solution Disk and Instruction Manual IS & Macro Booklets
^h Dependable: Strong, light weight body with the EOS Integrated Cleaning System including a Self Cleaning Sensor System	

UPC Code	Mater Carton Code (SCC14)	Inner Carton Code (If Any)
0 13803 06609 8	10 0 13803 06609 5	

UPC BAR CODE



013803066098

MASTER CARTON BAR CODE



10013803066095

Warranty		Country of Origin	Batt. Req?	Included Battery	Batt. Qty	UL #
LENGTH	TYPE	Japan	Yes	Yes	1	
NA	NA					



UNIVERSAL DATA SHEET

DATE: 07/07/06

Item Code	Item Name
1239B001AA	EOS Digital Rebel XTi Kit (Silver)

Product Photo:



Item	W	H	D	WEIGHT
Dimensions	5.0 in	3.7 in	2.6 in	17.99 oz.

Case Dimensions	Quantity	L	W	H	CUBIC FT.	WEIGHT
Unit Carton	1	8.740 in	6.535 in	5.433 in	0.18 c.ft.	3.868 lb
Inner Carton	NA					
Master Carton	6	17.047 in	13.819 in	10.276 in	1.401 c.ft.	25.419 lb

Item Description	Kit Includes
Powerful: High performance digital SLR with 10.1 megapixel Canon CMOS sensor and Digic II Image processor	Digital Rebel XTi Body EF-S 18-55mm II
Responsive: Large 2.5 inch LCD monitor with new user interface and wide viewing angle. Fast 3 frames-per-second shooting with 27 frame burst and a 0.2 second start up time. High Precision, wide area 9-point auto focus system.	Eyecup Ef Wide Strap EW-100DBII Video Cable VC-100
Exclusive: Picture Style settings for a broad range of control over color, contrast and sharpening. Print/Share button featuring advanced camera direct capabilities for greater user control while direct printing	USB Interface Cable IFC-400PCU Battery Pack NB-2LH Battery Charger CB-2LW
Expandable: Fully compatible with over 50 EF and EF-S Lenses and a wide range of EOS System accessories	EOS Digital Solution Disk and Instruction Manual IS & Macro Booklets
Dependable: Strong, light weight body with the EOS Integrated Cleaning System including a Self Cleaning Sensor System	

UPC Code	Mater Carton Code (SCC14)	Inner Carton Code (If Any)
0 13803 06610 4	10 0 13803 06610 1	

UPC BAR CODE



013803066104

MASTER CARTON BAR CODE



10013803066101

Warranty		Country of Origin	Batt. Req?	Included Battery	Batt. Qty	UL #
LENGTH	TYPE	Japan	Yes	Yes	1	
NA	NA					