



## Specifications

| •                          |  |  |  |  |
|----------------------------|--|--|--|--|
| Type of Camera             |  |  |  |  |
| Туре                       | Compact digital still camera with built-in flash, 40x Optical, 4x Digital and 160x Combined Zoom with Optical Image Stabilizer   |  |  |  |
| Image Capture Device       | Image Capture Device   |  |  |  |
| Туре                       | 20.3 Megapixel*, 1/2.3-inch CMOS * Image processing may cause a decrease in the number of pixels.  |  |  |  |
| Total Pixels               | Approx. 21.1 Megapixels  |  |  |  |
| Effective Pixels           | Approx. 20.3 Megapixels  |  |  |  |
| Lens                       |  |  |  |  |
| Focal Length               | 4.3 (W) – 172.0 (T) mm (35mm film equivalent: 24–960mm)  |  |  |  |
| Optical Zoom               | 40x  |  |  |  |
| Digital Zoom               | 4x   |  |  |  |
| Focusing Range             | Normal: 2.0 in. (5.0cm) – infinity (W), 6.6 ft. (2.0m) – infinity (T) Auto/Manual: 0.4 in. (1.0cm) – infinity (W), 6.6 ft. (2.0m) – infinity (T) Macro: 0.4 in. – 1.6 ft. (1–50cm) (W) |  |  |  |
| Autofocus System           | TTL Autofocus, Manual focus  |  |  |  |
| Viewfinder & Monito        | Viewfinder & Monitor   |  |  |  |
| Viewfinder                 | N/A  |  |  |  |
| LCD Monitor                | 3.0-inch TFT Color LCD with wide viewing angle (4:3)   |  |  |  |
| LCD Pixels                 | Approx. 922,000 dots   |  |  |  |
| LCD Coverage               | Approx. 100%   |  |  |  |
| Aperture & Shutter         |  |  |  |  |
| Maximum Aperture           | f/3.3 (W), f/6.9 (T)   |  |  |  |
| Shutter Speed              | 1–1/3200 sec.<br>15–1/3200 sec. (in Tv and M modes)  |  |  |  |
| Exposure Control           |  |  |  |  |
| ISO Sensitivity            | Auto, ISO 80-3200  |  |  |  |
| Light Metering Method      | Evaluative, Center Weighted Average, Spot  |  |  |  |
| Exposure Control<br>Method | Manual Exposure, Program Shift, Safety Shift, AE Lock  |  |  |  |
| Exposure Compensation      | Still Images: ±2 stops in 1/3-stop increments  |  |  |  |
| White Balance              |  |  |  |  |
| White Balance Control      | Auto, Daylight, Cloudy, Tungsten, Fluorescent, Fluorescent H, Custom   |  |  |  |
| Flash                      |  |  |  |  |
| Built-in Flash             | Auto, On, Slow Synchro, Off  |  |  |  |
|                            |  |  |  |  |

| Flash Range                    | 1.6–13.0 ft. (W), 6.6 ft. (T)<br>50.0cm – 4.0m (W), 2.0m (T)   |  |  |
|--------------------------------|--|--|--|
| Flash Exposure<br>Compensation | ±2 stops in 1/3-stop increments  |  |  |
| Shooting Specification         | ons  |  |  |
| Shooting Modes                 | M, Av, Tv, P, Live View Control, Hybrid Auto, Auto, Creative Shot, Sports, Portrait, Smile, Wink Self-Timer Face Self-Timer, Handheld Night Scene, Low Light, Fish-eye Effect, Miniature Effect, Toy Camera Effect Soft Focus, Monochrome, Super Vivid, Poster Effect, Fireworks, Standard (Movie), Short Clip, iFrame Movie   |  |  |
| My Colors                      | My Colors Off, Vivid, Neutral, Sepia, Black & White, Positive Film, Lighter Skin Tone, Darker Skin Tone, Viv<br>Blue, Vivid Green, Vivid Red, Custom Color   |  |  |
| Self Timer                     | Off/2 sec./10 sec./ Custom   |  |  |
| Wireless Control               | Built-in Wi-Fi® and NFC  |  |  |
| Continuous Shooting            | Normal Continuous Shooting in Auto/P modes: Approx. 5.9 shots/sec. Continuous Shooting AF in P mode: Approx. 4.6 shots/sec. Continuous Shooting LV in P mode: Approx. 4.6 shots/sec.  • Under lighting conditions where flash does not fire automatically.  • Excluding RAW and RAW+JPEG.  • Until memory card becomes full.   |  |  |
| Image Storage                  |  |  |  |
| Storage Media                  | SD/SDHC/SDXC and UHS-I Memory Cards  |  |  |
| File Format                    | Design rule for Camera File system (DCF) compliant; DPOF (Version 1.1) compatible  |  |  |
| Image Compression              | Superfine / Fine   |  |  |
| JPEG Compression Mode          | Still Image: Exif. 2.3 (JPEG) Video: MP4 (Image: MPEG-4 AVC/H.264; Audio: MPEG-4 AAC-LC (Stereo))  |  |  |
| Number of Recording<br>Pixels  | Still Images:  1) 16:9 - Large: 5184 x 2912; Medium 1: 3648 x 2048; Medium 2: 1920 x 1080; Small: 640 x 360 2) 3:2 - Large: 5184 x 3456; Medium 1: 3648 x 2432; Medium 2: 2048 x 1368; Small: 640 x 424 3) 4:3 - Large: 5184 x 3888; Medium 1: 3648 x 2736; Medium 2: 2048 x 1536; Medium: 2592 x 1944; Small: 640 x 480 4) 1:1 - Large: 3888 x 3888; Medium 1: 2736 x 2736; Medium 2: 1536 x 1536; Small: 480 x 480  Videos: Full HD 1920 x 1280: 59.94 fps / 29.97 fps HD 1280 x 720: 29.97 fps 640 x 480: 29.97 fps |  |  |

## Approx. Number of Shots Recordable to 16GB Memory Card

|                |    |       | •     |       |       |
|----------------|----|-------|-------|-------|-------|
|                |    | 16:9  | 3:2   | 4:3   | 1:1   |
| Large          | SF | 2358  | 1991  | 1766  | 2347  |
|                | F  | 3950  | 3350  | 2980  | 3950  |
| Medium 1 (M1)  | SF | 4717  | 3982  | 3546  | 4717  |
|                | F  | 7965  | 6656  | 5925  | 7837  |
| Maratra 2 (M2) | SF | 13497 | 10563 | 9344  | 12459 |
| Medium 2 (M2)  | F  | 24296 | 18689 | 16755 | 22087 |
| Medium         | F  | -     | -     | 10798 | -     |
| C II           | SF | 69418 | 60741 | 53992 | 69418 |
| Small          | F  | 97186 | 80988 | 80988 | 97186 |

Note: SF=Superfine, F=Fine

## Total Movie Time Recordable to Memory Card

- The values in the table are based on Canon measurement conditions and may change depending on the subject, memory card and camera settings.
- After Low-level formatting.

| Shooting Mode         | Pixels             | Frame Rate/<br>Video System | Recording Time<br>per 16 GB Memory Card<br>(Approx.) | Single Clip<br>Recording Time<br>(Approx.)*1 | Movie Size<br>(KB/sec.) | Video<br>Recording<br>Bit Rate |
|-----------------------|--------------------|-----------------------------|--|--|-------------------------|--------------------------------|
| Standard (Movie) (128 | Full HD            | 59.94 fps                   | 59 min. 30 sec.                                      | 29 min. 59 sec.                              | 4288                    | Approx. 35<br>Mbps             |
|                       | (1920 x 1080)      | 29.97 fps                   | 1 hr. 26 min. 5 sec.                                 | 29 min. 59 sec.                              | 2945                    | Approx. 24<br>Mbps             |
|                       | HD<br>(1280 x 720) | 29.97 fps                   | 4 hr. 5 min. 15 sec.                                 | 29 min. 59 sec.                              | 992                     | Approx. 8<br>Mbps              |
|                       | VGA<br>(640 x 480) | 29.97 fps                   | 10 hr. 22 min. 35 sec.                               | 1 hr.  | 382                     | Approx. 3<br>Mbps              |

| Playback Specification | Playback Specifications   |  |  |  |  |
|------------------------|---|--|--|--|--|
| Playback Modes File    | Smart Shuffle, Group Playback, List/Play Digest Movies, Story Highlights, Print, Protect, Favorites, Erase, Slideshow, Rotate, Album Playback, Play Creative Shot Movies, Short Clip Mix, i-Contrast, Resize, Cropping, Red-Eye Correction, My Colors, Face ID Info, Photobook Set-up, Image Transition Effect, Index Effect, Scroll Display, Group Images, Auto Rotate, Resume |  |  |  |  |
| Interfaces             | Interfaces  |  |  |  |  |
| Video Out              | HDMI (Type D)   |  |  |  |  |
| Audio Out              | Stereo  |  |  |  |  |
| Other                  | Hi-Speed USB (Micro); direct connection to Canon SELPHY, PIXMA Photo Printers & PictBridge compatible printers  |  |  |  |  |
| Power Supply           | Power Supply  |  |  |  |  |
| Power Source           | Battery Pack NB-13L   |  |  |  |  |
| Shooting Capacity      | Approx. 250 shots<br>Approx. 355 shots in ECO Mode  |  |  |  |  |
|                        | Video Recording Time: Approx. 50 min.   |  |  |  |  |
| Playback Time          | Approx. 5 hr.   |  |  |  |  |
| Physical Specification | Physical Specifications   |  |  |  |  |
| Operating Temperature  | 32-104°F/0-40°C   |  |  |  |  |
| Operating Humidity     | 10-90%  |  |  |  |  |
| Dimensions (W x H x D) | 4.32 x 2.51 x 1.41 in. / 109.7 x 63.8 x 35.7mm  |  |  |  |  |
| Weight                 | 9.52 oz. / 270g (CIPA standard)<br>8.64 oz. / 245g (Body only)  |  |  |  |  |

<sup>\*</sup>¹ Using an SD Speed Class 10 / UHS-I compatible memory card
• Recording stops automatically once the file size reaches 4 GB or the memory card becomes full.
• Recording may stop unexpectedly if a memory card with a low Speed Class is used.