SPECIFICATIONS

Input Impedance: Output Impedance: Regeneration: Speed: Depth: Max Phase Shift: Battery type: Current Drain: Size: Weight: 470kΩ 50 Ω 0 - 100% .5Hz - 9Hz 0 - 100% 1080 Degrees 9 Volt 20 mA 5.25" x 3.5" x 2" 1 lb.

LIMITED WARRANTY

This product is warranted to the original consumer purchaser to be free from defects in materials and workmanship under normal installation, use and service for a period of one (1) year from the date of purchase as shown on the purchaser's receipt.

The obligation of Rolls Corporation under this warranty shall be limited to repair or replacement (at our option), during the warranty period of any part which proves defective in material or workmanship under normal installation, use and service, provided the product is returned to Rolls Corporation, TRANSPORTATION CHARGES PRE-PAID. Products returned to us or to an authorized Service Center must be accompanied by a copy of the purchase receipt. In the absence of such purchase receipt, the warranty period shall be one (1) year from the date of manufacture.

This warranty shall be invalid if the product is damaged as a result of defacement, misuse, abuse, neglect, accident, destruction or alteration of the serial number, improper electrical voltages or currents, repair, alteration or maintenance by any person or party other than our own service facility or an authorized Service Center, or any use violative of instructions furnished by us.

This one-year warranty is in lieu of all expressed warranties, obligations or liabilities. ANY IMPLIED WARRANTIES, OBLIGATIONS, OR LIABILITIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MER-CHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, SHALL BE LIMITED IN DURATION TO THE ONE YEAR DURATION OF THIS WRITTEN LIMITED WARRANTY. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

IN NO EVENT SHALL WE BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR BREACH OF THIS OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, WHATSOEVER. Some states do not allow the exclusion or limitation of special, incidental or consequential damages so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



RFX920 PhaseOVibe Phaser/Vibrato



OWNERS MANUAL

RFX Salt Lake City, UT 11/95 Thank you for purchasing the RFX920 PhaseOVibe Phaser/Vibrato pedal. The PhaseOVibe is designed and manufactured to provide years of useful service. It features a six-stage regeneration circuit for a rich, full sounding phaser effect, and with the touch of a switch, it becomes a smooth, classic vibrato effect. The PhasOVibe output has sufficient power to drive a pair of headphones directly for personal monitoring.

INSPECTION

1. Unpack and Inspect the RFX920 package.

Your RFX920 was carefully packed at the factory in a protective carton. Nonetheless, be sure to examine the unit and the carton for any signs of damage that may have occurred during shipping. If obvious physical damage is noticed, contact the carrier immediately to make a damage claim. We suggest saving the shipping carton and packing materials for safely transporting the unit in the future. 2. Complete the Warranty Registration Card and return it to the factory.

DESCRIPTION

SPEED: Controls the rate at which the Phaser or Vibrato effect moves. DEPTH: In technical terms - controls the amplitude of the LFO. In understandable terms, it, in conjunction with the REGEN control, varies the amount of effect. REGEN: Adjusts the amount of feedback in the phasing circuit.

OPERATION

Shown below is an example of how to connect the RFX920.

EXAMPLE SETTINGS

Light Phase



Provides a subtle, shimmery phasing effect.

Medium Phase



Yields a classic, swirling phasing effect.



The RFX920 vibrato effect is noticable only when used with the above settings. The Depth and Regen controls must be at maximum. The Speed control may vary from 60% to 100% for a vintage tremolo effect.

