

Isobar Home/Business Theater Surge Suppressor

Premium-performance surge and line noise protection for all components



Model #: HT10DBS

- ▶ 10 outlets / 8-ft. cord
- ▶ 3570 joule rating
- ▶ Isolated Filter Banks / all-metal housing
- ▶ 3-line coaxial (gold) surge protection
- ▶ 1-line tel/modem and 1-line network (100BaseT, high-speed) surge protection
- ▶ \$500,000 Ultimate Lifetime Insurance (USA and Canada only)

DESCRIPTION

Tripp Lite's HT10DBS Isobar Home/Business Theater Surge Suppressor provides premium protection--3570 joules--stopping damaging surges and filtering disruptive line noise so components perform at their peak! You can see and hear the difference: sharper, crisper video; deeper, fuller audio and longer component life spans. Perfect for medium-to-large home/business theater installations: high-definition TVs, PVRs, satellite and A/V receivers, subwoofers, DVD/CD players and more. Exclusive Isolated Filter Banks eliminate noise interference between components. 10 outlets (with transformer spacing and plug-in safety covers), 3-line coaxial protection, 1-line tel/modem protection and 1-line network (100BaseT, high-speed) protection safeguard an entire home/business theater system. \$500,000 Ultimate Lifetime Insurance coverage (USA and Canada only). Includes all-metal housing, color-coordinated outlet/plug labels, three diagnostic LEDs, 8-ft. cord with a right-angle plug, 6-ft. gold coax cable, 6-ft. phone cord and 6-ft. network cable.

KEY BUYING POINTS

- 3570 joules surge suppression rating with EMI/RFI line noise filtering help components perform at their peak (sharper, crisper video; deeper, fuller audio and longer component life spans)
- \$500,000 Ultimate Lifetime Insurance (USA and Canada only) covers connected components against surge damage...for life!
- Isolated Filter Banks eliminate interference between connected components
- All-metal housing safely withstands the strongest surges
- 10 surge-protected NEMA 5-15R AC outlets safeguard an entire home/business theater system
- Widely spaced outlets accommodate up to 6 transformers
- Four plug-in safety covers protect against accidental contact with unused outlets
- 3 sets of surge-protected Type F gold coaxial connectors (with included 6-ft. gold coax cable) safeguard components on cable, satellite and antenna line
- 1-line tel/modem and 1-line network (100BaseT, high-speed) surge protection (with included 6-ft. phone cord and 6-ft. network cable) safeguards personal video recorders (PVRs) on up to two lines simultaneously.
- 8-ft. cord with right-angle NEMA 5-15P plug provides convenient location anywhere within a home/business theater system
- 3 diagnostic LEDs alert user to protection, line power and ground status
- Keyhole slots provide convenient wall or cabinet mounting
- Illuminated master switch provides one-touch power control over all components. Circuit breaker protects against dangerous system overload
- All-metal housing (black) stands up to the most demanding environments
- UL and cUL listed
- Lifetime product warranty
- Color-coordinated outlet/plug labels

TYPICAL APPLICATIONS

- Perfect for medium-to-large home/business theater installations: high-definition TVs, PVRs, satellite and A/V receivers, subwoofers, DVD/CD players and more.

PACKAGE INCLUDES

- HT10DBS Home/Business Theater Surge Suppressor
- 6-ft. DSS cable
- 6-ft. phone cord
- 6-ft. network cable
- Instruction manual with warranty information

COMPLETE SPECIFICATIONS

SYSTEM OVERVIEW

System overview:

Tripp Lite's HT10DBS Home/Business Theater Surge Suppressor provides premium protection--3570 joules--stopping damaging surges and filtering disruptive line noise so components perform at their peak! Exclusive Isolated Filter Banks eliminate noise interference between components. 10 outlets (with transformer spacing), 3-line coaxial protection, single line tel/modem protection and single line network/Ethernet (100BaseT, high-speed) protection safeguard an entire home/business theater system. \$500,000 Ultimate Lifetime Insurance coverage (USA and Canada only). Includes all-metal housing, three diagnostic LEDs, 8-ft. cord with a right-angle plug, 6-ft. DSS cable, 6-ft. phone cord and 6-ft. network cable.

Voltage compatibility: 120 VAC

Frequency compatibility: 50/60 Hz

OUTPUT

Output volt amp capacity (amps): 12

Output watt capacity (watts): 1440

Outlet quantity / type: 10 NEMA 5-15R

Transformer accomodation: Accommodates 6 transformers

INPUT

Input connection type: NEMA 5-15P

Input cord length (ft.): 8 ft.

Input cord length (m): 2.4

Input plug features: Space-saving right-angle input plug

Input cord gauge, type: 14 gauge, SJT

Recommended electrical service: 120V,15A

LEDS ALARMS & SWITCHES

Diagnostic LEDs: Built-in LEDs confirm line power, protection and ground status

Switches: Combination AC circuit breaker and illuminated 2 position on/off power switch

AC SURGE / NOISE SUPPRESSION

Protection modes: Includes full normal mode (H-N) and common mode (N-G / H-G) line surge suppression

AC suppression joule rating: 3570 joules

Clamping voltage (RMS): 140V

AC suppression response time: NM = instantaneous CM = < 1 ns

UL1499 let through rating: 330V - UL verified

EMI / RFI filtering: Up to 60 dB

DATALINE SURGE SUPPRESSION

TEL / Modem line protection: 1 line

Network Ethernet line protection: 1 line

Coax line protection: 3 line

PHYSICAL

Unit weight (lbs): 3.5

Unit weight (kg): 1.6

Unit Dimensions (HWD/in): 14.25 x 2.25 x 3.5

Unit Dimensions (HWD/cm): 36.2 x 2 x 5.7

Material of construction: Metal

Integrated keyhole mounting tabs: Keyhole mounting slots allow desk or wall mounting

Housing color: Attractive black color scheme

AC line cord color: Black

CERTIFICATIONS

UL1449 1998 Rev. (AC Suppression): UL1449

UL1363 (Power Tap): UL1363

UL497A (Communications): UL497A

FCC Part 68 (Communications): FCC Part 68

cUL / CSA (Canada): cUL

Approvals: Exceeds IEEE 587 category A&B specifications

WARRANTY

Product warranty: Lifetime

Connected equipment insurance (USA and Canada Only): \$500,000

*The policy of Tripp Lite is one of continuous improvement.
Specifications are subject to change without notice.
Therefore, your product may vary slightly from what is currently listed.*



Tripp Lite World Headquarters
1111 W. 35th Street
Chicago, IL 60609 USA

Customer Support
(773) 869-1234

© 2007 Tripp Lite. All Rights Reserved.