PS3612-20HW

- AC input hardwired via knockout on unit
- 12 outlets
- 20-amp capacity



Ideal for applications requiring permanent installation



DESCRIPTION

Tripp Lite's PS3612-20HW Power Strip offers 20 amp multi-outlet AC power distribution in a convenient 36 inch hardwire cabinet. Includes knockout panels to accept 3/4 in. conduit fittings for hardwire installation and 12 output receptacles with 2.99 inch center-to-center spacing. Ideal for horizontal for vertical raceway style power distribution in office, workbench, industrial, networking and telecom applications.

INPUT / OUTPUT: Input: Hard-wire access via knockout panels that accept 3/4 inch conduit fittings Output: 12 Outlets total, 2 NEMA5-20R and 10 NEMA5-15R

ELECTRICAL: 120V AC, 50/60Hz, 20A (no circuit breaker)

FORMAT: 36 inch strip format

KEY BUYING POINTS

- Versatile all-metal 36 inch format with outlets arranged in a single row
- Knockout panels for 3/4 inch conduit fittings allow permanent hardwire installation
- Ideal for horizontal or vertical raceway style power distribution in office, workbench, industrial, networking and telecom applications
- 12 outlets total, 2 NEMA5-20R (20A style) and 10 NEMA5-15R (15A type)
- 20 amp electrical capacity
- 120VAC, 50/60Hz electrical compatibility

TYPICAL APPLICATIONS

 Offers multiple outlet power distribution for a variety of applications, including office, workbench, industrial, networking, telecom and more.

PACKAGE INCLUDES

- PS3612-20HW
- Mounting hardware
- Instruction manual

COMPLETE SPECIFICATIONS

SYSTEM OVERVIEW	
System overview:	3 ft. mountable hardwire power strip, 20A capacity
Voltage compatibility:	120VAC
Frequency compatibility:	50/60 Hz
OUTPUT	
Output volt amp capacity (amps):	20A

Output watt capacity (watts):	2400
Outlet quantity / type:	10 Nema 5-15R / 2 Nema 5-20R
Outlet spacing:	2.99 in.
INPUT	
Input connection type:	3/4 inch knockouts support hardwire input connection
Recommended electrical service:	20A 120V
PHYSICAL	
Unit Dimensions (HWD/in):	1.5 x 1.5 x 36
Unit Dimensions (HWD/cm):	3.8 x 3.8 x 91.44
Material of construction:	Metal
Integrated keyhole mounting tabs:	Mount through housing supports bolt down installation to a variety of flat surfaces
Housing color:	Beige
Receptacle color:	Almond
CERTIFICATIONS	
cUL / CSA (Canada):	cUL
Approvals:	UL
WARRANTY	
Product warranty:	Lifetime

The policy of Tripp Lite is one of continuous improvement.

Specifications are subject to change without notice.

Therefore, your product may vary slightly from what is currently listed.



Tripp Lite World Headquarters 1111 W. 35th Street Chicago, IL 60609 USA

> Customer Support (773) 869-1234

© 2004 Tripp Lite. All Rights Reserved.