

Protect It! Surge Suppressor

State of the art protection for every application



Model #: SUPER6OMNI I

- ▶ 6 universal outlets
- ▶ 1.8 m power cord with Italian plug
- ▶ 750 joule rating
- ▶ Lighted on/off switch with integrated circuit breaker
- ▶ Lifetime warranty

DESCRIPTION

Tripp Lite's Protect It!™ SUPER6OMNI I offers economical AC surge suppression for full protection of 220-250V workstations, desktop PCs, telecom systems and other sensitive electronics. Built-in AC surge suppression shields connected equipment from damage and performance problems due to transient surges. The SUPER6OMNI I offers 6 universal outlets and a 1.8 meter AC line cord with Italian plug. AC suppression rated at 750 joules shields equipment from surges and line noise. Lighted on/off switch with integrated circuit breaker provides power control over connected equipment. Right-angle outlets keep connected cords from blocking adjacent outlets. Attractive light gray high-impact housing. Lifetime warranty.

INPUT: 1.8 m AC line cord with Italian plug

OUTPUT: 6 universal receptacles

ELECTRICAL: 220-250V AC, 50/60Hz, 10A

FORMAT: Corded multi-outlet strip

SUPPRESSION: - AC: 750 joules

KEY BUYING POINTS

- Protect It! SUPER6OMNI I offers economical AC surge suppression
- 750 joules AC surge suppression shields equipment from surges and line noise
- 6 universal outlets protect computers and peripherals
- 1.8 m AC line cord with Italian plug
- Built-in power switch and 10 amp circuit breaker offers power control and overload protection over all outlets
- Fail-safe thermal fusing protects against fire and other damage in the event of an extreme, extended overvoltage or surge condition
- Attractive light gray high-impact housing with keyhole mounting tabs allow versatile placement options
- Right-angle outlets keep connected cords from blocking adjacent outlets
- Lifetime warranty

TYPICAL APPLICATIONS

- Ideal for any desktop, network or home computing application requiring AC surge suppression

PACKAGE INCLUDES

- SUPER6OMNI I AC surge suppressor
- Instruction manual and warranty information

COMPLETE SPECIFICATIONS

SYSTEM OVERVIEW

System overview:	SUPER6OMNI I 6 outlet surge suppressor
Voltage compatibility:	220-250V
Frequency compatibility:	50/60 Hz

OUTPUT

Output volt amp capacity (amps):	10
Outlet quantity / type:	6 universal outlets
Outlet orientation:	right-angled
Overload protection:	10A resettable illuminated combo switch/circuit breaker

INPUT

Input connection type:	Italian
Input cord length (ft.):	6
Input cord length (m):	1.8
Recommended electrical service:	220-250V, 10A

LEDS ALARMS & SWITCHES

Switches:	Two position power switch
------------------	---------------------------

AC SURGE / NOISE SUPPRESSION

Protection modes:	Includes full normal mode (H-N) and common mode (N-G/H-G) line surge suppression
AC suppression joule rating:	750
AC suppression response time:	< 1 ns

PHYSICAL

Shipping weight (lbs):	1.32
Shipping weight (kg):	0.60
Unit weight (lbs):	1.0
Unit weight (kg):	0.45
Unit Dimensions (HWD/in):	15.50 x 2.50 x 1.25
Unit Dimensions (HWD/cm):	39.4 x 6.4 x 3.2
Shipping Dimensions (HWD/in):	18.50 x 4.50 x 2.00
Shipping Dimensions (HWD/cm):	47.0 x 11.4 x 5.1
Material of construction:	High-impact plastic housing
Integrated keyhole mounting tabs:	Yes - slotted
Housing color:	attractive light gray color scheme
AC line cord color:	light gray

WARRANTY

Product warranty:	lifetime
--------------------------	----------

*The policy of Tripp Lite is one of continuous improvement.
Specifications are subject to change without notice.
Therefore, your product may vary slightly from what is currently listed.*



Tripp Lite World Headquarters
1111 W. 35th Street
Chicago, IL 60609 USA

Customer Support
(773) 869-1234

© 2007 Tripp Lite. All Rights Reserved.