

Protect It! Surge Suppressor

State of the art protection for every application



Model #: SUPER7COAX

- ▶ 7 outlets/7 ft. cord
- ▶ 2350 joule rating
- ▶ Coaxial surge protection
- ▶ \$75,000 Ultimate Lifetime Insurance (USA, Puerto Rico & Canada only)

DESCRIPTION

The SUPER7COAX surge suppressor from Tripp Lite has 7 outlets and a 7-ft. cord with a space-saving right-angle plug. The unit has 2350 joules of surge energy absorption to handle the strongest surges. Built-in coax jacks prevent surges from damaging your cable/satellite equipment. Diagnostic LEDs alert the user to potential power problems. \$75,000 Ultimate Lifetime Insurance (USA & Canada Only). No warranty cards required for coverage!

KEY BUYING POINTS

- 7 outlets
- 7-ft. cord with space-saving right-angle plug
- Built-in Type F coax jacks prevent surges from damaging your cable / satellite equipment
- \$75,000 Ultimate Lifetime Insurance (USA & Canada Only) covers connected equipment - No warranty cards required for coverage!
- Surge energy absorption: 2,350 joules; 54,500 amps
- 15 amp circuit breaker
- 2 diagnostic LEDs indicate AC present, line fault & protection present
- EMI/RFI noise filtering
- Keyhole supports for wall mounting
- Recessed power switch
- Lifetime product warranty

TYPICAL APPLICATIONS

- Audio/visual devices, cable television connections, home theater systems, personal computers, CAD/CAM/CAE workstations, network nodes, file servers, point-of-sale terminals, and more.

PACKAGE INCLUDES

- Super7Coax Surge Suppressor
- Warranty information with instruction manual

COMPLETE SPECIFICATIONS

SYSTEM OVERVIEW

System overview:

SUPER7COAX surge suppression strip includes 7 AC outlets, 7 foot AC cord, set of coax protection jacks, 2350 joule protection level, diagnostic LEDs, 3 dedicated transformer outlets, lifetime warranty and \$75,000 connected equipment insurance

Voltage compatibility:

120 VAC

Frequency compatibility:

50/60 Hz

OUTPUT

Output volt amp capacity (amps):	15
Output watt capacity (watts):	1800
Outlet quantity / type:	7 NEMA 5-15R
Outlet orientation:	Single row of 5, plus 2 side mounted outlets
Transformer accomodation:	Supports 3 large transformer plug accessories without covering remaining outlets, accepts up to 5 transformers total

INPUT

Input connection type:	NEMA 5-15P
Input cord length (ft.):	7 ft.
Input cord length (m):	2.1
Input plug features:	Space-saving right angle input plug
Input cord gauge, type:	14 gauge, SJT
Recommended electrical service:	120V,15A

LEDS ALARMS & SWITCHES

Diagnostic LEDs:	Built-in LEDs confirm suppressor "protection present" (green) and "grounded" (red) status
Switches:	Two position on/off power switch

AC SURGE / NOISE SUPPRESSION

Protection modes:	Includes full normal mode (H-N) and common mode (N-G / H-G) line surge suppression
AC suppression joule rating:	2350 joules
Clamping voltage (RMS):	150V
AC suppression response time:	< 1 ns
UL1499 let through rating:	330V - UL Verified
EMI / RFI filtering:	Up to 20 dB

DATALINE SURGE SUPPRESSION

Coax line protection:	1 line
------------------------------	--------

PHYSICAL

Shipping weight (lbs):	1.52
Shipping weight (kg):	0.7
Unit weight (lbs):	1.5
Unit weight (kg):	0.7
Unit Dimensions (HWD/in):	13 x 5 x 1.5
Unit Dimensions (HWD/cm):	33 x 12.7 x 3.8
Shipping Dimensions (HWD/in):	14 x 5.15 x 1.8
Shipping Dimensions (HWD/cm):	35.5 x 13.1 x 4.6
Material of construction:	Plastic
Integrated keyhole mounting tabs:	Keyhole mounting tabs enable wall mounting
Housing color:	Attractive gray color scheme
AC line cord color:	Gray

CERTIFICATIONS

UL1449 1998 Rev. (AC Suppression):	UL1449
UL1363 (Power Tap):	UL1363
UL497A (Communications):	UL497A

FCC Part 68 (Communications):	FCC Part 68
cUL / CSA (Canada):	cUL
Industry Canada (Communications):	Industry Canada
Approvals:	Exceeds IEEE 587 category A&B specifications

WARRANTY

Product warranty:	Lifetime
Connected equipment insurance (USA and Canada Only):	\$75,000

*The policy of Tripp Lite is one of continuous improvement.
Specifications are subject to change without notice.
Therefore, your product may vary slightly from what is currently listed.*



Tripp Lite World Headquarters
1111 W. 35th Street
Chicago, IL 60609 USA

Customer Support
(773) 869-1234

© 2007 Tripp Lite. All Rights Reserved.