

Protect It! Surge Suppressor

State of the art protection for every application



Model #: TMC-6

- ▶ 6 outlets / 6-ft. cord
- ▶ 1850 joule rating
- ▶ Tel/modem surge protection
- ▶ Individual switches
- ▶ \$50,000 Ultimate Lifetime Insurance (USA, Puerto Rico & Canada only)

DESCRIPTION

Tripp Lite's TOUCHMASTER COMPACT surge suppressor offers complete AC and phone line surge suppression for comprehensive protection of workstations, desktop PCs, telecom systems and other sensitive electronics. Heavy grade AC surge suppression shields connected equipment from damage and performance problems due to transient surges. RJ11 telephone line suppression jacks protect dialup and DSL modem lines, fax machines, cordless phones and more. TOUCHMASTER COMPACT offers 6 total outlets, 6 foot cord and LEDs to warn of power and wiring problems. Heavy grade AC suppression rated at 1850 joules shields equipment from surges and line noise. Attractive, slim design is perfect for use under desktop computer monitors or notebook computers. Individual switches offer power control over connected equipment. Lifetime warranty with \$50,000 Ultimate Lifetime Insurance (USA & Canada Only).

PLUG / OUTLETS: Input: NEMA5-15P / Output: 6 NEMA5-15R / 6-ft. AC line cord

ELECTRICAL: 120V AC, 50/60Hz, 15A (Requires NEMA5-15R wall receptacle)

FORMAT: Slim, compact design perfect for use under desktop monitors and notebook computers

SUPPRESSION: AC: 150V RMS Clamping / 1850 joules / 330V UL1449

KEY BUYING POINTS

- 6 outlets
- 6-ft. cord with space-saving right-angle plug
- Built-in RJ11 jacks prevent surges from damaging your modem/fax equipment; 6-ft. telephone cord included
- Surge suppression rating: 1850 joules
- EMI/RFI noise filtering
- 15 amp resettable circuit breaker
- Diagnostic LEDs confirm suppressor "protection present" (green), "grounded" (red) status and "power on" (green)
- Always on outlet provides power for equipment you always need on — even when the "master" switch is off
- Includes full normal mode (H-N) and common mode (N-G / H-G) line surge suppression
- Allows for the computer to be controlled by the "master" switch and other outlets to be controlled either the "master" switch or corresponding switch on the front panel
- \$50,000 Ultimate Lifetime Insurance (USA & Canada Only) covers connected equipment
- Lifetime product warranty

TYPICAL APPLICATIONS

- Ideal for PCs, notebook computers, peripherals and home electronics

PACKAGE INCLUDES

- TOUCHMASTER COMPACT surge suppressor
- 6-ft. phone cord
- Instruction manual and warranty information

COMPLETE SPECIFICATIONS

SYSTEM OVERVIEW

System overview:	TOUCHMASTER COMPACT console surge suppressor protects computers and other sensitive electronic devices from damage and performance problems due to AC and dataline surges. Low profile, under-monitor form factor allows prominent desktop placement with easy access to all 5 front panel power switch controls. Includes 6 output receptacles, 1850 joules AC protection level.
Voltage compatibility:	120 V AC
Frequency compatibility:	50/60 Hz

OUTPUT

Output volt amp capacity (amps):	15
Output watt capacity (watts):	1800
Outlet quantity / type:	6 NEMA 5-15R

INPUT

Input connection type:	NEMA 5-15P input plug
Input cord length (ft.):	6 ft.
Input cord length (m):	1.8
Input plug features:	Space-saving right angle input plug
Input cord gauge, type:	14 gauge, SJT
Recommended electrical service:	120V,15A

LEDS ALARMS & SWITCHES

Diagnostic LEDs:	Built-in LEDs confirm suppressor "protection present" (green) and "grounded" (red) status
Switches:	Includes 5 front panel AC power switches. 4 switches control individual outlets and 1 serves as a main power switch that controls all but the one marked "unswitched" on the back panel

AC SURGE / NOISE SUPPRESSION

Protection modes:	Includes full normal mode (H-N) and common mode (N-G / H-G) line surge suppression
AC suppression joule rating:	1850 joules
Clamping voltage (RMS):	150V
AC suppression response time:	< 1 ns
UL1499 let through rating:	330V - UL Verified

DATALINE SURGE SUPPRESSION

TEL / Modem line protection:	1 line
-------------------------------------	--------

PHYSICAL

Unit weight (lbs):	2.8
Unit weight (kg):	1.3
Unit Dimensions (HWD/in):	11.5 x 11.2 x 1.5
Unit Dimensions (HWD/cm):	29.2 x 28.5 x 3.8
Shipping Dimensions (HWD/in):	13 x 11.5 x 1.75
Shipping Dimensions (HWD/cm):	33 x 29.2 x 4.4

Material of construction: Plastic

Form factors supported: Supports under monitor placement as a power control center for an entire PC system with peripherals

Housing color: Black

WARRANTY

Product warranty: Lifetime

Connected equipment insurance (USA and Canada Only): \$50,000

*The policy of Tripp Lite is one of continuous improvement.
Specifications are subject to change without notice.
Therefore, your product may vary slightly from what is currently listed.*



Tripp Lite World Headquarters
1111 W. 35th Street
Chicago, IL 60609 USA

Customer Support
(773) 869-1234

© 2007 Tripp Lite. All Rights Reserved.