



0201 - LOUDSPEAKER, INDIVIDUAL, COAXIAL







GENERAL DESCRIPTION

The Quam 8C10CO is an 8" frame, 8 Ohm loudspeaker and coaxial mount piezoelectric ceramic HF. Finish: Black baked epoxy hybrid.

INTENDED USE

Wide frequency response replacement loudspeaker or combined with recommended Quam components to form a complete loudspeaker system; indoor environment.

Program Material: Signal tones, voice and music

SYSTEM COMPONENTS

N/A

RECOMMENDED ADDITIONAL QUAM COMPONENTS

Refer to Section 0104.6 - Customer Specified Assembly or individual components listed below:

0502 - Transformers

0301 - Baffles, Round

OR

0302 - Baffles, Square

0401.1 - Flush Mounted Back Boxes, Round

OR

0401.2 - Flush Mounted Back Boxes, Square

0402 - Loudspeaker Mounting Devices

AUDIO SPECIFICATIONS

7.02.00.00.00.00.00	
8" Frame	
97 dB SPL, 1W / 1M	
20W RMS, EIA 426A Standard	
110 dB SPL, 20W / 1M	
60 Hz - 20 kHz EIA 426A	
Standard	
90° Included Angle, -6 dB / 2 kHz,	
Half Space	
4x 1/4" Holes Spaced 90° Apart	
on 7-5/8" Circle	
0.205" Spade Lug	

Recommended construction sequences, installation instructions and A&E Specifications are available in various formats on the Quam Architects' and Engineers' Resources CD or on the web at: www.quamspeakers.com

Quam-Nichols Company

234 East Marquette Road, Chicago, IL 60637 Phone: (800) NEED NOW Fax: (888) NEED NOW (800) 633 - 3669 (888) 633 - 3669 E-Mail: neednow@gnc.com www.quamspeakers.com



