

### OUTDOOR FIXED HOUSINGS

### **PBRH10**

#### **Outdoor Bullet Resistant Housing**

- 10" indoor/outdoor aluminum housing for all Panasonic standard body cameras and all current Panasonic vari-focal and fixed lenses
- Ballistic rated
- 7-gauge strength and durability
- 24 VAC heater

#### **Optional Accessory**

PBWM10 - Wall mount bracket f/PBRH10



### WV-7150D **Outdoor Housing**

- Weatherproof outdoor housing for cameras with fixed focal length lenses
- Thermostat automatically controls built-in heater and cooling fan
- Sun shield provided
- Easy wiring with use of terminal board
- Mountable to the WV-7260D Pan/Tilt Mechanism

#### **Optional Accessory**

WV-Z50 - Wiper assembly f/WV-7150D/7160D



### INDOOR/OUTDOOR FIXED HOUSINGS

### POH1000 **Outdoor Housing**

- 10" indoor/outdoor aluminum housing for all Panasonic standard body cameras and all current Panasonic vari-focal and fixed lenses
- Lightweight aluminum chassis
- Side hinges for ease of access when focusing and adjusting
- Terminal block interface for easy connection
- Provision for optional heater/blower and sun shield

# POH1000HB

Built-in 24VAC heater/blower

### **Optional Accessories**

PHK10 - Heater kit

PBK10 - Blower kit

PSS10 - Sunshield, also performs as hanging mount



Includes same features as POH1000, plus:

### POH1500 **Outdoor Housing**

- 15" indoor/outdoor aluminum housing for all Panasonic standard body cameras and all current Panasonic vari-focal and fixed lenses
- Lightweight aluminum chassis
- Side hinge for ease of access when adjusting and servicing camera
- Dual conduit opening on housing bottom, sealed with rubber grommets
- Terminal block interface for easy connection
- Provision for optional heater/blower and sun shield

### **POH1500HB Outdoor Housing**

Includes same features as POH1500, plus:

Built-in 24VAC heater/blower





PHK10 - Heater kit

PBK10 - Blower kit

PSS15 – Sunshield, also performs as hanging mount



### POD7CN **Outdoor Dome Housing**

- Hanging mount style
- Easy installation
- 24-hour fan operation for effective heating and condensation protection
- 24VAC heater for low power installation
- Surge protection for video line and power
- Ground loop protection by optional unit PWBT1621 (isolation transformer)
- Optically clear dome material
- Lower dome: 7" diameter
- Designed for WV-CS954 / WV-CS574 / WV-NS324 cameras



### **POD7CWN Outdoor Dome Housing**

Includes same features as POD7CN, except:

Wall mount style

### **Optional Accessories**

PPRM30G - Parapet mount f/POD7CN (inside wall), black

PPRM30GB - Parapet mount f/P0D7CN (inside wall), beige

PWM20G – Gooseneck wall mount for POD7CN, black

PWM20GB - Gooseneck wall mount for POD7CN, beige

PWM30G – Parapet mount for POD7CN (outside wall), black

PWM30GB - Parapet mount for POD7CN (outside wall), beige

### **Optional Accessories**

PWBT1621 - Ground loop isolation transformer

PACA2 - Corner mount adapter, black

PAPM3 - Pole mount adapter, black

### POD8C

### **Pendant Mount (for PTZ dome cameras)**

- Beige housing (POD8C and POD8CF only)
- Durable engineered plastic top, UV protected with a UL flame rating of 94V0
- Aluminum wall or pendant mount
- 24VAC blowers and thermostatically controlled heaters for condensation protection
- Surge protection for both video and power
- Thermoformed, optically clear, cell-cast acrylic material
- Designed for WV-CS574 or WV-NS324 cameras

### POD8CF

### **Pendant Mount (for fixed cameras)**

- Includes same features as POD8C
- Optional mounts for corner, pole, and parapet applications PACA2, PAPM3
- Pendant mount only
- Use optional PWM20G or PWM20GB for wall mount application



### POD8CW Wall Mount (for PTZ dome cameras)

- White housing
- Includes same features as POD8C
- Designed for WV-CS574 and WV-NS324 dome cameras

## POD8CWF

### Wall Mount (for fixed cameras)

- White housing
- Includes same features as POD8C
- Optional mounts for corner, pole, and parapet applications



# POD9CWT Wall Mount (for PTZ dome cameras)

- Includes same features as POD8C
- White housing; available in sleek, hi-tech silver design (POD9CW)
- Designed for WV-CS954 / WV-CS574 / WV-NS324 cameras



# POD9CT Pendant Mount

- Includes same features as POD8C
- White housing; available in sleek, hi-tech silver design (POD9C)
- Designed for WV-CS954 / WV-CS574 / WV-NS324 cameras

### PRESSURIZED HOUSINGS



# PPFD9C Pressurized Dome Housing

- Designed for Panasonic fixed cameras
- Constructed of durable engineered plastic top, 94 VO with polycarbonate lower dome
- PPFD8C meets DE and IP67 standards
- Pressurized indicator
- 50 W heater turns on at 40° F and off at 60° F
- Power and video surge protector
- Weighs 8 lbs. (without camera)
- 13.0"H x 11.5"W x 11.5"D
- Designed for WV-CS954 / WV-CS574 / WV-NS324 cameras

### OUTDOOR BRACKETS: VANDAL-PROOF CAMERAS



### PCM474SA Vandal-Proof Corner Mount

- Weatherproof
- Pass through for wire connections
- Corner outdoor mount for WV-CW474S, WV-CW244S and WV-CW474AS cameras



### PPM474SA Vandal-Proof Pole Mount

- Weatherproof
- Pass through for wire connections
- Pole outdoor mount for WV-CW474S and WV-CW244S cameras



### PWM474SA Vandal-Proof Wall Mount

- Weatherproof
- Pass through for wire connections
- Outdoor wall mount for WV-CW474S, WV-CW474AS and WV-CW244S cameras



### PHM474SA Vandal-Proof Hanging Mount

- Made of 1" thick steel tubing
- Beige powder coat finish
- Weatherproof
- Pass through for wire connections
- Outdoor hanging mount for WV-CW244S, WV-CW474AS and WV-CW474S cameras

### MOUNTING BRACKETS

### PWM800 Outdoor Wall Mount

- Medium-duty outdoor mount
- Designed for mounting to a flat wall or round pole (larger than 3.5" diameter)
- Supports weight loads up to 25 lbs.
- Black, textured powder coat finish
- Designed for POH1000 and POH1500



### PHM5 Indoor/Outdoor Hanging Mount Bracket

- Designed for pendant mounting from a flat surface
- Pipe extension (not included)
- Designed for the WV-CS954/ WV-CS574 Series



### PSRCW2000B Outdoor Parapet Roof Top Mount Bracket

- Heavy-duty
- Designed to be mounted on a flat roof top or roof top parapet
- 150 lbs. load rating
- Black
- Designed for POD7CN outdoor dome housing (with wall mount bracket PWM20G or POD7CWN)

### PWM20G – Black Finish PWM20GB – Beige Finish Wall Mount

- Durable powder coat finish
- All aluminum construction
- 1 1/2" pipe thread on end for quick and easy dome mounting
- Access plug for easy wire pulls
- 50 lbs. load rating
- Designed for all pendant housings

### PWM30G – Black Finish PWM30GB – Beige Finish Parapet Mount

- Durable powder coat finish
- All aluminum construction
- 1 1/2" pipe thread on end for quick and easy dome mounting
- Access plug for easy wire pulls
- 50 lbs. load rating
- Designed for all pendant housings

### PPRM30G – Black Finish PPRM30GB – Beige Finish Parapet Mount

- Durable powder coat finish
- All aluminum construction
- 1 1/2" pipe thread on end for quick and easy dome mounting
- Access plug for easy wire pulls
- Extension piece for added flexibility
- 50 lbs. load rating
- Designed for all pendant housings

# PPMF12D Pendant Mount Bracket

- Mounting bracket and backbox for use with POD7CN in a hanging mount application
- 1-1/2" standard pipe (not included)



### PACA2 – Black Finish PACA2B – Beige Finish Outdoor Corner Mount Adapter

To corner mount the POD7CWN, PWM20G, PWM20GB



# PAPM3 – Black Finish PAPM3B – Beige Finish Outdoor Pole Mount Adapter

- Mounted to a round pole larger than 3" in diameter by stainless steel straps (not included)
- 200 lbs. load rating
- Designed for POD7CWN, PWM20G, PWM20GB











## Panasonic System Solutions Company

Unit of Panasonic Corporation of North America

### **Security Systems**

One Panasonic Way, Panazip 2H-2, Secaucus, NJ 07094
TOLL-FREE Phone: 1-877-733-3689 • TOLL-FREE Fax: 1-866-808-9115
www.panasonic.com/security

Product specifications are subject to change without notice. ©2006 Panasonic Corporation of North America. All rights reserved.

Mounting equipment shown in this brochure is made available as an option to cameras.