

Panasonic ideas for life



PSMD12Indoor Surface Dome Housing

- 12" dome
- Accommodates a standard body fixed camera up to 8" in length
- Housing constructed of ABS plastic
- Tinted acrylic dome
- Designed for Panasonic's standard body 1/3" cameras with Panasonic Fixed-Focal Lens Series (camera not included)



PICSD Indoor In-Ceiling Dome Housing

- Opaque liner combined with lower tinted dome hides camera position
- Small size 5.9" bubble
- Steel upper housing
- Designed for Panasonic PTZ dome cameras WV-CS574 and WV-NS324



PIFIXD Indoor Half Dome Housing

- Opaque liner combined with lower tinted dome hides camera position
- Small size 5.9" bubble
- Steel upper housing
- Designed for Panasonic 1/2 body fixed cameras



PDM9 Indoor Drop Ceiling Mount

- Designed for discreet indoor surveillance; mounts into a standard 2' x 2' or 2' x 4' suspended ceiling
- Can be used alone or in conjunction with the entire ceiling tile
- Designed for WV-CS954 Series and WV-CS574 cameras

PID9 Indoor In-Ceiling Dome Housing

- Opaque liner combined with lower tinted dome hides camera position
- Steel upper housing
- Designed for Panasonic CS dome cameras WV-CS574 and WV-CS954

PPEH8 Plastic Wedge Housing

- Off-white, high-impact polycarbonate housing and window
- Easy installation for any type of ceiling
- Tamper-resistant fasteners
- Molded-in hinge to allow easy access from below
- Fully adjustable camera bracket for top or bottom mounting
- Right-angle BNC connector included for longer length cameras
- Designed for Panasonic 1/2 body fixed cameras

PRC201C Recessed Ceiling Housing

- Designed for use in 2' x 2' suspended ceiling applications
- Housing manufactured from high-impact white plastic
- Viewing window manufactured from high-grade optically clear acrylic
- Unit is fully adjustable for 360° positioning
- Accommodates a standard body fixed camera up to 8" in length

WV-7110A Indoor Housing

- Dust-proof indoor housing
- Mounting from top or bottom
- Direct wiring
- Accommodates a standard body fixed camera up to 8" in length



PPH14 Indoor Pressurized Housing

- Accommodates a lens and camera combination with a total length of 14"
- Designed for Panasonic's standard body 1/3" cameras with Panasonic Fixed-Focal length cameras or motorized zoom lens



PPFD9C

Pressurized Dome Housing

- Constructed of durable engineered plastic top, 94 VO with UV protected and acrylic lower dome
- Meets DE and IP67 standards
- Pressurized indicator
- 50 W heater turns on at 40° F and off at 60° F
- Power and video surge protector
- Weighs 8 lbs. (without camera)
- 13.0"H x 11.5"W x 11.5"D
- Designed for Panasonic WV-CS954, WV-CS324 and WV-CS574 cameras

INDOOR/OUTDOOR FIXED HOUSINGS



POH1000 Outdoor Housing

- 10" indoor/outdoor aluminum housing for all Panasonic standard body cameras and all current Panasonic vari-focal and fixed lenses
- · Lightweight aluminum chassis
- Side hinges for ease of access when focusing and adjusting
- Terminal block interface for easy connection
- Provision for optional heater/blower and sun shield

POH1000HB Outdoor Housing

Includes same features as POH1000, plus:

■ Built-in 24VAC heater/blower

Optional Accessories

PHK10 – Heater kit PBK10 – Blower kit

PSS10 - Sunshield, also performs as hanging mount



POH1500 Outdoor Housing

- 15" indoor/outdoor aluminum housing for all Panasonic standard body cameras and all current Panasonic vari-focal and fixed lenses
- Lightweight aluminum chassis
- Side hinge for ease of access when adjusting and servicing camera
- Dual conduit opening on housing bottom, sealed with rubber grommets
- Terminal block interface for easy connection
- Provision for optional heater/blower and sun shield

POH1500HB Outdoor Housing

Includes same features as POH1500, plus:

Built-in 24VAC heater/blower

Optional Accessories

PHK10 - Heater kit

PBK10 - Blower kit

 ${\it PSS15-Sunshield}, also \ performs \ as \ hanging \ mount$

INDOOR MOUNTING BRACKETS

PCMA474F **Corner Mount Adapter**

- Rugged corner adapter
- Tamper-proof screws for complete protection
- Durable powder coat finish
- Designed for WV-CW474AF and WV-CW244F cameras

WV-Q117 **Suspended Ceiling Installation Bracket**

■ Designed for WV-CS954 and WV-CS574 cameras



WV-Q118 **Wall Mount Bracket**

Designed for WV-CS954 and WV-CS574 cameras



WV-Q116 **Embedded Ceiling Installation Bracket**

Designed for WV-CS954 camera



WV-Q106 **Embedded Ceiling Mount**

Designed for WV-CS574 camera



WV-Q105 **Direct Ceiling Installation Bracket**

■ Designed for WV-CS954 and WV-CS574 cameras



PWM9 **Wall Mount Bracket**

- Mounts to a flat wall and has a 1" cable opening
- Designed for indoor use, supports the WV-CS954, WV-CS574 and WV-NS324 dome cameras (not included)



PHM₅ **Indoor/Outdoor Hanging Mount Bracket**

- Designed for pendant mounting from a flat surface
- Pipe extension (not included)
- Designed for WV-CS954 / WV-CS574 Series

Wall Mount Bracket

Multi-directional mounting head

Designed for WV-7110A and

Mounts on flat surface

WV-7120D housings



PUM8 **Indoor Wall/Ceiling Mount Bracket**

- For wall mount applications or can be quickly converted for ceiling mounting
- Designed for Panasonic's standard body cameras with a maximum camera and lens length of 8" and a maximum weight of 3 lbs.



WV-831P **Wall Mount Bracket**

- Medium weight, indoor/ outdoor, universal head
- Mounts on wall
- Holds up to 20 lbs.
- Designed for most Panasonic camera and indoor housings



WV-7010 **Ceiling Mount Bracket**

Medium-duty

WV-7015

Medium-duty

Holds up to 9 lbs.

- Mounts on flat surface
- Multi-directional mounting head
- Holds up to 9 lbs.
- Designed for WV-7110A / WV -7120D housings





Panasonic System Solutions Company

Unit of Panasonic Corporation of North America

Security Systems

One Panasonic Way, Panazip 2H-2, Secaucus, NJ 07094
TOLL-FREE Phone: 1-877-733-3689 • TOLL-FREE Fax: 1-866-808-9115
www.panasonic.com/security

Product specifications are subject to change without notice. ©2006 Panasonic Corporation of North America. All rights reserved.

Mounting equipment shown in this brochure is made available as an option to cameras.