



CRISP

SPECIFICATIONS / TECHNICAL DATA REV A

KEY FEATURES

High-Powered 1,250W Snow Machine
Silent Operation for Noise Sensitive Environments
Advanced APF (air pump fan) Technology
Auto-Clean Process
Compact Light Weight Robust Design
Onboard LCD Touch Control Panel

Dynamic Effects

Snow Adjustment: 0-100%
Fan Speed Adjustment 50% or 100%
Snow Distance Output: 39.3 ft / 12m
Self-Clean Function
Auto Shut-off
Advanced HPA (High Pressure Air Pump)

Control

.2 Card Inputs (For optional Magfly, MagApp & MagRF cards)
RDM (Remote Device Management)
Control Protocol: DMX512
DMX Modes: 3 (1/ 3/ 5)
On-Board Timing Control
5 Factory Presets
4-pin Wired Remote Input
Touch Screen Display
On-Board Manual Snow Trigger

Connections

Data Connectors: 5-pin locking XLR In/Out
4-pin Connector for optional wired remote
Locking Power Connector

Construction / Physical / Performance

Dimensions (LxWxH): 20.8in x 15.94in x 15.95in / 528.8 x 405 x 405.2mm
Weight: 33.5 lbs / 15.2kg
External Visual Fluid Level Detection
Fluid Tank Capacity: 5L.
Fluid Consumption: 16.9oz/min / 500ml/min

Electrical

Power Consumption: 1250w
Input Voltage: U.S. Version - 120VAC @ 60Hz and Europe Version - 230 - 240VAC @ 50Hz
Breaker Size: 9A (230-240V version)

Certifications / Qualifications / Thermal

IP Rating: IP20, dry location
Maximum Temperature (Ambient): 104° F (40° C)
Exterior Surface Temperature: 122° F (50° C)



MAGMATIC



CRISP

SPECIFICATIONS / TECHNICAL DATA REV A

What's Included

Hanging Bracket
14 AWG Locking Power Cable


Optional Accessories

MagFLY Card
MagRF Card
MagAPP Card
Recommended Fluid: Atmosity Premium Snow Fluid. APS-2L, APS-4L, APS-20L, APS-220L (220L Drum *Special Order)

Ratings / Approvals

CE | cETLus | FCC | IP20

Specifications and documentation subject to change without notice.



MAGMATIC