



The magic life in the image world

E-IMAGE

AT7903 Pedestal

UPGRADE
VERSION



184.5cm
72.6in



20.0kg
44.1lbs



102.0cm
40.2in



15.8kg
34.8lbs



32.0cm
12.6in



100mm

Component:

Pedestal	AT7903
Dolly	EI-7005



Pneumatic assist center column



Easy height-adjustment lever



Quick locking



Ergonomic hand wheel

UPGRADE





The magic life in the image world

E-IMAGE

GH20 100mm Fluid Head



-  100mm
-  20.0kg / 44.0lbs
-  0-8



FEATURES



Fixed drag of pan & tilt



Longer sliding plate











Leveling bubble



8 plus 0 steps of counterbalance

SPECIFICATIONS





Model	GH20
 Payload Range	20.0kg / 44.0lbs
 Counterbalance Range	0-8
 Grades Of Pan Drag	Fixed
 Grades Of Tilt Drag	Fixed
 Tilt Range	-60°/+90°
 Temperature Range	-30°C~+60°C
 Bowl Size	100mm
 Net Weight	3.5kg / 7.7lbs

EI-7004B Video Dolly

Super sturdy, designed for heavy duty systems. The 100mm/4 inch wheels can be individually braked.



FEATURES





The magic life in the image world



E-IMAGE

GB3 Pan bar

Telescopic pan bar for GH08L, GH10L, GH15, GH25 heads



SPECIFICATIONS

 Length range	405-605mm / 15.9-23.8in
 Net weight	385g / 0.8lbs