
## PT4200-CVK

Tka-n

Conversion Kit from Traditional to Tablet Teleprompter (PT4200 to PT-ELITE-PR02)













## **Assmebly Setup**

Step 1

Connect the 15mm rod monitor adapter to the tablet extender.



Step 2
Connect the tablet holder to the extender with the D-ring. Loosen the two rod clamps on the rod adapters.










**Step 3**Slide the rod adapter into the teleprompter base.









### **Specifications**

Build Material	Aluminum / Steel
Reading Range	11-14 ft. (depending on tablet size)
Beamsplitter Material	70/30 Glass
Tripod Mount Type	3 x 1/4"-20 Female 3 x 3/8"-16 Female
Min. Tablet Dimensions	9" x 6" / 22.9 x 15.4 cm
Max. Tablet Dimensions	13" x 9" / 33 x 22.9 cm

#### **Features**

- Supports Larger iPad, Android, and Windows Tablets
- Min Tablet Size: 6" x 9" Max Tablet size: 9" x 13"
- Works with Apple iPad and iPad Pro
- Fits many different sized camera
- Easy balancing with adjustable base
- 15mm Rod Based for Versatility and Ease of Use
- Solid CNC Machined Aluminum Construction
- Ships in Custom Foam for Hard Case









#### Learn More

More dynamic information at official website: www.ikancorp.com

## Support

Contact email: support@ikancorp.com

#### CONDITIONS OF WARRANTY SERVICE

- Free service for one year from the day of purchase if the problem is caused by manufacturing errors.
- The components and maintenance service fee will be charged if the warranty period is expired.

# Free Service will not be Provided in the Following Situations: (Even if the product is still within the warranty period.)

- Damage caused by abuse or misuse, dismantling, or changes to the product not made by the company.
- Damage caused by natural disaster, abnormal voltage, and environmental factors, etc.

©2020 Ikan International. All rights reserved.







