



## WP-3H2

4K HDR HDMI Wall-Plate Extender (EU, UK, US)

| HDMI | 4K/60 UHD (4:4:4)



WP-3H2 is a 4K HDR HDMI wall-plate extender that extends the HDMI cable distance between the HDMI player and the HDMI display by reclocking and equalizing the HDMI signal. Placing WP-3H2 in the transmission path, removes dropout and digital noise (sparkles) in your picture that may result from using long HDMI cables

### FEATURES

**Extends HDMI Transmission Distance** - Extends 4K@60Hz (4:4:4) signals up to 20m from the source (10m from the source to the HDMI Extender, and 10m from the HDMI extender to the display)

**Supports the DDWG standard for HDMI compliant displays**

**HDMI Support** - Supports HDR10, ARC, CEC, deep color, x.v.Color™, Lip Sync, 7.1 PCM, Dolby TrueHD, Dolby atmos DTS-HD, 2K, 4K, and 3D Dolby Vision as specified in HDMI 2.0.

**Supports the DDWG standard for HDMI compliant displays**

**Kramer reClocking™ & Equalization Technology** - Rebuilds the digital signal to travel longer distances

**Content Protection** - HDCP 1.4 and HDCP 2.2 compliant



# kramer

## TECHNICAL SPECIFICATIONS

---

Inputs	1 HDMI On a female HDMI connector
Outputs	1 HDMI On a female HDMI connector
Video	Max Resolution 4K@60Hz (4:4:4)  Max Range 4K@60 4:4:4 Resolution 20m/65ft (10m/33ft from source to extender, 10m/33ft from extender to display)  Max Range 4K@60 4:2:0 / 4K@30 40m/130ft (25m/82ft from source to extender, 15m/49ft from extender to display)  Max Range 1080p@60 45m/150ft (30m/98ft from source to extender, 15m/49ft from extender to display)  Compliance HDCP 2.2  HDMI Support HDR10, ARC, CEC, deep color, x.v.Color™, Lip Sync, 7.1 PCM, Dolby TrueHD, Dolby atmos DTS-HD, 2K, 4K, and 3D Dolby Vision as specified in HDMI 2.0
User Interface	Indicators Power LED
Power	Consumption 5V DC, 150mA
Environmental Conditions	Operating Temperature 0° to +40°C (32° to 104°F)  Storage Temperature -40° to +70°C (-40° to 158°F)  Operating Humidity 10% to 90%, RHL non-condensing
Accessories	Included Power supply  Included in US-D version 1 white US frame set and faceplate  Included in European version 1 EU white frame, 1 UK white frame, 1 EU/UK white faceplate
Product Dimensions	US: 6.98cm x 2.40cm x 11.43cm (2.75" x 0.94" x 4.50" ) W, D, H  EU, UK: 7.00cm x 2.40cm x 7.00cm (2.76" x 0.94" x 2.76" ) W, D, H
Product Weight	US: 0.0kg (0.0lbs) approx  EU, UK: 0.1kg (0.3lbs) approx
Shipping Dimensions	US: 7.00cm x 4.70cm x 11.40cm (2.76" x 1.85" x 4.49" ) W, D, H  EU, UK: 0.00cm x 0.00cm x 0.00cm (0.00" x 0.00" x 0.00" ) W, D, H
Shipping Weight	US: 0.0kg (0.0lbs) approx  EU, UK: 0.6kg (1.3lbs) approx





# kramer

## CONFIGURATIONS

---

WP-3H2/US-D(W) US-D size Wall-Plate Extender, with White Decora® Design Frame Set

---

WP-3H2/EU-80/86(W) EU & UK-size Wall-Plate Extender, with EU & UK White Frames

---

