



AKG C417 OMNI-DIRECTIONAL MICROPHONE Part of the MicroMic series, the C417 has an extended frequency range of 20Hz-20kHz and features a design that can easily be hidden on a lapel on in clothing. It comes with a lapel clip and windscreen. Requires 48V phantom power.

ITEM	DESCRIPTION	PRICE
C417/L	Mic w/mini-XLR connector and integrated phantom power	99.00
B29L	Battery pack for C417	99.00



audio-technica
always listening™

AUDIO-TECHNICA ATR3350 OMNI LAPEL

The affordable ATR3350 omnidirectional lapel mic is reliable and effective. The newscaster-style electret condenser design has a 50Hz-18kHz frequency response and -54dB sensitivity at a 1000ohm impedance. Includes battery, 1/4" plug adapter, tie clip, and foam windscreen.

ITEM	DESCRIPTION	PRICE
ATR3350	Omni lapel mic	23.51

AUDIO-TECHNICA PR070 CARDIOID CONDENSER LAVALIER MIC

This miniature condenser microphone provides natural vocal reproduction and is also excellent for full sounding acoustic guitar pickup. It is equipped with a low-frequency roll-off switch to reduce low frequency room noise and a cardioid polar pattern that further isolates the desired sound source. Operates on battery or phantom power and has a 6' cable attached between the mic and power module. Includes mic clip, instrument adapter, windscreen, battery, and soft pouch.

ITEM	DESCRIPTION	PRICE
PR070	Lav/instrument mic, 100Hz-14kHz	119.06

AUDIO-TECHNICA AT803/AT831 LAPEL MICS These clip-on lavalier mics were specifically designed for professional video, broadcast and performance applications. Specially tailored response assures crisp, natural voice and instrument pickup in an unobtrusive package. The omnidirectional AT803 provides traditional performance while the cardioid pickup pattern of the AT831 reduces ambient noise for improved sound isolation. The AT803 and AT831B are powered by 11-52V phantom power or a 1.5V AA-type battery. The AT831C and R use phantom power only. Includes clip, windscreen, and protective carrying case. The AT831B and R also include an instrument adapter mount and all but the AT831C include a power module with on/off/rolloff switch.

ITEM	DESCRIPTION	PRICE
AT803	Miniature omni lapel, phantom power or battery	166.97
AT831B	Miniature cardioid lapel, phantom power or battery	179.00
AT831C	Miniature cardioid lapel, phantom only, unterminated	93.99
AT831R	Miniature cardioid lapel, phantom only, no power module	192.77

AUDIO-TECHNICA MT830R OMNI-DIRECTIONAL CONDENSER LAVALIER MICROPHONE

Designed to be worn as a lavalier or hidden in loose clothing or in the hair, the MT830R provides high intelligibility for lecturers, stage/TV performers and singers. The mic's wide-range capability ensures clean, accurate reproduction. It operates on phantom power only. Clothing clip and windscreen included.

ITEM	DESCRIPTION	PRICE
MT830R	Includes AT8533 power module, black finish	183.68
MT830C	Includes 55" cable, unterminated, black finish	84.77
MT830CT5	Includes 55" cable with TA5F connector for ATW-U101 and Lectrosonics bodypack systems, black finish	118.66
MT830CT5-TH	Same as MT830CT5 with beige finish	118.66
MT830CW	Includes 55" cable with locking 4-pin connector for Audio-Technica UniPak wireless, black finish	93.99
MT830CW-TH	Same as MT830CW with beige finish	93.99

AUDIO-TECHNICA AT899 SUBMINI OMNI LAPEL MICROPHONE

Only 5mm in diameter with clean, accurate reproduction. Includes 12 accessories. Available in black or beige.

ITEM	DESCRIPTION	PRICE
AT899	With battery/phantom power module and low-cut switch	220.39
AT899CW	With 4-pin AT wireless connector	145.81
AT899CT5	5-pin connector for AT wireless	150.27
AT899C	With bare end cable for custom termination	133.57

beyerdynamic

BEYERDYNAMIC TG L55C CONDENSER LAVALIER CLIP-ON MIC

This omnidirectional clip-on mic works well for television, film, presentations and theatre applications. The omni polar pattern of this acoustically balanced lavalier mic allows a lot of flexibility in positioning – it can be worn on a lapel or on the face and disguised with makeup. It is also water and sweat-proof, and is exceedingly insensitive to pop noises. Hardwired with a mini XLR 4-pin connector for belt packs. Available in black or tan.

ITEM	DESCRIPTION	PRICE
TG-L55C	Omni lavalier mic, 20Hz-20kHz, 118dB max SPL	189.00



COUNTRYMAN ISOMAX-B3 OMNI MICRO LAVALIER MIC

The B3 lavalier mic is an amazing 4.6mm in diameter and virtually disappears on the wearer. An omni-directional condenser mic, the B3 has an ultra-flat frequency response from 10Hz-25kHz with SPL handling to 150dB. A rugged Kevlar-reinforced cable provides extremely low handling noise. The B3 is moisture and makeup resistant with an easily washable protective screen. Five colors are available: Black, White, Light Skin, Cocoa and Gray (models listed below are Black). The B3 may be ordered with XLR/phantom termination or pre-wired for a variety of wireless transmitters.

ITEM	DESCRIPTION	PRICE
B3P4FF05B	B3 lavalier mic, XLR	180.24
B3W4FF05B-AT	B3 for Audio-Technica, 4-pin	182.67
B3W4FF05B-SA	B3 for Samson, 6-pin	182.67
B3W4FF05B-SV	B3 for Samson, 3-pin	174.07
B3W4FF05B-S3	B3 for Sennheiser, 3-pin	203.80
B3W4FF05B-SL	B3 for Shure TA4F	174.07
B3W4FF05B-SO	B3 for Sony, 4-pin	203.80
B3W4FF05B-TS	B3 for Telex TA4F	174.07
B3W4FF05B-TT	B3 for Telex LEMO, 4-pin	182.67
B3W4FF05B-VS	B3 for Vega TA4F	174.07
B3W4FF05B-NC	B3 with 2-wire pigtails	148.33
B3WSB	Replacement windscreen	8.00
ABCBELTCLIP	Replacement beltclip	13.03
AXBPM	Battery module	110.54

COUNTRYMAN ISOMAX-B6 MICRO LAPEL MIC

The B6 is the world's smallest lapel mic. At only .1" in diameter, the B6 offers a 40Hz- 25kHz response, is available in four colors and has a Kevlar reinforced cable for high strength and ultra-low noise. Get the visual effect of a hidden mic without the hassle and loss of sound quality you get from hiding one in clothing. The B6 is resistant to sweat and makeup and can be custom configured with connectors for most wireless transmitters or for XLR inputs with phantom power.

ITEM	DESCRIPTION	PRICE
B6P4FF05B	Omni sub-micro lapel mic, black	287.05
B6P4FF05G	Omni sub-micro lapel mic, gray	287.05
B6P4FF05L	Omni sub-micro lapel mic, light beige	287.05
B6P4FF05W	Omni sub-micro lapel mic, white	287.05

COUNTRYMAN ISOMAX-II

The Isomax-II series of precision electret condenser microphones are equally suited for recording and sound reinforcement. Available in 3 polar patterns (omni, cardioid, hypercardioid), they have extremely low noise, a uniform frequency response from 10Hz-25kHz and are capable of handling high SPLs to 150dB.

The subtle black finish and miniature size allow for unobtrusive use in television and theater applications. Comes with a 10' cord with XLR output, mounting clip and windscreen. Phantom power required.

ITEM	DESCRIPTION	PRICE
M2CP6FF10	Cardioid lavalier mic, 50Hz-20kHz	189.16
M2OP6FF10	Omni lavalier mic, 20Hz-20kHz	189.16
M2HP6FF10	Hypercardioid lavalier mic, 50Hz-20kHz	189.16
A2WS-BLK	Replacement windscreen, black	9.99
AXBPM	Battery module	110.54



Follow us!

We offer over 700 top brands, low prices and outstanding service.

SMALL LAVALIER. BIG POSSIBILITIES.

Countryman's B2D—the world's smallest directional lav—opens up huge options. How will you use it?



The tiny B2D hides in plain sight. With excellent sweat and makeup resistance you can use it as a hair microphone.



The B2D comes in five colors to blend in with skin and clothes, and sensitivities optimized for speaking or singing.



Aramid fiber reinforced cable and rugged flex and strain relief provide over 40 pounds of break strength.



No matter how the talent twists and turns, the tight hypercardioid pattern and consistent on- and off-axis frequency response isolate and ensure natural sound.



Magnetic and clip-on low-profile vibration-isolating clips position anywhere and dramatically reduce handling noise.

Detachable connectors switch from hardwired to wireless in seconds.



 **COUNTRYMAN**

 **FULL COMPASS**
PRO AUDIO | VIDEO | AV LIGHTING
MUSICAL INSTRUMENTS

AUDIO



COMPUTER AV



VIDEO



LIGHTS



MUSIC



ACCESSORIES



NEW!



COUNTRYMAN B2D DIRECTIONAL LAVALIER One of the smallest directional lavaliers in the world. Features a tight hypercardioid pattern with an extra 6-10 dB of headroom, has moisture resistance and a rugged build, is tuned for speech, and has detachable cables for a wide variety of wireless and wired applications. Its hypercardioid pattern means less problems with feedback, ambient noise, room rumble, and phase cancellations with multiple mics. Supplied with wireless adapter, carrying case, shock mount clip, windscreen and protective cap. There are 3 sensitivity options – standard for general, mid for head miking/theater and low for head miking powerful vocals/opera. Five colors are available: Black, White, Light Skin, Cocoa and Gray (models listed below are Black). The B2D may be ordered with XLR/phantom termination (shown below) or pre-wired for a variety of wireless transmitters. Please call for options.

ITEM	DESCRIPTION	PRICE
B2DP4FF05B-HW	Hypercardioid lavalier, XLR male, standard sensitivity, black	432.84
B2DP5FF05B-HW	Hypercardioid lavalier, XLR male, mid sensitivity, black	432.84
B2DP6FF05B-HW	Hypercardioid lavalier, XLR male, low sensitivity, black	432.84

COUNTRYMAN EMW LAPEL MIC This electret condenser mic offers an omni-directional polar pattern, uniform pickup and a wide frequency range of 20Hz-20kHz. A mere 1/8" thick, the flat EMW offers discreet placement for broadcast and performance. Other features include: Kevlar-reinforced cable with low handling noise, sealed design for excellent moisture resistance and a variety of clip options. Three frequency response patterns are available: "F" Flat-response, "S" Shaved-up response (6dB curve, 2kHz-15kHz) and "P" Peaked-response (sharp upward curve at 12kHz). All versions are available pre-wired for wireless use.



ITEM	DESCRIPTION	PRICE
MEMWP4F05B	EMW, XLR, flat response	178.58
MEMWP4P05B	EMW, XLR, peaked response	178.58
MEMWP4S05B	EMW, XLR, shaved-up response	178.58
AEMWCLIP-B	Replacement tie clip, black	14.54
AEMWVIPER-B	Viper clothing clip	13.02
A3B3WS-L-LIGHT-SKIN	Replacement windscreen	7.39



DPA MINIATURE MICS Miniature mics with 5.4mm diaphragms, resistant to humidity, sweat, wind and popping, all models require remote power and should be used with adapters listed below. Available in white, beige and black.



ITEM	DESCRIPTION	PRICE
4060	Lapel high sensitivity, MicroDot connector	443.00
4061	Lapel low sensitivity, MicroDot connector	443.00
4062	Lapel extra-low sensitivity, MicroDot connector	443.00
4065	Headband mic, MicroDot connector	568.00
4066	Adjustable headband mic, MicroDot connector	635.00

Micro-Dot Adapters

DAD6001BC	XLR, 48V phantom with belt clip	99.00
DAD6003	For Sennheiser SK50/250/3063	80.00
DAD6008	For Sony WRT820/860	93.00
DAD6010	For Shure TA4F	87.00
DAD6011	For Vega, Lemo, Shure U1L	93.00
DAD6012	For Lectrosonics M185	73.00
DAD6017	For AKG PT40/60/80/81, Samson UT1L/VT2L	73.00
DAD6019	For Sony WRT805, Sennheiser Evolution/SK300	87.00
DAD6020	For Telex TA4F	73.00
DAD6021	For ATW-T101, TA5F, Lectrosonics	73.00



RØDE LAVALIER MIC Rode's lavalier mic features low handling noise and designed to be worn discreetly. Includes a mic clip, detachable cable, a water-resistant pop filter, mini furry windscreen, adjustment tools, cleaning wipes, and an anti-trauma water-resistant case. Mic is compatible with Rode's MiCon™ adapters (see below).



ITEM	DESCRIPTION	PRICE
LAVALIER	Omnidirectional lav mic, black, 60Hz-18kHz	249.00



RØDE PINMIC WEARABLE MIC

Rode's discrete PINMIC features a removable capsule and a mesh head. Features a mic clip and is designed for use with Rode's MiCon™ adapter system (see below).



ITEM	DESCRIPTION	PRICE
PINMIC	Miniature omni lapel mic, black, 60Hz-18kHz	249.00

MICON™

MICON ACCESSORIES FOR RØDE LAVALIER/PINMIC SYSTEMS Adapters and cables to connect Rode Pinmic and Lavalier to various wireless systems.

ITEM	DESCRIPTION	PRICE
MICON-1	Adapter for Sennheiser SK500, SK300G3, SK100G3, SK500G2, SK300G2, SK2-Freeport	18.00
MICON-2	3.5 stereo mini jack adapter (1V minimum power supply)	18.00
MICON-3	Adapter for Shure UR1, UR1M, ULX1, SLX1, PGX1, PG1	23.00
MICON-4	Adapter for Audio Technica UniPak Body-Pack Series 1800, 2000, 3000	27.00
MICON-5	48V phantom power adapter, 3-pin XLR	27.00
MICON-CABLE-1.2M	4ft MiCon cable	32.00
MICON-CABLE-3M	9ft MiCon cable	39.00



**FOR MORE LAPEL/LAVALIER MICS,
VISIT FULLCOMPASS.COM**



Follow us!

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. Call today or visit us online!

SHURE

SHURE MICROFLEX LAPEL MICS The Microflex lapel condenser mics feature high sensitivity, a frequency response of 50Hz-17kHz, interchangeable condenser cartridges (MX models), & a variety of low-visibility mounting options. MX models are terminated to XLR & include a belt-clip preamp. MC models are terminated to XLR & include a detachable preamp. WL versions are terminated with TA4F connectors for Shure wireless systems.

ITEM	DESCRIPTION	PRICE
MX183	Omni-directional condenser lapel mic, phantom only	160.52
MX184	Supercardioid condenser lapel mic, phantom only	178.61
MX185	Cardioid condenser lapel mic, phantom only	172.97
MC508	Omni-directional sub-miniature lapel with preamp	266.27
MC518	Omni-directional sub-miniature lapel with preamp	278.99
WL183	Omni-directional, terminated for Shure wireless (TA4F)	91.74
WL184	Supercardioid, terminated for Shure wireless (TA4F)	113.70
WL185	Cardioid, terminated for Shure wireless (TA4F)	107.24
R183B	Omni-directional cartridge option for MX184/MX185	32.54
R184B	Supercardioid cartridge option for MX183/MX185	52.57
R185B	Cardioid cartridge option for MX183/MX184	45.06



SHURE

SHURE SM11 OMNI DYNAMIC LAVALIER For those who need a dynamic lavalier microphone, the SM11 is the smallest model available. Shure ruggedness and dependability in a mic no longer than a paper clip.

ITEM	DESCRIPTION	PRICE
SM11CN	Omni lavalier	101.84



SHURE SM93 OMNI MICRO CONDENSER

LAPEL The SM93 lapel microphone is ideal for broadcast, stage and film because of its tiny size and clear, tailored frequency response. Features: Omni-directional pattern, a variety of low-visibility mounting options, 80Hz-20kHz frequency response, windscreen and in-line preamp with XLR output.

ITEM	DESCRIPTION	PRICE
SM93	Omni-directional lapel mic, preamp, XLR out	135.58
WL93	Omni-directional lapel mic for Shure wireless (TA4F)	68.54
WL93T	Same as WL93 with tan finish	68.54



sanken

The world's most original microphone maker

SANKEN COS 11D MINI LAVALIER

MICS Specifically to diminish the instances where interference is an issue, this omnidirectional, self-polarized condenser mic has a frequency range of 50Hz-20kHz, and a sensitivity rating of -35dB. It is ideal for live broadcasting, location recording and studio applications and operates on 48V phantom power (COS-11D) or battery power (COS-11D-BP). Includes clip, windscreen, rubber mount, AA battery and vinyl case. Available in black, gray, beige and white.



ITEM	DESCRIPTION	PRICE
COS-11D	Mini lavalier mic, 48V, XLR	469.00
COS-11D-BP	Mini lavalier mic, battery powered, XLR	469.00

SENNHEISER

SENNHEISER MKE2 OMNI MICRO LAPEL CONDENSER

Available unwired for a variety of wireless applications, wired to an XLR connector or as part of the K6 modular system. 6mm in diameter and flat from 20Hz-20kHz. Gold versions have reduced sensitivity and improved moisture resistance.

ITEM	DESCRIPTION	PRICE
MKE2-5-K	Pigtail, black finish	364.60
MKE2-5-3C-GOLD	Pigtail, buff finish	349.95
MKE2-5C-GOLD	Pigtail, black finish	349.95
MKE2-60-GOLD	For use with the K6 power unit	329.95
MKE2-EW-GOLD	For EW wireless, black finish	389.95
MKE2-P-C	With XLR for phantom power	349.95
K6	Power module for MKE2-60	249.95
MZQ222	Replacement clip for MKE2	12.85



SONY

SONY ELECTRET SERIES CONDENSER MICS

These mics operate on a single AA battery and come with a urethane windscreen and clip.

SONY ECM44B OMNIDIRECTIONAL Mic head 8.5x14.5mm. Freq. resp. 40Hz-15kHz. Max input: 122dB SPL. Dynamic range: 90+dB.



ITEM	DESCRIPTION	PRICE
ECM44B	Omnidirectional lapel mic, XLR	CALL
ECM44BC	Omnidirectional for Sony 4-pin wireless	CALL
ECM44BMP	Omnidirectional for Sony 1/8" mini-lock wireless	CALL
ADR44B	Replacement windscreen	CALL
SADH44B	Replacement tie clip for ECM44	CALL

SONY ECM55B OMNI-DIRECTIONAL Mic head 10.6x21mm. Freq. resp. 30Hz-18kHz. max input: 126dB SPL. Dynamic range: 98+dB. Connector: XLR.

ITEM	DESCRIPTION	PRICE
ECM55B	Omni-directional lapel mic	CALL
SADH55B	Replacement tie clip for ECM55B	CALL

SONY ECM77B ULTRA MINI OMNI-DIRECTIONAL Mic head 5.6x12.55mm. Freq. resp. 40Hz-20kHz. Max input: 120dB SPL. Dynamic range: 90+dB. Connector: XLR.

ITEM	DESCRIPTION	PRICE
ECM77B	Mini omni-directional lapel mic	CALL
ECM77BC/9X	Mini omni-directional for Sony 4-pin wireless	CALL
ADR77B	Replacement windscreen	CALL
SADH77B	Replacement tie clip for ECM77B	CALL

SONY ECM88B ELECTRET CONDENSER MICS A miniature omnidirectional electret-condenser microphone ideally suited for quality-critical applications in broadcasting, theater and field production. A dual-capsule design effectively nulls out cable and handling noises and delivers wide, flat frequency response which makes it useful for lapel speech pickup and music recording applications. Has a Sony 4-pin connector (SMC9-4P) to connect with WRT-8B or WRT-822B wireless transmitters and DC78 power supply with XLR output.



ITEM	DESCRIPTION	PRICE
ECM88B	Mini omni-directional condenser mic	CALL
DC78	Replacement power supply/XLR adapter	CALL
ADR88B	Optional urethane windscreen	CALL

TRAM

TRAM TR50 LAVALIER MICROPHONE With minimum sound coloration, this omni-directional electret condenser microphone easily combines with boom microphones and has an extensive range of mounting options. It provides a wide frequency response and very low rubbing noise. It includes a detachable 250W power supply and is available in black, gray, tan or white.

ITEM	DESCRIPTION	PRICE
TR50LX	Lavalier mic with Telex lemo, 4-pin	244.11
TR50ML	Lavalier mic with Lectrosonics TA5F	234.83
TR50-MS	Lavalier mic with Shure TA4F	234.83
TR50SET	Lavalier mic with Sennheiser 3.5mm TRS	235.76
TR50PS	Lavalier mic, XLR, hardwired to power supply, can use internal battery power	323.94
TR50NCMO	Lavalier mic with no connector	181.00
TR50PSNCMO	Lavalier mic with no connector, hardwired to power supply, can use internal battery power	185.64

