

SACHTLER FSB6 SERIES TRIPOD KITS The FSB6 features Snap & Go sideload mechanism which has a sliding range of 4.7", and 10-step counterbalance. It has a Touch & Go camera plate, 3 horizontal, and 3 vertical grades of damping, a self-illuminating leveling bubble, and +90°/-70° tilt range. Also compatible with components of the SOOM modular systems, and optional FSB-CELL power solutions.



TECH SPECS	SYSTEM-FSB6MD	S'	/STEM-FSB6-2M	D SYSTEM-FSB6-SLMCF
LOAD CAPACITY	13.2lbs		13.2lbs	13.2lbs
MAX HEIGHT	62.2"		63"	63"
MIN HEIGHT	37.4"		30.3"	30.3"
WEIGHT	11lbs		11.5lbs	11.2lbs
STAGES/MATERIAL	1-stage/alum		2-stage/alum	2-stage/carbon fiber
MOUNTING STANDARD	75mm		75mm	75mm
INCLUDES	FSB6 fluid head, DA75L tripod, mid-level spreader, padded bag, DV75 pan bar		FSB6 fluid head, ENG75/2D tripod, mid- level spreader, padded bag, DV75 pan bar	FSB6 fluid head, SpeedLock 75CF tripod, SP75 spreader, padded bag, DV75 pan bar

ITEM	DESCRIPTION	PRICE
SYSTEM-FSB6-MD	.Aluminum tripod kit	1459.60
SYSTEM-FSB6-2MD	.Aluminum tripod kit	1599.00
SYSTEM-FSB6-SLMCF	.Carbon fiber tripod kit	1787.60




SACHTLER FSB CELL SERIES - POWER SOLUTIONS FOR FSB2/4/6 SERIES KITS Powering solution for MiniDV/HDV camcorders. Compatible with FSB2/4/6 heads, it is a 7.2volt lithium-ion battery that loads directly under the camera. Shaped like a camera plate, the battery underside fastens directly to the fluid head. The battery weight (1.4lbs) is positioned directly over the fluid head, optimizing camera control. Specific camera adapter cables (required) shown below.

ITEM FSB-CELL-BATTERY	DESCRIPTION Battery, 7.2V/10.5Ah (requires adapter cable,	PRICE
	FSB compatible head)	225.50
FSB-CELL-SONY-I	FSB cable-Sony PD100/150/170, VX2100, HDRFX7	86.10
FSB-CELL-SONY-II	FSB cable —Sony HVRZ1U, HVRV1U, HDRFX1, FX1000,	
	HVRZ5U	
	FSB cable-Canon XHA1/G1, XLH1, XL1/2, XM2	
FSB-CELL-PANASONIC	FSB cable-Panasonic AGHPX170, HVX200, DVC30/80	86.10

'inten

VINTEN VISION BLUE CAMERA SUPPORT SYSTEMS

The Vision blue head is designed to provide professional support to match the high performance of today's lightweight camcorders and DSLRs. It balances payloads between 4.6 - 11 lbs with a low center of gravity of around 2.2". It also features an infinitely adjustable Perfect Balance, infinitely adjustable LF drag system and a standard long slot Vision AS camera plate with 1/4 " screw and pin assembly. It is available in



0		
ITEM	DESCRIPTION	PRICE
VB-AP2F	Vision blue head w/2-stage aluminum Pozi-Loc tripod,	
	floor spreader, soft case	1164.40
VB-AP2M	Vision blue head w/2-stage aluminum Pozi-Loc tripod,	
	lightweight mid-level spreader, soft case	1164.40



ANTON BAUER EGRIPZ HANDHELD CAMERA SUPPORT

EgripZ handles are a flexible polymer to make the camera easier to hold securely and comfortably - on

the hottest day or in the trickiest of positions. Weighs just 12.2oz and mounts easily to the camera's 1/4-20 tripod mounting. It can flex into virtually any position around the camera without getting into the way of normal camera operation. One hand operation is more comfortable with EgripZ as a forearm support - preventing the camera from "rolling" on the operator's wrist. Low shots and high perspectives are much easier and steadier with two hands to stabilize the camera. EgripZ attaches easily a monopod or other support for additional stability via the 1/4-20 base mount.

ITEM	DESCRIPTION	PRICE
EGRIPZ	Handheld camera support	87.47

ANTON BAUER STASIS FLEX POWER SUPPORT SYSTEM

Not simply a shoulder mount, Stasis redirects the geometry of a handheld camera to make use of the most stable platform in the world-the human body. By redirecting the weight of the camera into the torso and over the shoulder, the weight of the camera is redistributed off the operators hand, relieving fatigue and stabilizing shooting. With its revolutionary, patent pending infinitely adjustable

mechanism which allows the operator to position the

camera in virtually any shooting position- forward/back, in/out, up/down- the camera can be repositioned instantly and locked in place at the touch of a lever. Stasis Flex can be used as a standalone body support, with hard points on the rear pad to mount peripherals-like wireless receivers, hard drives or transmitters. Gold Mount series hatteries can be used to extend runtime

accute chicala runtimo.	
DESCRIPTION	PRICE
Stasis Flex shoulder mount – 1/4-20 mounting platform	
accepts any camera or standard quick release	
mounting plate, requires adapter cable	264.77
Gold mount with DC-DC convertor, with cable and camera	
connector for Sony cameras	170.97
As FGM-S, but with connections for Panasonic cameras	170.97
Gold mount with cable and camera connector for Sony PMW	/EX1.
Supplies native 14V to camera and to power tap	
	Stasis Flex shoulder mount — 1/4-20 mounting platform accepts any camera or standard quick release mounting plate, requires adapter cable

bebob

BEBOB ZOE SERIES ZOOM CONTROLS

DVXL is the first universal remote zoom control for DV, designed to work equally well with camcorders featuring a LANC input, such as Sony or Canon, or a Cam Remote input, like

the Panasonic HVX-200 or AG-DVX100. It features the benefits of the Zoe family of HDV/DV products. ZOE III provides optimal zoom control in a compact user-friendly remote that easily mounts to tripod handles. It automatically detects what manufacturer lens it is attached to and adjusts itself accordingly. The ZOE III offers innovative remote functionality, including variable stepless zoom speed control, record start/ stop button, return function button, and a zoom direction change button.

ITEM	DESCRIPTION	PRICE
BE-ZOE-DVXL	Remote zoom for LANC/Cam Remote DV	251.00
BE-ZOE-ENG8	Zoe III for 8-pin lenses (Angenieux, Canon, Fujinon)	545.00
BE-ZOE-ENG12	. Zoe III zoom control for Fujinon 12-pin lenses	545.00





























































169-HDWC75X-82

169-CB1-16X9

























































CAMCORDER ACCESSORIES These are for some of the most popular camcorders and accessories that Full Compass sells. For more information on these and other products, please call or visit fullcompass.com. DESCRIPTION PRICE

	an or visit runcompass.com.	
ITEM	DESCRIPTION	PRICE
CANON XF300/XF	305	
169-CB1-16X9	16x9 – Grab & Shoot camcorder bag w/room for Mattebox, meets	
	carry-on specs, internal dimensions 23"L x 11"W x 11"H	
	16x9 – EX II 0.45x compact super fisheye converter lens, 82mm	
	16x9 – EX II 0.6x wide angle converter lens, 82mm	
	16x9 – EX II 0.75x wide angle converter lens, 82mm	
	16x9 – EX II 0.8x wide angle converter lens, 82mm	. 530.00
BE-LULED-BP4	Bebob - onboard dimmable/focusable LED light w/D-tap, comes	000.00
DE 705 DW	w/4-barndoors, Canon BP Series Adapter, 3200°K filter and diffuser.	
	Bebob — universal DV zoom/rec/start/stop LANC controller	251.00
JVC GYHM750U		
	16x9 – EX II 0.45x compact super fisheye converter lens, 82mm	
	16x9 – EX II 0.6x wide angle converter lens, 82mm	
	16x9 – EX II 0.75x wide angle converter lens, 82mm	
	16x9 – EX II 0.8x wide angle converter lens, 82mm	
BE-LULED-ENG-16	Bebob - 16W onboard dimmable/focusable LED light w/D-tap, com	
	w/4 barndoors, 3200°K filter and diffuser, dual slide show mount	850.00
PANASONIC AGHI		
169-CB1-16X9	16x9 – Grab & Shoot camcorder bag w/room for Mattebox, meets	000.00
100 UDCE4EV 70	carry-on specs, internal dimensions 23"L x 11"W x 11"H	
	16x9 – EX II 0.45x compact super fisheye converter lens, 72mm	
	16x9 – EX II 0.6x wide angle converter lens, 72mm	
	16x9 – EX II 0.75x wide angle converter lens, 72mm	
	16x9 – EX II 0.8x wide angle converter lens, 72mm	
	16x9 – EX 1.5x tele-converter lens, 72mm	
	Bebob – Foxi focus/iris control, mounts on tripod handle or 15mm rods	. 403.00
SONY HXR-NX5U	10.0 0 1 0.01 1 1 1 / 6 M 11 1	
169-CR1-16X3	16x9 – Grab & Shoot camcorder bag w/room for Mattebox, meets	220.00
100 HDCF4EV 70	carry-on specs, internal dimensions 23"L x 11"W x 11"H	
	16x9 — EX II 0.45x compact super fisheye converter lens, 72mm	
	16x9 – EX II 0.6x wide angle converter lens, 72mm	
	16x9 – EX II 0.73x wide angle converter lens, 72mm	
	16x9 – EX 1.5x tele-converter lens, 72mm	
	Bebob – DVXL universal zoom controller	
	Bebob - onboard dimmable/focusable LED light w/D-tap, comes	231.00
DL-LULLD-MI 1 7	w/4 barndoors, 3200°K filter, Sony NPF L-Series Adapter	909 00
SONY PMW-EX1R		303.00
	16x9 — Grab & Shoot camcorder bag w/room for Mattebox, meets	
103-CD1-10A3	carry-on specs, internal dimensions 23"L x 11"W x 11"H	220.00
169_HDSF45Y_77	16x9 – EX II 0.45x compact super fisheye converter lens, 77mm	
	16x9 – EX II 0.6x wide angle converter lens, bayonet mount	
	Bebob - battery adapter for PMWEX1R with Sony BP mount,	230.00
DE 0000 EXT	adds D-tap and 2 Hirose connections	395 00
BF-I III FD-FX1-4	Bebob - onboard dimmable/focusable LED light w/D-tap, comes	500.00
LVLLD LX1 7	w/4 barndoors, Coco EX1, 3200°K filter and diffuser	1135.00
BE-ZOE-EX1	Bebob – zoom controller for EX1, rec start/stop, return function,	
	eversible zoom, stepless zoom speed adjustment	385.00
Continued in next		
Guittiiueu iii Next	COTAITITI	

Continued from previous column...

SONY PMW-EX3

DESCRIPTION	PRICE
16x9 – EX II 0.45x compact super fisheye converter lens, 77mm	347.00
16x9 - EX II 0.6x wide angle converter lens, bayonet mount, 77mm.	
Bebob - battery adapter for PMWEX3 with Anton Bauer Gold Mour	ıt,
adds 2 D-tap and 4 Hirose connections	459.36
and 4 Hirose connections	459.36
Bebob - onboard dimmable/focusable LED light w/D-tap, comes	
or V-mount adapters	850.00
	385.00
der Accessories (will work with any model listed above)	
Noga – articulating arm 1/4"-20 for mounting small monitors, 3-jointed arm w/central locking knob, T-bracket with multiple	
screw mounts, 10lbs capacity	190.00



C-450R2-NEXFS100		C-411-50-HM700K1
CHROSZIEL MAT		
Listed kits are for	some of the most popular camcorders	Full Compass sells.
ITEM	DESCRIPTION	PRICE
CANON XF300/XF3		
C-450W-XF300K1	Clamp On kit - 450W-20 Matte Box, Top Fla adaptor, 4x4 & 4x5.65/4x4 combo FH. (411-	
	Adapter Ring, (411-82) 110-82mm Screw I	
C-450R2-XF305KIT	450-R20 Matte Box, Top Flag, 4x5.65 & 4x4	
	center bracket, (401-415) LWS base w/15m	nm rods, (450-20) Flexi
	Insert Ring 110:75-98mm	1860.00
JVC GYHM750U	01 0 17 411 500 1 1 7 51	T 4.450
C-411-50-HM700K1.	Clamp On kit - 411-50 Sunshade, Top Flag (411-23) 104:85mm Step Down Ring	
C-450W-HM700K2	450W-20 Matte Box, Top Flag, 130mm clan	nn adantor Two
0 400W IIII/00KZ	4x4/4x5.65 Combo FH, (411-60) 130-110m	m Adapter Ring.
	(411-72) 110-72mm Step Down Ring, (401-6	3) LWS w/15mm Rods 2290.00
PANASONIC AG-AI		
C-450R2-AF1KIT	450-R20 MB Kit for AF100 50-85mm - Incli	
	Box, Top Flag, 4x4 & rotating 4x5.65 filter h (401-427) LWS Base with 15mm rods, (450	
	for lens of 50-85mm in diameter	
C-450W-AF100-K1	450W-20 Super Wide MB Kit for AF100 - Incl	udes: 450W-20 Matte
	Box, Top Flag, 2x rotating 4x5.65 filter holder	
	(401-427) LWS Base with 15mm rods, (411- Ring, (450-20) Flexi Adapter Ring for lens of	
SONY HXR-NX5U	King, (450-20) Flexi Adapter King for lens of	50-0511111 III diameter . 2205.00
	450-R20 Matte Box, Top Flag, Center Brack	et. 4x4 & 4x5.65/4x4
	Combo FH, (450-20) 75:98mm Flexi Ring, (450-2	401-424) LWS base
0. 450W NVEV4	w/ 15mm Rods	
G-45UW-NX5K1	Clamp On kit - 450W-20 Matte Box, Top Fla 4x5.65 Rotating FH, 130mm Clamping Bac	
	Adapter Ring, (411-72) 72:110mm Screw in	n Step Up Ring1869.00
SONY NEX-FS100	. 5,	
C-450R2-NEXFS100KIT	450-R20 MB Kit for FS100 with 50:85mm Flex	
	450-R20 Matte Box, Top Flag, 4x4 & 4x5.65/4	
C_450W_FS_K1	110:50/85mm Flexi Ring, (401-429) LWS base 450W-20 Super Wide MB Kit for FS100 - Inc	
0-430W-1 3-K1	Box, Two 4x5.65/4x4 FH, (450-22) Flexi Ring	g for lens 75-98mm.
	(401-429HD) LWS base with 440mm L x 15	mm Rods2579.00
SONY PMW-EX3		
C-450R2-EX3AKIT	450-R20 Matte Box, Top Flag, Center Brack	et, 4x4 & 4x5.65/4x4
	Combo FH, (410-39) 110-85mm Insert Ring Dished Base w/ 15mm Rods	
C-450W-EX3K1	Clamp On kit - 450W-20 Matte Box, Top Fla	
-	FH, Center Bracket, 130mm Clamping back	s, (411-60) 130:110mm
	Adapter Ring, (411-77) 77:110mm Screw Ir	n Step Up Ring1869.00





CARTONI JIB Easily assembled, this lightweight portable jib carries up to 15lbs. It adds diagonal tracking and elevation to the pan and tilt movement of a standard fluid head. It folds down to 39" long and permits shooting from ground level to 78" high. The front telescopic arm offers a pan range of 360°. The rear part of the arm is extendable for camera balance with 22lbs of counterweights and a spirit level.

DESCRIPTION . 100mm bowl base jib arm with weights ..





COMELYCRANE 85 & 121 Smoother, lighter, easier to operate; Two new cranes are the result of more than 10 years of production, testing and refining. The ComelyCrane 85 has a reach of over 7' on a 10" vertical yoke. On a standard sturdy tripod such as the Manfrotto 028 or 117 tripod, that allows the operator to get smooth cinematic shots 13' above ground. The ComelyCrane 121 has a reach of 10' 1" from the fulcrum – 3' longer than the ComelyCrane 85, lifting the camera 16' above ground. No tripod head is required. These are made from high-grade aluminum with steel fixed rod tilting assembly. Both have a durable black powder coat finish. The ComelyCrane 85 breaks down to 56", while the ComelyCrane 121 breaks down to 62". The two supplied weight

caddy, clamps, monito	r and microphone mount, and sturdy vinyl carry	bag.
ITEM	DESCRIPTION	PRICE
COMELYCRANE-85	51" to 85" adjustable camera crane, 15lbs	787.44
COMELYCRANE-121	62" to 121" adjustable camera crane, 17lbs	931.60
DV DOLLY	Tracking dolly 111bc	206.79

bars can also be used as crane handles. Both are removable and

adjustable to side and top positions. Both models include RCA cable, weight

GENUS MATTE BOXES

Made from high-grade aluminum, stainless steel and acetyl for a lightweight and durable finish. Each system needs a professional clamp ring to cater for lenses and wide-angle adapters up to 105mm. There are 2 lockable filter holders, 1 fixed and 1 that rotates a full 360 degrees. Filter holders and trays click into place to ensure perfect alignment. Removal of filters is made

easy without the hassle of removing the matte box from its mount. The rayshade is finished with a special optical flat coating to give you excellent light control. The GWMC system comes with one 4"x4" fixed filter holder, one 4" x 4" rotating filter holder, two 4" x 4" filter trays (one black, one blue), rayshade, and one Donut Style Adaptor Ring. The GMKBAS system adds a French Flag. The GMKSUP systems adds an Advanced Adaptor Bar System. All of the systems require the purchase of an Adaptor Ring that fits their lens. Sizes from 52mm to 86mm available.

ITEM	DESCRIPTION	PRICE
GWMC	. Wide 4-in x 4-in Matte Box Kit	499.80
GMKBAS	. Basic Matte Box Kit (GWMC plus french flag)	749.89
GMKSUP	. Superior Matte Box Kit (GMKBAS plus bar system)	999.89
GAR72	. 72mm lens adapter ring	24.89
GAR77	. 77mm lens adapter ring	24.89
GAR82	. 82mm lens adapter ring	24.89
GARD-NK	. Lens Adapter Ring with "Nuns Knickers"	64.99

IKAN CORPORATION CAMERACRADLE™ **CAMERA STABILIZER** A wearable camera stabilizing system for those working multiple-hour shoots. It's made of soft material and high qual-

ity Micro-Beads that mold to the shape of your camera. Padded shoulder strap and an adjustable waist belt transfer the weight of your to your shoulders and hins. Has 2 pockets for wireless microphor

gear to your	silouluers and inps. Has 2 pockets for wire	iless illicropholie receivers.
ITEM	DESCRIPTION	PRICE
ቦ ቦ በ 1	Campra stabilizor	90.00



JONYJIB JONYJIB2 CAMERA CRANE

What sets this jib apart from others is its ability to telescope and nest within itself. It does not require unsightly or bulky cantilever stabilization wires that other jibs in this range

require. Its lightweight, octagonal, aluminum extension sections start at the tail and progressively get smaller in diameter as you get closer to the camera. Available in 4 versions (9ft, 12ft, 15ft & 18ft) consisting of 3ft sections. Store unused sections in the tail as ballast, lightening your counterweight demand. The pivot point is pre-drilled to mount an optional Anton Bauer Gold Mount plate kit that, with your batteries, can feed an optional passive 12V power distribution box at the tail. The pivot point is also pre-drilled to mount the included LCD monitor mounting bracket or a monitor platform for

5"-9" CRT monitors. All come with 100mm mounting hub and have 2 selectable fulcrum points (except the 9ft version which has 3). The distribution box can feed 12V power to the motorized pan & tilt head, zoom & focus controls, the monitor and the camera.

ITEM	DESCRIPTION	PRICE
JONYJIB2-9	9' jib w/LCD monitor mount	1348.17
JONYJIB2-12	12 ⁱ jib w/LCD monitor mount	1770.79
JONYJIB2-15	15' jib w/LCD monitor mount	2193.42
JONYJIB2-18	18' jib w/LCD monitor mount	2616.04
JJ-AB-BATT-KIT	Battery kit for Anton Bauer Gold Mount	249.34
POWER-DISTRO-BOX	12V power distribution box	147.91
JONYJIB-WIRING-KIT	20ft wiring kit w/ pan &tilt, zoom & focus,	
	video & power extension cable	164.82



MANFROTTO SYMPLA MODULAR VIDEO RIGS

A professional modular rig system that provides stable support, holds essential accessories, and offers great versatility. It is comfortable, safe and simpler & faster to set up than other rigs. Has multiple attachment points for monitors, batteries, light-modifiers or accessories. Compatible with all Manfrotto heads. Shoulder Support System allows support of camera equipment on your shoulder, with swivel-joint handles. The Flexible Mattebox

adds a flexible mattebox to hold 4 x 4" filters and protects the lens from stray light. The Long Lens Support reduces the vibrations generated while shooting with long lenses. Call your salesperson for assistance with choosing kits or individual components.

ITEM	DESCRIPTION	PRICE
MVA511WK	. Shoulder support system, complete kit	. 999.99
MVA512WK	. Flexible mattebox system, complete kit	. 999.99
MVA512W	. Long lens support system, complete kit	. 699.99

MANFROTTO CAMERA REMOTE CONTROLS These camera remote controls feature professional zoom wheels or knobs for finer adjustments and smoother progressions. The MVR901ECEX has a zoom direction switch, RET push button and fast zoom button. The MVR901ECLA & MVR901ECPL support the LANC protocol for Canon and Sony cameras and can control zoom and focus speed. The MVR901EPEX & MVR901EPLA have standard pan bars

MINE SOIELEV & MIN	NOUTEFLA Have Standard pail bars.	
ITEM	DESCRIPTION	PRICE
MVR901ECEX	. Remote control for Sony PMW-EX cameras	229.99
MVR901ECLA	. Advanced remote control for Lanc cameras	229.99
MVR901ECPL	. Advanced remote control for Lanc & Panasonic cameras	159.99
MVR901EPEX	. Remote control w/ pan bar for Sony PMW-EX cameras	329.99
MVR901EPLA	. Remote control w/ pan bar with Lanc	279.99
MVPQN1APCI	Clamp accessory for tripod arms	10 00

MANFROTTO 595B FIG RIG VIDEO CAMERA STABILIZER

A modular system to smoothly support a DV camera at any angle, with a frame to mount all necessary accessories. The Fig Rig becomes a part of the mounted camera's body to produce smooth, steady travelling shots. Its frame can support any number of video accessories at any position around the camera. Add the Manfrotto 521-series remote for fingertip control of zoom and focus.

ITEM	DESCRIPTION	PRICE
595B	Fig Rig camera stabilizer	
595CLA	Fig Rig accessory clamp	66.18





MVR901FCL







COMPUTER AV





























iliidi.

COMPUTER AV


LIGHTS





MANFROTTO DSLR REMOTES FOR CANON DSLRS

These true electronic remote controls allow direct control of the camera body by using the USB port on the camera. By circumventing the need for any physical contact with camera, these remotes allow lenses to be swapped easily without extra hardware or adjustment. Nothing jolts the camera unexpectedly during focus. The



NEW!

MVR911ECCM

ITEM	DESCRIPTION	PRICE
MVR911ECCN	. Clamp-on Remote Control for Canon DSLRs	379.99
MVR911EJCN	. Deluxe Remote Control for Canon DSLRs	699.99



MILLER CAMERA SUPPORT PROJIB ARM 711

Offering impressive tracking capabilities, the 711 jib arm extends your camera into the third dimension. Weighing only 25.1lbs., the 711 jib unit can be assembled by one person, handles payloads up to 55lbs., and can track a total of 6.5ft. from it's lowest to highest point. Kits listed below include jib arm, tripod, fluid head and all necessary accessories, except counterweights.

ITEM	DESCRIPTION	PRICE
1797		
	mid-spreader, rubber feet, pan handle, softcase	CALL
1713	. Same as 1797, except w/ Arrow 40 fluid head, 35lb payload,	
	carbon fiber tripod and addt'l. softcase	CALL
1749	. Same as 1797, except w/ Arrow 55 fluid head, 55lb payload,	
	2nd pan handle, dolly, w/o rubber feet	CALL
711	. Projib arm	. 2843.75
712	. Softcase for 711 Projib arm	380.63
480	. Studio dolly	. 1001.88
	. Studio dolly w/ cable guards	
	. Studio tracker dolly	



STEADICAM

STEADICAM MERLIN 2 DV CAMERA STABILIZING SYSTEM The Merlin 2 stabilizer lets you "fly" wherever the scene takes you-up and down steps, indoors and outside, and through crowds, with precise, elegant control and ease for memorable, professional footage. Instantly swap camera connections between the stabilizer and any tripod with the quick-release mount. It also features a secure gimbal lock, an adjustable lens platform, ergonomic handle and stainless steel construction. It weighs only 22oz and supports camera weight up to 5lbs.

ITEM	DESCRIPTION	PRICE
MERLIN2	DV camera stabilizer	799.00

VariZoom

VARIZOOM DV MEDIA RIG The DV Media Rig pro support is the most sophisticated shoulder support available for professional MiniDV cameras. Unique features like the swiveling shoulder arch with vertical adjustment and articulating weight balance system allow for perfect balance and comfort. Also included is a rotating accessory mount & extra plush shoulder cushion. Supports most camcorders up to 7lbs.

ITEM	DESCRIPTION
VZ-DV-MEDIA-RIG	Universal stabilizing shoulder support system



PRICE

VariZoom

VARIZOOM QUICKJIB JIB ARMS & KITS A perfect balance of quality and economy in a well thought-out design. Uses industrial powder coating and anodizing for durability and stainless steel fasteners throughout. Brake system utilizes a heavyduty plate that is securely mounted to the pivot section. QuickJib will mount to any 100mm tripod, although it is recommend to use only non-telescoping legs for safety. The QuickJib has a reach of 5ft, the QuickJib2 reaches 9.5ft. Kits are also available and include the DCR100 Dolly and TCR100 Crane Tripod.

ITEM	DESCRIPTION	PRICE
VZ-QUICKJIB	. Quicklib (Jib only), 5ft reach, 50lb payload	1139.95
VZ-QUICKJIBKIT	. Quicklib, w/optional DCR100 dolly & TCR100 tripod	2431.95
VZ-QUICKJIB2	. QuickJib w/4.5ft extension	1899.95
VZ-QUICKJIB2KIT	. As above w/optional DCR100 dolly & TCR100 tripod	3134.95
VZ-TCR100	. Crane tripod, optional for QuickJib & QuickJib2	759.95
VZ-DCR100	. Optional dolly for TCR100	664.95

VARIZOOM VZ ROCK LENS/ZOOM CONTROLLERS

The VZ Rock Series of controllers offer the finest degree of zoom control with a wide-sweep rocker for smooth, sustainable zooms and a low-profile record/ pause button. The VZ Rock has a power on/off switch, auto/manual focus switch, data toggle button, and an edit search button and is compatible with Sony and Canon LANC equipped camcorders. The DVX versions are compatible with Panasonic cameras such as



DVX100/100A/100B, HVX200, DVC30, DVC60 and DVC80. The LE (limited editions) add an industrial-strength engraved aluminum housing. The compact, lightweight EX is for Sony PMW-EX1 and PMW-EX3 cameras, and ideal for stabilizers and jibs.

ITEM	DESCRIPTION	PRICE
VZ-ROCK	Variable-Rocker control for DV camcorders w/ LANC	237.45
VZ-ROCK-LE	Variable-Rocker control for DV camcorders w/ LANC, limited edition	284.95
VZ-ROCK-EX	Zoom control for Sony PMW-EX1 and PMW-EX3	265.95
VZ-ROCK-DVX	Variable-Rocker zoom control for Panasonic	189.95
VZ-ROCK-DVX-LE	Variable-Rocker zoom control for Panasonic, limited edition	237.45







VARIZOOM LENS/ZOOM CONTROLLERS These compact remote lens controllers allow the user to control the camcorder's zoom and focus through the LANC control port. They feature smooth pressure-sensitive thumb control for zoom, LED battery indicator, and 40" of LANC cable. The VZ-PG-L and PRO-L are compatible with Sony DSR200A, VX1000, VX2000, TRV900, PD-150, PD100A, Canon XL1, XL1S, GL1, Optura and Elura (with docking station). The VZ Stealth works on Canon and Sony LANC equipped camcorders and features a throttle variable-speed zoom, record/pause button, power on/off button and a LED battery light. The VZ Stealth LX adds autofocus on/off, data on/off, and tape search. The VZ-PG-EX and VZ-PRO-EX are for Sony PMW-EX1 and PMW-EX3 cameras.

ITEM	DESCRIPTION	PRICE
VZ-PG-L	Pistol grip model	369.95
VZ-PRO-L	Horizontal grip	339.95
VZ-STEALTH	Throttle-style grip	199.95
VZ-STEALTH-LX	Throttle-style grip w/ added features	229.95
VZ-PG-EX	Pistol grip for the Sony PMW-EX1 and PMW-EX3	499.95
VZ-PRO-EX	Comfort grip for the Sony PMW-EX1 and PMW-EX3	399.99

VARIZOOM VZ-LSP AND VZ-1 CAMERA SUPPORTS

Lightweight, ergonomic, and stable shooting for your video needs. The aluminum VZ-1 prosumer shoulder brace allows you to bend the support into the desired position, with multi-point adjustment. The bottom C-bracket provides additional support for your camcorder while resting on a flat surface. The professional VZ-LSP features an abdomen pad, adjustable shoulder rest, and precision elevation. Shoulder and abdomen support carries the weight of the camera, eliminating stress and fatigue.

ITEM	DESCRIPTION	PRICE
VZ-LSP	. Pro shoulder brace w/abdomen support for camcorders up to 8lbs	598.45
VZ-1SHOOTER	Adjustable shoulder brace for small to medium cameras	123.45







