*SAMPLIVOX®

PORTABLE SOUND SYSTEMS





iPod Wireless PA System

- Indoor & outdoor audiences to 500
- · Rooms up to 2500 Sq. Ft.
- · 30 watts; includes microphone
- · Built in UHF wireless receiver
- iPod dock
- · MP3, USB & SD card inputs
- AC and built-in rechargeable battery
- Full function CD/DVD w/ remote control
- One year limited warranty
- SW722 15 lbs

MSRP \$1199



Digital Audio Travel Partner

- Indoor & outdoor audiences to 7500
- Rooms up to 25,000 Sq. Ft.
- 250 watts: includes microphones · Built in rechargable batteries and AC
- CD player with pitch control
- · MP3, iPod, USB & SD card inputs
- Retractable handle and wheels
- · Six year limited warranty; Made in USA
- MSRP \$2503 SW915 35 lbs



Titan Portable Public Address

- Indoor & outdoor audiences to 2500
- · Rooms up to 10,000 Sq. Ft.
- 100 watts: includes microphone
- · Built in wireless UHF
- · MP3, iPod, USB & SD card inputs
- AC and built-in rechargeable battery
- Remote control
- One year limited warranty
- SW800 35 lbs

MSRP \$1999



Wireless Half Mile Haller

- · Outdoor crowds up to 3000
- . 50 watts: includes microphone
- · Built in wireless receiver
- · Battery, AC and rechargeable options
- · Made in the USA
- Six year limited warranty

SW610A 13 lbs

MSRP \$761



FULLCOMPASS.COM



Multimedia Computer Lectern

- •50 watt multimedia amp; 2 speakers
- *Fully Assembled *Includes microphones
- 2 locking doors; adjustable shelves. *AC, battery, and rechargeable options
- Moves on 4 casters; 2 locking
- 6 year limited warranty; Made in USA Maple, Med. Oak, Walnut, Mahogany

SN3230 Non-Sound SS3250 Sound SW3250 Wireless

MSRP \$726 MSRP \$999 MSRP \$1248



Pinnacle Lectern

- . 50 watt multimedia amp; 2 speakers
- · Fully Assembled; Includes microphones For audiences up to 1500
- · Weather resistant, durable polyethelene
- AC, battery, and rechargeable options
- Moves easily on 2 casters
- · 12 year limited warranty shelt; Made in USA . Six year limited warranty on amp
- · Front panel insert color: Maple, Med.Oak, Cherry, Mahogany

SN3250 Non-sound ST3250 Sound Ready SW3250 Wireless sound MSRP \$1357 MSRP \$1671




Victoria Lectern

- 50 watt multimedia amp; 4 speakers Custom Solid Hardwood
- · Drop top reading table
- · 6 year limited warranty: Made in USA
- *AC, battery, and rechargeable options

 Light Oak: Other finishes available MSRP\$3111

SN3020 Non-sound SS3020 Sound SW3020 Wireless MSRP \$4136



Multimedia Presentation Plus Podium

- · Fully Assembled
- Locking door; adjustable shelf
- Folding side shelf
- . 50 watt amp; 2 speakers; microphones
- AC, battery, and rechargeable options
- . Moves on 4 casters; 2 locking
- 6 year limited warranty: Made in USA · Maple, Med. Oak, Walnut, Mahogany MSRP \$1399
- SN3235 Non-sound \$\$3235 Sound MSRP \$1729 MSRP \$2148 SW3235 Wireless
- * Your logo optional.



















































ALTO MIXPACK SERIES PORTABLE PA SYSTEMS All 3 MIXPACK systems boast impressive frequency response and wide dynamic range, and provide

superior clarity when compared to other


all-in-one portable PA systems. All models feature a 7-band graphic EQ, DSP, onboard 24bit digital effects, soft start, thermal protection, limiters/compressors, as well as XLR, line and RCA inputs. The MIXPACK and MIXPACK-PRO add an integrated subwoofer and speaker stands. The lightweight, 3-piece designs allow easy transport. Each system ships with 2 speaker cables, power cord and 2 microphone cables.

ITEM	DESCRIPTION			PRICE
MIXPACK-EXPRESS	. 7-channel mixer, 2x	10", 350W, 65Hz-	20kHz	499.00
MIXPACK	. 10-channel mixer, 1	2" sub + 2x 6.5",	600W, 55Hz-20kHz	799.00
MIXPACK-PRO	. 10-channel mixer. 1	5" sub + 2x 6.5".	1000W. 45Hz-20kHz	999.00



need for a stand. Includes three 8" woofers and an array of eight 4" mid-range speakers that deploy up to a height of 6'. Provides a 120° pattern for 500' of coverage – allowing you to cover the area of a football field with just one system. Includes two 12V rechargeable, 9.0AH batteries (7hrs to fully recharge). Units carry a 6-year manufacturer's warranty.

	t-in UHF receivers only) H 49-51	OPERATES IN THIS 682.000-698.0001	
ITEM	DESCRIPTION		PRICE
BEA7500	AC/DC powered portable	line array system,	
	150W AC, 125W DC		1868.00
BEA7500M	Same as BEA7500 but		
	w/built-in MP3 player		2052.00
BEA7500U1	Same as BEA7500 but w	/1 built-in	
	wireless receiver, no mic		2052.00
BEA7500U2	Same as BEA7500 but w		



ANCHOR AUDIO LIBERTY PORTABLE

SOUND SYSTEMS Ideal for reaching crowds of up to 2,000+. Features true AC/DC operation, a 110/220 power supply, heavy-duty lead-acid batteries with built-in charger, and a durable injection-molded case. Controls include volume, bass and treble and speech projection switch. It has 2 - XLR/1/4" combo input jacks, and a 1/4"



line input. Outputs include a 1/4" line output, and 2 1/4" speaker outputs. All units carry a 6-year manufacturer's warranty. Call for information on deluxe package configurations that include speaker stands, wireless receivers w/mic transmitters, and other accessories (models begin with LBP7500-xxx, or LDP7500-xxx).

ORDERING INFO:		
(For models with UHF receivers built-in only)	OPERATES IN THIS RANGE:	
Default band, TVCH 49-51	682.000-698.000MHz	
ITEM DESCRIPTION	PRICE	
LIB7500 Basic Liberty system - 10" 2-way spea	aker, active, 125W AC/100W DC,	
60Hz-15kHz, 110dB max SPL (projection	on on), 38lbs1359.00	
LIB7500MLIB7500 w/built-in MP3 Player		
LIB7500U1LIB7500 w/1 built-in UHF wireless receiver (no mic)		
LIB7500MU1LIB7500 w/built-in MP3 player & UHF wireless recvr (no mic)		
LIB7500U2LIB7500 w/2 built-in UHF wireless receivers (no mics)		
LIB7500MU2LIB7500 w/built-in MP3 player & 2 UHF v	vireless recvrs (no mics) 2003.00	
LIB7501Unpowered companion speaker	373.00	
NL7500Nylon storage cover	45.00	



EXPRESS

ANCHOR **AUDIO POWERED MINI SPEAKER Just**

8.5 pounds, 30W of amplification,

can reach crowds of up to 100 people, has a magnetically shielded carbon fiber speaker, has 1/4" mic and instrument jacks and RCA stereo line input jacks. Units carry a 6-year manufacturer's warranty.

recretered line input judici cinto carry a c year	mananactarer e marranty.
ORDERING INFO:	
(For models with UHF receivers built-in only)	OPERATES IN THIS RANGE:
Default band, TVCH 49-51	682.000-698.000MHz

ITEM	DESCRIPTION	PRICE
AN130	4.5" 2-way speaker, active, 30W, 65Hz-18kHz,	
	101dB max SPL, white	191.00
AN130U1	AN130 w/built-in 16-ch UHF wireless rcvr,no mic	363.00
AN130RC	AN130 with remote control	223.00
AN130BK	Powered speaker, 30W, black	191.00
AN130U1BK	AN130BK w/built-in 16-ch UHF wireless rcvr, no mic	363.00
AN130RCBK	AN130BK with remote control	223.00
REMOTE-130	Optional Infrared remote control (included with RC models)	23.00
SB1	Stand mount bracket	115.70
SS250P	Speaker stand	96.00
CC100XL	Carrying bag large	49.00

ANCHOR AUDIO AN1000X POWERED MINI SPEAKER

Will reach crowds up to 400 people. XLR mic/line input, RCA and 1/4" line inputs, RCA line out for recording or daisy chaining, 1/4" external speaker power output (for AN1001X), magnetically shielded, treble and bass controls. Units carry a 6-year manufacturer's warranty.



,		
ITEM		PRICE
AN1000X	. 4.5" 2-way speaker, active, 50W, 65Hz-20kHz, 103dB max SPL	. 399.00
AN1001X	. Unpowered extension speaker	. 143.00
AN1001X/70	. Unpowered 70V speaker	. 159.00
SB1	. Stand bracket	. 115.70
SS250P	. Speaker stand	96.00
CC100XL	. Carry bag large	49.00
RM1	. Single-rackmount 3U	27.00
	. Dual-rackmount 3U	

ANCHOR AUDIO EXPLORER PRO SOUND SYSTEM Perfect for sound projection in indoor or outdoor settings and playing music during school activities for crowds up to 800 people. Rapid charger circuitry replenishes drained battery in as little as 60 minutes, and there is an LED display for battery level & charge state. Controls include volume, bass and treble and speech projection switch. It

also has a "voiceover" music-ducking feature. It has 2 XLR/1/4" combo input jacks, (w/12V phantom power), 2 1/4" line outputs, and a 4-pole Speakon output. Has true AC/DC, a 110/220 power supply

and improved battery life. All units carry a 6-year manufacturer's warranty. Call for information on deluxe package configurations that include speaker stands, wireless receivers and other accessories (models begin with FRP7500-vvv or FDP7500-vvv)

ITEM	DESCRIPTION	0 1 1: 7511	PRICE
Default band, TVCH 49-51		682.000-698.000MHz	
ORDERING INF	O: vith UHF receivers built-in only)	OPERATES IN THIS RANGE:	
	other decessories (models beg	III WILLI EDI 1000 ALLI OI EDI 10	00 mmj.

ITEM	DESCRIPTION	PRICE
EXP7500	Basic Explorer system - 6.5" 2-way speaker, active, 75W,	
	AC/DC, 80Hz-16kHz, 110dB max SPL @ 1 meter, 23lbs	868.00
EXP7500U1	EXP7500 w/1 built-in UHF wireless receiver (no mic)	1154.00
EXP7500U2	EXP7500 w/2 built-in UHF wireless receivers (no mics)	1440.00
EXP7501	Unpowered companion speaker for above models	301.00
SS550	Speaker stand	134.00
HC1620	Traveling hard case for Explorer w/rollaway wheels & handl	le 310.00
	Nylon slip cover for the Explorer	

WH6000

ANCHOR AUDIO WIRELESS TRANSMITTERS/ MICS FOR AN130, BEACON, LIBERTY, AND

EXPLORER SYSTEMS SHOWN IN THIS SECTION		
ITEM DESCRIPTION I	PRICE	
WH6000Wireless handheld mic/transmitter	32.00	WB6000
WB6000Wireless bodypack transmitter	- 1	WBOOOD
w/ hands-free microphone	50.00	T. BANGEL
EM-TA4FUltraLite over the ear mic (tan) w/TA4F for WB6000	82.00	を
CM60Collar mic w/TA4F for WB6000	82.00	9124
LM60Lapel mic w/TA4F for WB6000	82.00	
HBM-TA4F Headband mic w/TA4F for WB6000	82.00	
MIC90Cardioid pattern handheld wired mic	05.00	
	11	







BEHRINGER EPA-SERIES PORTABLE PA SYSTEMS

These compact systems are great behaining centers. All include a mixer (w/phantom power, CD input, FX and feedback detection), 2 speakers w/cables, and an XM1800S mic w/cable. Each model is a convenient, easy-to-carry and set up package.



ITEM	DESCRIPTION	PRICE
EPA900	. Portable PA system, 8-channel mixer (4 mono w/mic pres,	
	2 stereo, w/CD input & FX, 2-band EQ/channel,	
	stereo 7-band EQ), 900W, 2x10" speakers w/1.35" tweeters	761.99
EPA300	. Portable PA system, 6-channel mixer (2 mono w/mic pres,	
	2 stereo, w/CD input & FX 2-band EQ/channel,	
	stereo 5-band EQ), 300W, 2x8" speakers w/1.35" tweeters	543.99
EPA150	. Portable PA system, 5-channel mixer (2 mono w/mic pres,	
	1 mic/inst, 1 stereo w/CD input & FX, 3-band EQ/channel,	
	stereo 7-band EQ) 150W, 2x4" speakers w/1" tweeters	326.99

BEHRINGER B205D ACTIVE PA/MONITOR

SPEAKER This multi-purpose 150W active speaker features a lightweight Class "D" amplifier, 5.25" full-range neodymium driver, 3-channel mixer with 3-band EQ, 2 mic preamps w/phantom power, 1 instrument input (no DI required), and an XLR "through" connector with mic/ line switch for linking more B205Ds. It can be mounted on a mic stand, and is housed in an impact-resistant enclosure with integrated handle.



ITEM	DESCRIPTION	PRICE
B205D-EUROLIVE	. 150W, 5.25" speaker	196.99

BOSE L1 PORTABLE LINE ARRAY

SYSTEM Exceptional amplified tone from any voice or instrument. Wide, uniform sound coverage helps fill the venue with sound in a way no ordinary speaker can. A complete system that delivers clear, powerful

sound across the stage and throughout the audience. The LI™ Model I system projects sound across the stage and throughout the audience with very little change in tone or level. I/O includes 2 combi XLR-I/4" (Ch 1-2), 2 1/4" line (Ch 3-4), 2 XLR out (Ch 1-2), 2 TRS inserts, Neutrik NIA bass module out, 1/4" bass line out, digital data in and digital data out. The LI™ Model II system provides smooth and the most consistent sound coverage. Add the Tl ToneMatch™ audio engine, and you get access to powerful new tone-shaping technologies available only from Bose. I/O is 1/4" TRS in, 1/4" TRS Bass line out, Neutrik NIA bass module

out and tone match port for optional T1 ToneMatch audio engine. The T1 ToneMatch is a multichannel audio elected device designed for use with L1 Model I and Model II systems, containing a large library of presets, proprietary zEQ and a complete suite of studio-class effects. I/O is 2 combi XLR-1/4" (Ch 1-3), 2 1/4" line (Ch 4-5), 1/4" TRS out, 1/4" TRS aux out, and1/4" TRS preamp out (Ch 1-3). The L1TM Compact system features an integrated bass speaker in power stand, compact extensions, two ToneMatchTM channels with fixed presets (handheld mic, acoustic guitar), and weighs only 29lbs.

presents (namenica mie, acoustic garar), and weights only 2000.			
ITEM	DESCRIPTION	PRICE	
L1-COMPACT	Compact line array speaker, powerstand		
	w/integrated bass speaker & slip-cover, carry bag	999.00	
I 1-RASIC-I	Line array speaker, powerstand, carry bag		
	Line array speaker, B1 bass module,	1000.00	
ET SHIGEE BASS T	powerstand, carry bag	1998 00	
I SINGLE DASS II	Model II line array speaker and powerstand,	1330.00	
LI-SINULL-DASS-II	B1 bass module, carry bag	2400.00	
I CINCLE DACC II TI		2433.00	
LI-SINGLE-DASS-II-II	Model II line array speaker and powerstand,	0000 00	
	B1 bass module, T1 audio engine, carry bag	2998.00	
L1-DOUBLE-BASS-I	Line array speaker, 2- B1 bass modules,		
	powerstand, carry bag	2297.00	
L1-DOUBLE-BASS-II	Model II line array speaker and powerstand,		
	2- B1 bass modules, carry bag	2798.00	
L1-DOUBLE-BASS-II-T1.	Model II line array speaker and powerstand,		
	2- B1 bass modules, carry bag	3297.00	
T1-TONEMATCH	Tone match audio engine, cover, carry bag,		
	18' digital cable, speaker mount	499 00	
R1_RACC_MODIII F	B1 bass module only		
DI-DAGG-MUDULL	DI bass module only	233.00	

Tender

FENDER PRO A/V PASSPORT EXECUTIVE PORTABLE

PA About the size of a small briefcase, this easy to use portable PA delivers 100 watts of clear stereo sound through NXT flat-panel speaker technology. It includes a 16-channel

frequency agile UHF wireless belt pack transmitter/headset mic system, built-in wireless receiver w/digital channel display, XLR mic input, stereo 3.5mm Line in & out, bass boost, and laptop-style form-fitted travel bag.

out, buss boost, and laptop style for	ii iittea tiavei bag.	
ORDERING INFO:	OPERATES IN THIS RANGE:	
Default Band	672.000-696.000MHz	
ITEM DESCRIPTI		PRICE
PASSPORT-EXECUTIVE100W porta & headset	ble PA w/wireless belt pack transmitter mic	599.99

FENDER PASSPORT® PRO SERIES These models 150-PR0 in the Passport line are much lighter, have updated reverb, improved speaker voicing, improved mixer layout, control, recessed LEDS and 1-1/3" speaker pole mounts. The 150-PRO features a 150W @ 40hms Class 'D' amp, 5.25" woofers, 2.75" tweeters, 4 channels with 2 XLR mic ins, 2x 1/4" line ins, 2 stereo 1/8" and 1/4" (L/R) ins, reverb and a 1-1/3" speaker pole mount. The 300-PRO features a 300W@ 80hms Class 'D' amp, 8" woofers, 1.2" horn loaded tweeter, 6 channels with 4 XLR mic ins, 4x 1/4" line ins, 2 stereo 1/8" and 1/4" (L/R) ins, reverb, 1/4" sub out, 120Hz hi-pass filter on speaker out, preamp out and power amp inserts. The 500-PRO features a 500W @ 4ohms Class 'D' amp, 10" woofer, 1.2" horn loaded tweeter, 6 channels with 6 XLR mic ins, 6x 1/4" line ins, 2 stereo 1/8" and 1/4" (L/R) ins, selectable and adjustable reverb, 1/4" sub out, USB port for MP3/.wav file recording and playback and 120Hz hi-pass filter on speaker out.

ITEM	DESCRIPTION	PRICE
PASSPORT-150-PR0	.150W 4-channel, stereo (2x75W) PA system, 30lbs	399.99
PASSPORT-300-PR0	.300W 6-channel, stereo (2x150W) PA system, 44lbs	699.99
PASSPORT-500-PR0	.500W 6-channel, stereo (2x250W) PA system, 44lbs	999.99

FENDER PASSPORT P10/P10WE The Passport® P10 is a 27W battery powered portable unit, with rechargeable battery and charger. The P10 may run for up to 8 hours on a single charge, and is ideal for classrooms, paging, or tour guide applications. It comes with a strap and mic stand adapter. The P10WE system has a headset and lavalier mic, plus a beltpack UHF transmitter. Both models feature a 5-year manufacturer's warranty.



CLOSEUP OF THE FRONT PANEL

ORDERING INFO (P10WE MODEL ONLY)	OPERATES IN THIS RANGE
Default Band	620.000-644.000 MHz
ITEM DESCRIPTION PASSPORT-P10 Personal PA hattery	PRICE powered — 27W mono
	dset, lavalier, UHF beltpack570.99

FENDER PASSPORT® ACCESSORIES

ITEM	DESCRIPTION	PRICE
ST275	Pair of tripod speaker stands plus nylon	
	carry bag that supports up to 60lbs	99.99
ST280	Same as ST275 but with 2 additional mic stands	139.99
UHF-WIRELESS-EXECSYS	Wireless beltpack system w/lav & headset mics	399.99
UHF-WIRELESS-HH-SYST	Wireless beltpack system w/cardioid handheld mic	399.99
	·	

FISHMAN®

FISHMAN SA220 SOLO PERFORMANCE SYSTEM Designed for singer/songwriters, the SA220 provides excep-

Designed for singer/songwriters, the SAZ20 provides exceptional sound quality and coverage in a variety of venues. 220W of clean power drives a line array of 6 custom 4" high-excursion speakers and 1" neodymium soft dome tweeter. This unique combination delivers full sound, ultra-wide dispersion and deep sonic penetration. Features 2 mic/instrument channels, phantom power, 3-band EQ, 4 digital reverb effects with master level, effect loop, XLR DI outputs for channels and main mix, aux stereo input, feedback-fighting phase and notch filters. Stand and padded carry bag w/wheels included.

ITEM	DESCRIPTION	PRICE
SA220	Portable line array/guitar amp	999.95






















































FULLCOMPASS.COM



















AS-TVREC

ORDERING INFO:

Default 'K9' band, TVCH 42-46

(Note: only on models with UHF receivers built-in)

























AS-TVEC ..

RM-CD...

AS-TVTX

AS-TVRFC





GALAXY AUDIO AS-TV5/AS-TV8 TRAVELER PORTABLE PA SYSTEMS

These are portable, battery-operated PA systems The AS-TV5 features a 5" full range speaker, 30W power amp, and has a 1/4" mic input, and 1/8" aux input and output. Its internal battery may run 4-6 hours before needing recharging. It is customizable to have up to 2 wireless mic receivers or a USB/MP3 player installed. The larger AS-TV8 base model features an 8" woofer, 1" horn, 50W amplifier. The standard AS-TV8 features 2 inputs (XLR/1/4" combo with its own volume control and a dual RCA), 2-band EQ, & a master volume. Audio outputs include a dual RCA line out and a 1/4" speaker output to power an additional speaker. Includes universal power supply/battery charger. Optional upgrades/modules include a CD/MP3 player, an echo/delay unit, up to 2 wireless receivers (with handheld, headset, & lapel mic options), an Audio Link to wirelessly transmit the signal to another Traveler. Since all the modules are internally wired, no external patching is necessary. (NOTE: items marked with * require a specific choice of mic transmitter. Options are handheld mic, headset mic or lavalier mic.)

ITEM	DESCRIPTION	PRICE
Traveler	Packages	
AS-TV5	5" portable PA system, 30W RMS/50W max, 1/4" mic input,	
	1/8" aux input/output, internal battery w/charger,	
	switching power supply	299.99
AS-TV51*	AS-TV5 w/1 receiver & choice of 1 mic transmitter	599.99
AS-TV52*	*AS-TV5 w/2 receivers & choice of 2 mic transmitters	949.99
AS-TV52U	**As AS-TV52**, but adds USB & SD card player option	1099.99
AS-TV8	8" portable PA system, 50W RMS/80W max, 95dB/112dB max,	
	20Hz-20kHz, XLR/1/4" combo inputs, internal battery w/charger,	
	switching power supply	
AS-TV81*	AS-TV8 w/1 receiver & choice of 1 mic transmitter	
AS-TV82*	*AS-TV8 w/2 receivers & choice of 2 mic transmitters	1299.99
AS-TV8C	AS-TV8 w/CD player	849.99
AS-TV8C1	*AS-TV8 w/CD player, 1 receiver & choice of 1 mic transmitter	1199.99
	**AS-TV8 w/CD player, 2 receiver & choice of 2 mic transmitters	
	Wireless Speakers - have AS-TVTX UHF audio link transmitt	
	AS-TV8 w/CD player and audio link transmitter	
	1AS-TV8 w/CD player and audio link transmitter,	10 10.00
A0 11001	1 receiver w/choice of 1 mic transmitter	1399 99
AS-TVRCT	2** .AS-TV8 w/CD player and audio link transmitter,	1000.00
1001	2 receivers w/choice of 2 mic transmitter	1649 98
2WVT-2A	AS-TV8 w/AS-TVTX built-in — requires AS-TVTX in base unit to w	
	System Upgrades/Accessories	JIN 7 JJ.JJ
	System upgraues/Accessures	

.....Echo module w/adjustable repeat & delay times, w/2 XLR mic inputs..... 99.99



JBL EON 210P PORTABLE PA **SYSTEM** A self-contained, portable PA system featuring multiple input channels with individual tone controls,

multiple digital effects and output routing capabilities allowing integration into different audio environments. It has two 10" 2-way powered loudspeakers, one with a detachable 8-channel powered mixer and one with a storage compartment. It also has a 1" neodymium compression driver. Includes pair of unshielded speaker cables and a power cord. 33lbs total weight.

ITEM	DESCRIPTION	PRICE
EON-210P	Portable, self-powered 10" 2-way PA system, 300Watts	. 999.00

MACKIE.

ORDERING INFO:

MACKIE SRM150 COMPACT ACTIVE PA SYSTEM This extremely portable system features a 3-channel mixer with 3-band active EQ, 2 mic/line preamps with 48V phantom power, instrument ready input, dedicated stereo

channel for keyboards, CD, MP3, and iPods, and a XLR thru for linking multiple SRM150's or a direct send to the main PA. It has a 5.35" neodymium driver, system protection with built-in limiter, built-in top carry handle, mic stand integration system, and a tough impact-resistant polypropylene enclosure.

ITEM	DESCRIPTION	PRICE
SRM150	5" active PA system, 150W, 100Hz-17.5kHz	249.99

CERTIFIED REPAIR BY EXPERIENCED TECHNICIANS

FULL COMPASS IS A FACTORY-AUTHORIZED REPAIR CENTER FOR MANY OF THE MAJOR **BRANDS WE CARRY.**



MIPRO SYSTEMS Mipro's PA systems range in power output from 50W RMS to 180W RMS and can be supplemented with an optional CD/USB player or up to 2 (4 on the 808 model) wireless mic receivers (w/16 scannable UHF frequencies). The MA-705, MA-707, and MA-708 feature 8" full-range speakers, while the MA-808 features a 1.5" titanium compression driver and a 10" neodymium 180W woofer. All models feature master controls, built-in rechargeable batteries, XLR and 1/4" mic

inputs, line in and outs (RCA on 705, 708, & 808, 1/4" on 707), AC and battery power sources (plus DC input on MA-707, MA-708, & MA-808). The MA-708, & MA-808 also feature voice-over priority, an active limiter, echo control, and the ability to transmit audio from one model to others via the MTM90. Audio options listed below.

(Note: only on wil	eless receivers/transmitters)		
Band 6A, TVCH 39	-42	620.000-644.000MHz	
Band 6B, TVCH 43	-46	644.000-668.000MHz	
Band 6C, TVCH 47	'-50	668.000-692.000MHz	
ITEM	DESCRIPTION		PRICE
MA705PA	50W RMS Class AB PA w/8" full-ra	ange speaker, handle	349.95
	Passive expansion speaker for MA		199.00
MA707PA	70W RMS Class AB PA w/8" full-ra	ange speaker,	
	transmitters compartment, wheels	s, retractable handle	459.95
MA707EXP	Passive expansion speaker for MA	707	239.00
MA708PA	As MA707PA, but 120W RMS, Class	is D,	
	and adds voice priority feature		790.20
MA708PAD	As MA708, comes with 8CD0024 (CD module	1230.00
MA708EXP	Passive expansion speaker for MA	708, w/30' cable	526.80
MA808PAMK3	180W RMS bi-amped PA, Class AE	3+D,	
	w/1.5" comp. driver & 10" woofer		2049.95
MA808EXP	Passive expansion speaker for MA		
MTM90	Transmitter for receivers in MA708	3 & MA808PAMK3	187.85
MRM70	Wireless plug-in receiver, 16 Chnl		99.95
8CD0022	CD/USB player for MA707		316.20
8CD0023	CD/USB player for MA705, MA8081	PAMK3	316.20
8CD0024	CD player for MA708 & MA808PAN	1K3	316.20
7AE018	Cassette player for MA707		145.00
ACT707HE	Wireless condenser handheld tran	smitter	159.95
ACT707TE	Wireless beltpack transmitter		129.95
MU55L	Omni-directional lavalier (For ACT	707TE)	51.38
MU53HN	Cardioid lavalier (for ACT707TE)		57.97



.CD/MP3 module upgrade ...

.Audio link transmitter module

...UHF wireless mic receiver, 96 channels, LCD display....

AS-TYMBP UHF bodypack transmitter w/unidirectional headset micUHF handheld transmitter only, dynamic....



OPERATES IN THIS RANGE:

640.000-660.000MHz

Where would you use MIPRO?





MIPRO portable battery operated wireless PA systems can be used almost anywhere. Perfect for school marching band practice, outdoor performers, aerobic classes and even perfect for wireless sound systems down a parade route... Use MIPRO practically at any event imaginable.

Have your Full Compass representative help assemble the right MIPRO portable PA for you.



MIPRO Package Systems

MA101a System includes: MA-101a Personal Wireless 30-Watt PA System, ACT-707HE Cardioid Condenser Handheld Transmitter Microphone, SC-10 Storage & Carry Bag

MA705PA System includes: MA-705PA Personal Wireless 50-Watt PA System, 8CD0023 CD/USB Player Module with Remote, MRM-70 Plug-in UHF 15-Channel Diversity Receiver Module, ACT-707HE Cardioid Condenser Handheld Transmitter Microphone, SC-50 Protective Cover with Side Pouch, MS-70 Tripod Speaker Stand

MA707PA System includes: MA-707PA Personal Wireless 70-Watt PA System, 8CD0022 CD/USB Player Module with Remote, MRM-70 Plug-in UHF 15-Channel Diversity Receiver Module, ACT-707HE Cardioid Condenser Handheld Transmitter Microphone, SC-70 Protective Cover with Side Pouch, MS-70 Tripod Speaker Stand

MA708PAD System includes: MA-708PAD Personal Wireless 120-Watt PA System, 8CD0024 CD/USB Player Module with Remote, MRM-70 Plug-in UHF 16-Channel Diversity Receiver Module, ACT-707HE Cardioid Condenser Handheld Transmitter Microphone, SC-75 Protective Cover with Side Pouch, MS-70 Tripod Speaker Stand

Options for any of the above systems

ACT-707TE Body Pack Transmitter
MU - 55L 4.5mm Omni-Directional Lavaliere Microphone
MU-55SKL 4.5mm Omni-Directional Lavaliere Microphone
MU-53HN 10mm Uni-Directional Cardioid Headworn Microphone











AUDIO















































MIPRO

ORDERING INFO:

MIPRO MA-101A PORTABLE 30W WIRELESS

PA SYSTEM Ideal for speech applications within

PA SYSTEM Ideal for speech applications within small groups of up to 200, this 30W wireless PA features a 5" full-range speaker, has a transmission range of up to 330ft, and can be carried by hand, shoulder

strap or mounted to a mic stand. Can be powered by rechargeable battery (8hrs per charge, 4hrs to re-charge) or AC power supply. Features 1/8" mini-jack input for use with CD or mp3 players, 1/4" mic input, and 1/8" mini-jack out. Up to 2 mics can be used simultaneously. Features built-in storage compartments for spare battery mic and 16 built-in auto-scan UHF frequencies with ACT functions.

OPERATES IN THIS RANGE:

Danu OA. IVOII	33-42	020.000-074.000MHz
Band 6B, TVCH	43-46	644.000-668.000MHz
Band 6C, TVCH 47-50		668.000-692.000MHz
ITEM	DESCRIPTION	PRICE
MA101A	30W portable wireless PA system, sele	ect frequency, NOTE: NO MIC 299.95
MB30	Replacement battery/built-in wireless	plug-in receiver 32.94
ACT707HE	Wireless condenser handheld transmi	tter159.95
ACT707TE	Wireless beltpack transmitter	129.95
MU55L	Omni-directional lavalier (for ACT707	TE) 51.38
MU53HN	Cardioid lavalier (for ACT-707TE)	57.97

..Guitar instrument cable (for ACT-707TE).....

MIPRO MA202 PERSONAL WIRELESS PA

SYSTEM Similar to the MA-101A, this PA features a 16-channel wireless UHF receiver, 2-way speakers (1" treble, 5" woofer) and 56W (40W RMS) of audio output via a class D amplifier. A USB port and SD card slot allows you to play mp3s, while an LCD display shows mp3 track and status info. Runs continuously for up to 8 hours on one charge. The unit also features a

built-in charger, level controls, and battery meter for the ACT202T transmitter. Will work simultaneously with one wired and one wireless mic. Offers separate volume controls for up to 2 mics, as well as for a device, such as a digital audio player, plugged into the unit's line input. Features an integrated handle and a shoulder strap.


mee the time impater cuttained an integration named and a chounter strap.		
ORDERING INFO:	OPERATES IN THIS RANGE:	
Band 6A, TVCH 39-42	620.000-644.000MHz	
Band 6B, TVCH 43-46	644.000-668.000MHz	
Band 6C, TVCH 47-50	668.000-692.000MHz	

ITEM	DESCRIPTION	F	PRICE
MA202	. Wireless 40W RMS PA system w/1	6-ch receiver,	
	USB & SD card slots	4	93.00
ACT202T	. Rechargeable handheld transmitt	er/mic for MA2022	61.00
MB30	. 12V, 2.9AH rechargeable battery f	or MA202	32.94
MS30	. Tripod stand for MA202		23.01

TENEY.

PEAVEY ELECTRONICS TRIFLEX II PORTABLE 3-WAY AUDIO

SYSTEM Through one 15" subwoofer and two 2-way satellite speakers with 10" woofers and 1.4" titanium compression drivers, the TriFlex® II provides its user with 1000W of peak power (500W continuous). The system's chassis is housed in the subwoofer enclosure and includes dual XLR-1/4" inputs, a 2-ch preamp,



ITEM	DESCRIPTION	PRICE
TRIFLEX-II	Portable 3-way audio system w/(2) 10" speakers, (1) 15" subwoofer	. 899.99
03011200	Speaker stand	37.98



PEAVEY ELECTRONICS AUDIO PERFORMER PACK This package includes one PVI4B powered mixer, two PVI10 enclosures with 10" loud-speakers, two speaker stands, two PVI100 dynamic cardioid mics, and cables.



ITEM	DESCRIPTION	PRICE
AUDIO-PERFORMER-	PACK	
	PA system w/4-channel powered mixer, speakers, stands, mics, cables	399.99
PVI4B	. 4-channel powered mixer w/reverb & EQ/channel, master EQ, master level, 100W @ 4ohms	179.99
PVI8B	. 8-channel powered mixer w/5-band graphic EQ, echo, reverb, mic & line inputs, 150W @ 8ohms	279.99
PVI10	. 2-way speaker w/10" woofer, 2x 1/4" inputs,	
PVI100-QTR-INCH	50W cont., 100W prgrm	159.99
DVI100 VID	20' 1/4" cable, pouch, mic clip	22.99
PVIIUU-ALK	20' XLR cable, pouch, mic clip	22.99

PEAVEY ELECTRONICS ESCORT® 3000 PORTABLE PA SYSTEM Includes

2 speakers (w/10" woofers and piezo horns), a 5-channel 150W stereo mixer amp with 2 stereo line inputs, 4 XLR inputs, digital reverb, and 5-band graphic EQ with FLS (Feedback Locator System). Also comes with 2 speaker stands, 1 wired mic, and two 25' speaker cables. All in an easily transportable case with wheels.




ITEM	DESCRIPTION	PRICE
ESCORT-3000	PA system w/ two 10" speakers, 5-channel 150W mixer amp	649.99
ESCORT-STAND	. Optional stand for Escort 3000 mixer	40.49

Roland

ROLAND BA-330 PORTABLE STEREO DIGITAL PA SYSTEM

All-in-one for small music venues, conferences, & more. A digital stereo amp drives four 6.5" stereo speakers & 2 tweeters, positioned for wide stereo projection. It offers built-in effects such as EQ, reverb, delay, & wide (on/off per channel) and Advanced Anti-Feedback technology eliminates feedback. It has 2 channels



ITEM	DESCRIPTION	PRICE
BA330	Portable stereo system, four 6.5" speakers,	
	2 tweeters, battery powered, 30lbs 7oz	CALL

ROLAND CM-30 CUBE MONITOR Versatile and portable, the CM-30 CUBE Monitor delivers 30W of audio punch through a rugged, high-quality 6.5" coaxial 2-way speaker with stereo preamp. The CM-30 is ideal for home-studio and wide-ranging monitoring applications, but it can be used for live monitoring onstage as well. Features a 6.5" coaxial, 2-way speaker with stereo preamp and 30W output. Three input channels, with one XLR input for mic/line and 2 additional Aux inputs. Stereo Link function for stereo connection



between two units, for a total of up to 8 stereo inputs and 2 mono mic/line inputs. Metal grille cover, corner protectors, and handle grip for easy transport.

ITEM	DESCRIPTION	PRICE
CM30	6.5" coaxial powered monitor, 30W	CALL





SHOWN WITH OPTIONAL

SPEAKER STANDS

SAMSON'

SAMSON XP308I PORTABLE PA SYSTEM Compact with dual 2-way speakers, 8-channel mixer and 300W amplifier. Practical design allows all pieces to fit into a single case. System features an 8-channel removable mixer, 4 mic/ line inputs, 2 stereo inputs, phantom power, and built-in iPod dock.



It has an internal 2 x 150W lightweight Class D amplifier and 8" woofers in 2-way vented enclosures. A 1" titanium tweeter provides 60° x 90° coverage. Other features include bass/treble control on channel inputs, monitor out, internal effects processor for digital reverb to any mic channel, music/speech switch to set overall system equalization, 6-segment level meter with limit indicator, and RCA record outputs to connect to external recorder.

ITEM	DESCRIPTION	PRICE
XP308I	Dual 8" portable PA system w/iPod dock, 2x150W	499.00



SAMSON XP401 PORTABLE PA SYSTEM The Expedition 40i employs a 6" woofer and a 1" high frequency driver. The unit features a 40W Class 'D' amplifier that is matched to the driver for high efficiency and low current draw. An iPod dock lets you incorporate songs or other MP3s into your performance. Bass and treble controls allow you to tweak your sound to match your specific setting and audience. A rechargeable battery provides the XP40i with enhanced mobility. In addition, a 1/4" link in/out jack allows 2 systems to link together to create a stereo setup. This lightweight (16.75lbs), stand-mountable PA system also features a top handle for easy transport. The XP40iw adds a built-in VHF wireless microphone system that's ideal for any number of vocal applications.

ORDERING INFO: (XP40IW ONLY)	OPERATES AT THIS FIXED FREQUENCY
CH6, TVCH 10	192.6 MHz
CH7, TVCH 10	195.6 MHz
CH8, TVCH10	196.6 MHz
CH11, TVCH 12	208.2 MHz

ITEM	DESCRIPTION	PRICE
XP40I	40W portable PA system w/iPod dock	219.00
XP40IW	As above with built-in wireless receiver (select frequency)	299.99

SAMSON XP510I PORTABLE PA WITH

IPOD DOCK Ideal for use in musical performances, education settings, houses of worship, and more. Offers dual 2-way speakers, 10" woofers in vented enclosures, 1" high-frequency drivers, detachable 10-channel mixer, and a 500W (2 x 250) Class "D" amplifier. Has an integrated iPod dock, 24bit digital effects, & phantom power. Transports easily, just slide the speakers together and lock the mixer on





Traynoi

TRAYNOR TVM50 POWERED AMPLIFIER A 50W2-channel design allows quick connection to any microphone, instrument and CD/ MP3 player. Individual volume control as well as separate tone controls on the input channels makes it a complete ultra-compact PA system. Channel One



is tuned for vocals with an XLR/TRS combi-jack input for low or high impedance mics. A single sweepable tone control boosts intelligibility and overall presence with a minimum of tweaking. A 1/4" input on Channel Two handles any instrument source including acoustic or electric guitars and keyboards. The amplifier's wedge monitor shape projects to an audience from ground level. An integrated stand adapter allows it to be mounted on any speaker stand when used as a small announcement PA or background music source.

ITEM	DESCRIPTION	PRICE
TVM50	. 50W battery powered amp w/battery, charger, stand adapter	. 295.20

SYAMAHA

power output.

YAMAHA STAGEPAS 300/500 PORTABLE PA SYSTEM

The STAGEPAS series has all the power and high-quality sound vou need to fill a small performance space, yet it's small and light enough to bring wherever you need it. Combining a built-in powered mixer and PA speakers, it's also incredibly easy to use - letting you set up and play in a matter of minutes! The STAGEPAS 300 features a 4 mic + 2 stereo line input mixer and boasts 150W into each channel. The 2-way bass reflex speakers are suitable as mains or monitors. The STAGEPAS 500 adds another stereo input channel, 2-channel built-in compressor/ limiting, phantom power and 250W + 250W

ITEM	DESCRIPTION	PRICE
STAGEPAS-300	2x 150W, 8-channel portable PA system	CALL
STAGEPAS-500	2x 250W, 10-channel portable PA system	CALL
	Soft rolling case for STAGEPAS300 system	
	Stand mount for STAGEPAS speaker (each)	
	Mic stand adapter for mixer	

CERTIFIED REPAIR BY EXPERIENCED TECHNICIANS

FULL COMPASS IS A FACTORY-AUTHORIZED REPAIR CENTER FOR MANY OF THE MAJOR BRANDS WE CARRY.





CONSUMER ALERT

Most users do not need a license to operate these wireless microphone systems. Nevertheless, operating these microphone systems without a license is subject to certain restrictions: the systems may not cause harmful interference; they must operate at a low power

level (not in excess of 50 milliwatts); and they have no protection from interference received from any other device.

Purchasers should also be aware that the FCC is currently evaluating use of wireless microphone systems, and these rules are subject to change.

For more information, call the FCC at 1-888-CALL-FCC (TTY: 1-888-TELL-FCC) or visit the FCC's wireless microphone website at www.fcc.gov/cgb/wirelessmicrophones





















































