

FSB SACHTLER CELL SERIESideas in motion! POWER SOLUTIONS



FOR FSB2/4/6 SERIES KITS Powering solution for MiniDV/HDV camcorders.

Compatible with FSB2/4/6 heads, it is a 7.2volt lithium-ion battery that loads directly under the camera. Shaped like a camera plate, the battery underside fastens directly to the fluid head. The battery weight (1.4lbs) is positioned directly over the fluid head, optimizing camera control. Specific camera adapter cables (required) shown below.

ITEM	DESCRIPTION	PRICE
FSB-CELL-BATTERY	Battery, 7.2V/10.5Ah (requires adapter cable,	
	FSB compatible head)	209.10
FSB-CELL-SONY-I	FSB cable—Sony PD100/150/170, VX2100, HDRFX7	81.18
FSB-CELL-SONY-II	FSB cable -Sony HVRZ1U, HVRV1U, HDRFX1, FX1000,	
	HVRZ5U	81.18
FSB-CELL-CANON	FSB cable-Canon XHA1/G1, XLH1, XL1/2, XM2	81.18
FSB-CELL-PANASONIC	FSB cable-Panasonic AGHPX170, HVX200, DVC30/80	81.18

CAMERA ACCESSORIES & LENS CONTROL



ANTON BAUER EGRIPZ HANDHELD CAMERA SUPPORT EgripZ handles are a flexible polymer to make the camera easier to hold securely and comfortably - on the hottest day or in the trickiest of

positions. Weighs just 12.2oz and mounts easily to the camera's 1/4-20 tripod mounting. It can flex into virtually any position around the camera without getting into the way of normal camera operation. One hand operation is more comfortable with EgripZ as a forearm support - preventing the camera from "rolling" on the operator's wrist. Low shots and high perspectives

ITEM	DESCRIPTION	PRICE
EGRIPZ	. Handheld camera support	87.47



are much easier and steadier with two hands to stabilize the camera. EgripZ attaches easily a monopod or other support for additional stability via the 1/4-20 base mount.

TEM	DESCRIPTION	PRICE
EGRIPZ	Handheld camera support	87.47

ANTON BAUER STASIS FLEX POWER SUPPORT SYSTEM Not simply a shoulder mount, Stasis

redirects the geometry of a handheld camera to make use of the most stable platform in the worldthe human body. By redirecting the weight of the camera into the torso and over the shoulder, the weight the camera is redistributed- off

the operators hand, relievfatigue and stabilizing shooting. its revolutionary, patent pending

infinitely adjustable mechanism which allows the operator to position the camera in virtually any shooting position- forward/back, in/out, up/down- the camera can be repositioned instantly and locked in place at the touch of a lever. Stasis Flex can be used as a standalone body support, with hard points on the rear pad to mount peripherals-like wireless receivers, hard drives or transmitters. Gold Mount series batteries can be used to extend runtime.

ITEM	DESCRIPTION	PRICE
STASIS-FLEX	Stasis Flex shoulder mount — 1/4-20 mounting platform	
	accepts any camera or standard quick release	
	mounting plate, requires adapter cable	264.77
FGM-S	Gold mount with DC-DC convertor for 6V to camera 14V to Pow	/erTap
	connector. With cable and camera connector for Sony cameras	. 167.53
FGM-P	As FGM-S, but with connections for Panasonic cameras	167.53
FGM-EX1	Gold mount with cable and camera connector for Sony PMWEX	1.
	Supplies native 14V to camera and to power tap	167.53

BEBOB FOXI FOCUS-IRIS CONTROL A professional bebob remote focus and iris con-

trol designed for Panasonic HVX-200 and AG-DVX100B camcorders. This compact &

convenient unit places smooth and accurate adjustment of lens functions right at the operator's fingertips, and allows for quick and easy switching between auto and manual control. Mounts on tripod

panhandle or 15mi	m rods.	-
ITEM	DESCRIPTION	PRICE
BE-FOXI	Focus/Iris control for Panasonic HVX-200 and AG-DVX100B	465.00



























































..Aluminum tripod kit......1553.90

FSB6 fluid head, ENG75/2D tripod, mid-level spreader, padded bag, DV75 pan bar FSB6 fluid head, SP75 spreader, padded bag, DV75 pan bar

HYBRID

SACHTLER FSB4 TRIPOD KITS The FSB4 fluid head is ideal for users of small & lightweight HDV cameras. Features a robust aluminum housing, and Sachtler's

Speedbalance technology for swift balancing. It has 3 horizonal, and 3 vertical

grades of damping, 5-step counterbalance, and integrated flat base fitting. Also

compatible with components of the SOOM modular systems, and optional FSB-

LOAD CAPACITY 8.8lbs 8.8lbs 8.8lbs

STAGES/MATERIAL 1-stage/alum. 2-stage of the MOUNTING STANDARD 75mm 75mm 75mm SpeedLook 75CF tripod, FSB4 fluid head, SpeedLook 75CF tripod, SP75 spreader, paddled DA75L tripod, SP75 BPG752 tripod, SP75 spreader, paddled bag, DV75 pan bar

SACHTLER SACHTLER/VINTEN HYBRID SYSTEMS Combining a Sachtler head

and a Vinten tripod to build a stable, reliable tripod kit. The FSB6 features 3 grades

of drag and 10 steps of counterbalance. The FSB8 features 5 grades of drag and 10

steps of counterbalance. Either comes in a 'Sideload' with 4.7" of sliding range, or

'Touch & Go' with 2.4" of sliding range and plate mechanism. The 3819-3 tripod is

2-stage aluminum support. Includes a detachable mid-level spreader, rubber feet

TECH SPECS SYSTEM-FSB6-TV2 SYSTEM-FSB6-V2 SYSTEM-FSB8-TV2 SYSTEM-FSB8-V2

STAGES/MATERIAL..... 2-stage/alum2-stage/alum2-stage/alum2-stage/alum

SYSTEM-FSB8-TV2Sachtler FSB8T/Vinten Pozi-Loc Tripod2425.95 SYSTEM-FSB8-V2 Sachtler FSB8/Vinten Pozi-Loc Tripod 2425.95

SACHTLER FSB6 SERIES TRIPOD KITS The FSB6 features Snap & Go sideload mechanism which has a sliding range of 4.7", and 10-step counterbalance. It has a Touch & Go camera plate, 3 horizontal, and 3 vertical grades of damping, a selfilluminating leveling bubble, and +90°/-70° tilt range. Also compatible with components of the SOOM modular systems, and optional FSB-CELL power solutions.
 TECH SPECS
 SYSTEM-FSB6MD
 SYSTEM-FSB6-SLMCF

 LOAD CAPACITY
 13.2lbs
 13.2lbs

FSB6 fluid head, DA75L tripod, mid-level spreader, padded bag, DV75 pan bar

DESCRIPTION

SYSTEM-FSB6-SLMCF......Carbon fiber tripod kit.....

.Aluminum tripod kit.....

STAGES/MATERIAL 1-stage/alum 2-stage/alum 2-stage/carbon fiber MOUNTING STANDARD......75mm......75mm.....75mm

...11lbs.......11.5lbs

MOUNTING STANDARD.....75mm.......75mm...........75mm

DESCRIPTION

SYSTEM-FSB6-TV2Sachtler FSB6T/Vinten Pozi-Loc Tripod

.Aluminum tripod kit......

SYSTEM-FSB4-MD SYSTEM-FSB4-2MD SYSTEM-FSB4-SLMCF

...37.4"......30.3"

.....1-stage/alum......2-stage/alum......2-stage/carbon fiber

..Aluminum tripod kit.....

..Carbon fiber tripod kit

..Sachtler FSB6/Vinten Pozi-Loc Tripod.....

FSB6 fluid head, Vinten
Poi-Lock tripod, Vinten
Poi-Lo

CELL power solutions. It uses Sachtler's Sideload S camera plate.

DA75L tripod, SP75

spreader, padded bag,
DV75 pan bar

DESCRIPTION

FSB64

SERIES

TECH SPECS

WFIGHT

MIN HEIGHT.....

STAGES/MATERIAL

SYSTEM-FSB4-MD.

WEIGHT

ITEM

WEIGHT...

INCLUDES.

SYSTEM-FSB6-MD

SYSTEM-FSB6-2MD.....

ITFM

SYSTEM-FSB6-V2.....

SYSTEM-FSB4-2MD.

and a Sachtler Padded ENG II soft bag.

FSB6T fluid head, Vinten Pozi-Lock tripod, Vinten mid-level spreader, pad-ded bag, DV75 pan bar FSB66

.984.00

2020 95



Full Service: 800-356-5844 M-F: 9:00-5:30 CST







































169-HDWA6X-72

Continued in next column...





BEBOB ZOE SERIES ZOOM CONTROLS DVXL is the first universal remote zoom control

for DV, designed to work equally well with camcorders featuring a LANC input, such as Sony or Canon, or a Cam Remote input, like the Panasonic HVX-200 or AG-DVX100. It




features the benefits of the Zoe family of HDV/DV products. ZOE III provides optimal zoom control in a compact user-friendly remote that easily mounts to tripod handles. It automatically detects what manufacturer lens it is attached to and adjusts itself accordingly. The ZOE III offers innovative remote functionality, including variable stepless zoom speed control, record start/stop button, return function button, and a zoom direction change button.

ITEM	DESCRIPTION	PRICE
BE-ZOE-DVXL	Remote zoom for LANC/Cam Remote DV	251.00
BE-ZOE-ENG8	Zoe III for 8-pin lenses (Angenieux, Canon, Fujinon)	514.48
BE-ZOE-ENG12	Zoe III zoom control for Fujinon 12-pin lenses	514.48







CAMCORDER ACCESSORIES These are for some of the most popular camcorders Full Compass sells. Due to space restrictions in the catalog, please call for more

oro run compace o	ener 2 de la opuca i confedencia in una cutarog, produce cun re-	
information on a pa	rticular item.	
ITFM	DESCRIPTION	PRICE
CANON XF300/XF3		
169-CB1-16X9	16x9 – Grab & Shoot camcorder bag w/room for Mattebox,	
	meets carry-on specs, internal dimensions 23"L x 11"W x 11"H	220.00
169-HDSF45X-82	16x9 – EX II 0.45x compact super fisheye converter lens, 82mm	460.00
	16x9 – EX II 0.6x wide angle converter lens, 82mm	
	16x9 – EX II 0.75x wide angle converter lens, 82mm	
	16x9 – EX II 0.8x wide angle converter lens, 82mm	
BE-LULED-BP4	Bebob - onboard dimmable/focusable LED light w/D-tap, comes w/	
DE 70E DVVI	4-barndoors, Canon BP Series Adapter, 3200°K filter and diffuser	
	Bebob – universal DV zoom/rec/start/stop LANC controller Chrosziel – Sunshade kit for XF300/305 w/sunshade (16:9/4:3),	231.00
AU-UMD-K1U-02	French flag, 1filter holder, rear clamping plate, 110:82mm s	
	tep-down ring, more	687 00
AC-450W-XF300K1	Chrosziel – Mattebox Kit 1 for XF300/305 w/Mattebox 16:9/4:3,	007.00
	16:9 mask, French flag, 2 filter holders, step-down ring, more 1	710.00
JVC GYHM750U	, 5,,, 3,	
169-CB2-16X9	$16x9-Grab\ \&\ Shoot\ camcorder\ bag\ w/room\ for\ Mattebox,\ meets$	
	carry-on specs, internal dimensions 27"L x 11"W x 11"H	
	$16x9 - EX\ II\ 0.45x$ compact super fisheye converter lens, $82mm$	
	16x9 – EX II 0.6x wide angle converter lens, 82mm	
	16x9 – EX II 0.75x wide angle converter lens, 82mm	
	16x9 – EX II 0.8x wide angle converter lens, 82mm	530.00
BE-LULED-ENG-16	Bebob - 16W onboard dimmable/focusable LED light w/D-tap,	
	comes w/4 barndoors, 3200°K filter and diffuser, dual slide	050 00
AC CMD D10 02	show mount	000.00
AG-GMD-R 10-02	holder, rear clamping plate, 110:82mm step-down ring, more	687 00
AC-CMB-R20-HM700K1	Chrosziel – Sunshade kit for GYHM750 w/sunshade, French flag,	007.00
	2 filter holders, 110mm rear plate, 110:82mm step-down ring	835.00
AC-450W-HM700K1	Chrosziel – Mattebox Kit 1 for HM700 w/Mattebox 16:9/4:3,	
	16:9 mask, French flag, 2 filter holders, step-down ring, more 1	730.00
PANASONIC AGHV		
169-CB1-16X9	16x9 – Grab & Shoot camcorder bag w/room for Mattebox,	000 00
100 UDCE/EV UVV	meets carry-on specs, internal dimensions 23"L x 11"W x 11"H	220.00
103-0031438-018	16x9 – EX II 0.45x compact super fisheye converter lens, for HVX200A, bayonet mount	505.00
169-HDWA6X-HVX	16x9 – EX II 0.6x wide angle converter lens, for HVX200A,	303.00
	bayonet mount	335.00
169-HDWC75X-HVX	16x9 – EX II 0.75x wide angle converter lens, for HVX200A,	
	bayonet mount	720.00
169-HDWC8X-HVX	16x9 – EX II 0.8x wide angle converter lens, for HVX200A,	F00 00
DE LILLED CCAA	bayonet mount	
DE-LULED-GUA4	barndoors, Panasonic HVX Adapter, 3200°K filter and diffuser	
RF-FNXI	Bebob – Foxi focus/iris control, mounts on tripod handle or 15mm rods	
	Bebob – DVXL universal zoom controller	
	Chrosziel – Sunshade kit w/sunshade (16:9, 4:3), French flag,	
	1 filter holder, rear clamping plate, 110:82mm step-down ring, more	687.00
AC-CMB-R20-HVXK1.	Chrosziel – Sunshade kit for HVX200A w/sunshade, French flag,	005.05
AC AED HWYKI	2 filter holders, 110mm rear plate, 110:82mm step-down ring	გ35.00
AG-43U-HVAN1	Chrosziel – Mattebox Kit 1 w/Mattebox 16:9/4:3, 16:9 mask, French flag, 2 filter holders, step-down ring, more	838 UU
PANASONIC AGHM		020.00
	16x9 – Grab & Shoot camcorder bag w/room for Mattebox,	
	meets carry-on specs, internal dimensions 23"L x 11"W x 11"H	220.00
100 UDCE/EV 72	16v0 EV II 0 /6v compact cupor fichava convertor lone 72mm	

Continued from previous column...

Continued from pre	evious column
ITEM	DESCRIPTION PRICE
169-HDWC8X-72	. 16x9 – EX II 0.8x wide angle converter lens, 72mm
	Bebob – Foxi focus/iris control, mounts on tripod handle or 15mm rods 465.00
	. Chrosziel – Sunshade kit w/sunshade (16:9/4:3), French flag, 1 filter
	holder, rear clamping plate, 110:72mm step-down ring, more 687.00
AC-CMB-R20-HMC150K1	. Chrosziel – Sunshade kit for HMC150 w/sunshade, French flag, 2
	filter holders, 110mm rear plate, 110:72mm step-down ring 835.00
AC-450-HMC150K1	Chrosziel – Mattebox Kit 1 w/Mattebox 16:9/4:3, 16:9 mask,
	French flag, 2 filter holders, step-down ring, more
SONY HVRZ7U	1101011 1146, 2 11101 11014010, 0100 40111 11116, 1110101111111111111111111111
	. 16x9 – Grab & Shoot camcorder bag w/room for Mattebox,
	meets carry-on specs, internal dimensions 23"L x 11"W x 11"H 220.00
169-HDSF45X-75	. 16x9 — EX II 0.45x compact super fisheye converter lens, bayonet mount 505.00
	16x9 – EX II 0.6x wide angle converter lens, bayonet mount 335.00
	16x9 – EX II 0.75x wide angle converter lens, bayonet mount 720.00
	16x9 – EX II 0.8x wide angle converter lens, bayonet mount 590.00
BF-70F-DVXI	Bebob – DVXL universal zoom controller
	Bebob - onboard dimmable/focusable LED light w/D-tap, comes
DE LOLLD LOT T	w/4 barndoors, 3200°K filter, Z5/Z7 adapter and diffuser 909.00
AC-CMR-R10-72	Chrosziel – Sunshade kit w/sunshade (16:9/4:3), French flag,
7.0 JIID KTO 72	1 filter holder, rear clamping plate, 110:72mm step-down ring, more 687.00
AC-CMR-R20-77K1	Chrosziel – Sunshade kit for HVRZ7U w/sunshade, French flag,
JIID NZU Z/N1	2 filter holders, 110mm rear plate, 110:72mm step-down ring 835.00
AC-450-77K1	Chrosziel – Mattebox Kit 1 w/Mattebox 16:9/4:3, 16:9 mask,
NO TOO LINI	French flag, 2 filter holders, step-down ring, more
SONY PMWEX1R	100000 1146, 2 11101 11014013, 310p 40WII 11118, 111016
	. 16x9 — Grab & Shoot camcorder bag w/room for Mattebox,
10J-0D1-10AJ	meets carry-on specs, internal dimensions 23"L x 11"W x 11"H 220.00
169_HDSF45Y_77	16x9 – EX II 0.45x compact super fisheye converter lens, 77mm 460.00
169-HDWA6X-FX	16x9 – EX II 0.6x wide angle converter lens, bayonet mount 335.00
	16x9 – EX 0.75x wide angle converter lens, bayonet mount 875.00
	Bebob - battery adapter for PMWEX1R with Sony BP mount, adds
DE 0000 EXT	D-tap and 2 Hirose connections
RF-I III FN-FX1-4	Bebob - onboard dimmable/focusable LED light w/D-tap, comes
DE LUCED EXT T	w/4 barndoors, Coco EX1, 3200°K filter and diffuser1135.00
RF-70F-FX1	.Bebob – zoom controller for EX1, rec start/stop, return function,
DL 20L LA1	eversible zoom, stepless zoom speed adjustment
AC_CMR_R10_77	.Chrosziel – Sunshade kit w/sunshade (16:9/4:3), French flag, 1filter
NO OIND ICTO 77	holder, rear clamping plate, 110:77mm step-down ring, more 687.00
AC-CMR-R20-FX1K1	.Chrosziel – Sunshade kit for HVRZ7U w/sunshade, French flag,
	2 filter holders, 110mm rear plate, 110:77mm step-down ring 835.00
AC-450-FX1K1	.Chrosziel – Mattebox Kit 2 w/Mattebox 16:9/4:3, 16:9 mask, French
	flag, 2 filter holders, step-down ring, more
SONY PMWEX3	,
	. 16x9 — Grab & Shoot camcorder bag w/room for Mattebox, meets
	carry-on specs, internal dimensions 27"L x 11"W x 11"H 260.00
169-HDSF45X-77	. 16x9 – EX II 0.45x compact super fisheye converter lens, 77mm 460.00
	. 16x9 – EX II 0.6x wide angle converter lens, bayonet mount, 77mm 335.00
169-HD75XA-EX	. 16x9 – EX 0.75x wide angle converter lens, bayonet mount, 77mm 875.00
	Bebob - battery adapter for PMWEX3 with Anton Bauer
	Gold Mount, adds 2 D-tap and 4 Hirose connections
BE-COCO-EX3-V	Bebob - battery adapter for PMWEX3 with V-mount, adds
	2 D-tap and 4 Hirose connections
BE-LULED-ENG-12	Bebob - onboard dimmable/focusable LED light w/D-tap, comes
	w/4 barndoors, 3200°K filter and diffuser, requires Anton Bauer
	or V-mount adapters
BE-Z0E-EX1	Bebob – zoom controller for EX3, rec start/stop, return
	function, eversible zoom, stepless zoom speed adjustment 385.00
AC-CMB-R10-77	. Chrosziel – Sunshade kit w/sunshade (16:9/4:3), French flag, 1 filter
	holder, rear clamping plate, 110:77mm step-down ring, more 687.00
AC-CMB-R20-EX3K1	. Chrosziel – Sunshade kit for HVRZ7U w/sunshade, French flag,
	2 filter holders, 110mm rear plate, 110:77mm step-down ring 835.00
AC-450-EX3K1	Chrosziel – Mattebox Kit 2 w/Mattebox 16:9/4:3, 16:9 mask,
	French flag, 2 filter holders, step-down ring, more
Generic Camcorde	r Accessories (will work with any model listed above)
	. 16x9 – J-clamp – secure system for mounting lights, monitors,
	etc. to camera handles, has mounting thread for 3 items,
	central locking knob. 3.7oz
ERIG-TURTLE-X	Easyrig shooting support system for DV cameras up to 9lbs 1165.00
ERIG-TURTLE-XS	Easyrig shooting support system for DV cameras from 9 to 13lbs 1165.00
	Noga —articulating arm 1/4" for mounting small monitors,
	3-jointed arm w/central locking knob, T-bracket with multiple
	screw mounts, 10lbs capacity
	,

Canon Controls include start/stop, focus, on-**CANON ZR1000 Z00M REMOTE CONTROL**

screen, record search, standby, zoom rocker, and zoom speed dial. The zoom speed dial selects one of 5 fixed zoom speeds from 4 to 60 seconds, or a variable speed. In variable mode, the $\,$ zoom speed is based on rocker pressure. A 12" cord connects to the camcorder via the LANC connector. It is powered by the camcorder and can be mounted on tripod handles. It is compatible with most Canon digital camcorders.

DESCRIPTION ITEM PRICE ZR1000 Zoom remote control, 5 fixed speeds, variable mode.



665.00

16x9 - EX II 0.45x compact super fisheye converter lens, 72mm....

..... 16x9 – EX II 0.6x wide angle converter lens, 72mm.

169-HDWC75X-72..... 16x9 – EX II 0.75x wide angle converter lens, 72mm.

CARTONI JIB Easily assembled, this lightweight portable jib carries up to

15lbs. It adds diagonal tracking and elevation to the pan and tilt movement of a standard fluid head. It folds down to 39" long and permits shooting from ground level to 78" high. The front telescopic arm offers a pan range of 360°. The rear part of the arm is extendable for camera balance with 22lbs of counterweights and a spirit level.

-		
ITEM	DESCRIPTION	PRI
M100	. 100mm bowl base jib arm with weights	1897.





COMELY COMELYCRANE

85 & 121 Smoother, lighter,

easier to operate; Two new cranes are the result of more than 10 years of production, testing and refining. The ComelyCrane 85 has a reach of over 7' on a 10" vertical voke. On a standard sturdy tripod such as the Manfrotto 028 or 117 tripod, that allows the operator to get smooth cinematic shots 13' above ground. The ComelyCrane 121 has a reach of 10' 1" from the fulcrum – 3' longer than the ComelyCrane 85, lifting the camera 16'. above ground. No tripod head is required. These are made from high-grade aluminum with steel fixed rod tilting assembly. Both have a durable black powder coat finish. The ComelyCrane 85 breaks down to 56", while the ComelyCrane 121 breaks down to 62". The two supplied weight bars can also be used as crane handles. Both are removable and adjustable to side and top positions. Both models include RCA cable, weight caddy, clamps, monitor and microphone mount, and sturdy vinyl carry bag.

ITEM	DESCRIPTION	PRICE
COMELYCRANE-85	51" to 85" adjustable camera crane, 15lbs	792.40
COMELYCRANE-121	62" to 121" adjustable camera crane, 17lbs	880.60
DV-DOLLY	Tracking dolly, 11lbs	347.49


GENUS MATTE BOXES Made from high-grade aluminum, stainless steel and acetyl for a lightweight and durable finish. Each system needs a professional clamp ring to cater for lenses and wide-angle adapters up to 105mm. There are 2 lockable filter holders, 1 fixed and 1 that rotates a full 360 degrees. Filter holders and trays click into place to ensure perfect alignment. Removal of filters is made easy without the

hassle of removing the matte box from its mount. The rayshade is finished with a special optical flat coating to give you excellent light control. The GWMC system comes with one 4"x4" fixed filter holder, one 4"x4" rotating filter holder, two 4"x4" filter trays (one black, one blue), rayshade, and one Donut Style Adaptor Ring. The GMKBAS system adds a French Flag. The GMKSUP systems adds an Advanced Adaptor Bar System. All of the systems require the purchase of an Adaptor Ring that fits their lens. Sizes from 52mm to 86mm available.

	DESCRIPTION	PRILE
GWMC	Wide 4-in x 4-in Matte Box Kit	. 674.89
GMKBAS	Basic Matte Box Kit (GWMC plus french flag)	. 749.89
GMKSUP	Superior Matte Box Kit (GMKBAS plus bar system)	. 999.89
GAR72	72mm lens adapter ring	23.67
GAR77	.77mm lens adapter ring	23.67
GAR82	82mm lens adapter ring	23.67
GARD-NK	Lens Adapter Ring with 'Nuns Knickers'	52.36

IKAN CORPORATION **CAMERA**

STABILIZER A wearable camera stabilizing system for those working multiplehour shoots. It's made of soft material and high quality Micro-Beads that mold to the shape of your camera. Padded shoulder



ITEM	DESCRIPTION	PRICE
CC01	. Camera stabilizer	83.21

LLLIKAN **DIRECTOR** LANC CONTROL WITH LCD MONITOR

For use with Sony and Canon cameras, the Director allows its user to remotely control zoom, focus and recording operations with the aid of a 4.3" hi-res (480x272) production



monitor integrated into the controller. Features variable aspect ratio, headphone out port, safe area guides, AV input, and a threaded insert for mounting. Powered through A/C adapter or rechargeable battery. Includes Director unit, 12V AC adapter, 6" breakout AV cable, 6ft. LANC cable, and a Sony-compatible 6ft. AV-R cable.

ITEM	DESCRIPTION	PRICE
DIRECTOR	. LANC remote camera controller/LCD production monitor	449.00
SH43	. Sunhood for Director unit	34.95

IKAN FOLDABLE DOORWAY DOLLY This heavyduty steel dolly system fits on standard size 24.5' tracks, weights 82 lbs., and can be broken down for maximum portability. Holds a cameraperson and a full-size broadcast camera. Comes with camera column, sets of floor and track wheels, seat cushion, push bar, assembly tools and carrying case.

ITFM DESCRIPTION FDD01.. . Foldable, portable dolly system.



JONYJIB JONYJIB2 CAMERA CRANE What

sets this jib apart from others is its ability to telescope and nest within itself. It does not require unsightly or bulky cantilever stabilization wires that other jibs in this range require.

Its lightweight, octagonal, aluminum extension sections start at the tail and progressively get smaller in diameter as you get closer to the camera. Available in 4 versions (9ft, 12ft, 15ft & 18ft) consisting of 3ft sections. Store unused sections in the tail as ballast, lightening your counterweight demand. The pivot point is pre-drilled to mount an optional Anton Bauer Gold Mount plate kit that, with your batteries, can feed an optional passive 12V power distribution box at the tail. The pivot point is also pre-drilled to mount the included LCD monitor mounting bracket or a monitor platform for 5"-9" CRT monitors. All come with 100mm mounting hub and have 2 selectable fulcrum points (except the 9ft version which has 3). The distribution box can feed 12V power to the motorized

pan & tilt head, zoom & focus controls, the monitor and the camera.

ITEM	DESCRIPTION	PRICE
JONYJIB2-9	. 9' jib w/LCD monitor mount	1348.17
JONYJIB2-12	. 12 ⁱ jib w/LCD monitor mount	1770.79
JONYJIB2-15	. 15' jib w/LCD monitor mount	2193.42
JONYJIB2-18	. 18' jib w/LCD monitor mount	2616.04
JJ-AB-BATT-KIT	. Battery kit for Anton Bauer Gold Mount	249.34
POWER-DISTRO-BOX	. 12V power distribution box	147.91
JONYJIB-WIRING-KIT	. 20ft wiring kit w/ pan &tilt, zoom & focus, video & power	
	extension cable	164.82



ITEM

FULLCOMPASS.COM

Manfrotto


MANFROTTO 521EX SONY PMW-EX1 REMOTE **CONTROL** This remote features professional wheel zoom for

DESCRIPTION

finer adjustments and smoother progressions. It also features zoom reverse control, zoom speed control, and fast zoom that can be preset. Zoom in/out can be inverted (left to right or right to left).

521EX Remote control for Sony PMW-EX1 camcorder	225.00
MANFROTTO 560B-1 AND 562B-1 MONOPODS Compact, black fluid video monopods feature 4 sections and a fluid cartridge for smooth pans. The 560B-1 includes 3 pivoting retractable feet for a firm footing and a quick	Î
THE SOURT INCHINES A DIVOLING PERFACIABLE FEET FOR A HEID TOOLING AND A DIRECT	

release tilt top with angle lock knob. The 562B-1 is equipped with a 357PLV sliding quick release plate without a head.



PRICE























































DESCRIPTION















































AV10PIN cable adapter. The 521PROiLANCAV and 523PROiLANCAV are compatible with the auto focus function and AF/MF switch of the latest video cameras, and feature a smart function of automatic resetting of the main knob, which grants a constant precision of movement of the remote control. The 523 PROiLANCAVis the i-family's top of the line product and features the useful REC (record) review. All models of the iLANCAV-family are provided with a long coiled cord cable that allows a greater distance of the remote control from the video camera.

ITEM	DESCRIPTION	PRICE
521-ILANCAV	521i remote and 522AV adapter	180.00
521-PROILANCAV	521PROi remote and 522AV adapter, auto focus push button	250.00
523-PROILANCAV	523PROi remote and 522AV adapter, auto/manual focus	
	push button, RET push button (REC review)	335.00

MANFROTTO 595B FIG RIG VIDEO CAMERA STABILIZER A modular system to smoothly support a DV camera at any angle, with a frame to mount all necessary accessories. The Fig Rig becomes a part of the mounted camera's body to produce smooth, steady travelling shots. Its frame can support any number of video accessories at any position around the camera. Add the Manfrotto 521-series remote for fingertip control of zoom and focus.

ITEM	DESCRIPTION	PRICE
595B	Fig Rig camera stabilizer	300.00
	Fig Rig accessory clamp	

MILLER CAMERA SUPPORT PROJIB ARM 711

Offering impressive tracking capabilities, the 711 jib arm extends your camera into the third dimension. Weighing only 25.1lbs., the 711 jib unit can be assembled by one person, handles payloads up to 55lbs., and can track a total of 6.5ft, from it's lowest to highest point. Kits listed below include jib arm, tripod, fluid head and all necessary accessories, except counterweights.

ITEM	DESCRIPTION	PRICE
1797	. Kit w/jib arm, Arrow 25 fluid head, 30lb payload, tripod,	
	mid-spreader, rubber feet, pan handle, softcase	CALL
1713	. Same as 1797, except w/ Arrow 40 fluid head, 35lb payload,	
	carbon fiber tripod and addt'l. softcase	CALL
1749	. Same as 1797, except w/ Arrow 55 fluid head, 55lb payload,	
	2nd pan handle, dolly, w/o rubber feet	CALL
711	. Projib arm	. 2843.75
712	. Softcase for 711 Projib arm	380.63
480	. Studio dolly	976.50
	. Studio dolly w/ cable guards	
	. Studio tracker dolly	

STEADICAM

STEADICAM MERLIN DV CAMERA STABILIZING SYSTEM The ultra-light and ultra-compact Steadicam Merlin offers light, agile, seamless shooting for today's videogapher. The Merlin lets you "fly" wherever the scene takes you - up and down steps, indoors and outside, through crowds almost anywhere, with precise, elegant control and ease. Its quick-release mount lets you instantly swap camera connections between your Merlin and any tripod. It weighs less than 12.8 oz and supports cameras from .05 to 5lbs. Its "Folding-Caliper"TM hinge allows instant fold-up, perfect for shoulder-mounted shooting, and just as quickly, returns precisely for hand-held camera work.

ITEM	DESCRIPTION	PRICE
STEADICAM-MERLIN.	. DV camera stabilization system	. 799.00

VARIZOOM VZ ROCK LENS/ZOOM CONTROLLERS

The VZ Rock Series of controllers offer the finest degree of zoom control with a wide-sweep rocker for smooth, sustainable zooms and a low-profile record/ pause button. The VZ Rock has a power on/off switch, auto/manual focus switch, data toggle button, and an edit search button and is compatible with Sony and Canon LANC equipped camcorders. The DVX versions are compatible with Panasonic cameras such as DVX100/100A/100B, HVX200, DVC30, DVC60 and DVC80. The LE (limited editions) add

•		
ITEM	DESCRIPTION	PRICE
VZ-ROCK	Variable-Rocker control for DV camcorders w/ LANC	237.45
VZ-ROCK-LE	Variable-Rocker control for DV camcorders w/ LANC, limited edition	284.95
VZ-ROCK-EX	Zoom control for Sony PMW-EX1 and PMW-EX3	265.95
VZ-ROCK-DVX	Variable-Rocker zoom control for Panasonic	189.95
V7-ROCK-DVX-IF	Variable-Rocker zoom control for Panasonic, limited edition	237.45

an industrial-strength engraved aluminum housing. The compact, lightweight EX is

for Sony PMW-EX1 and PMW-EX3 cameras, and ideal for stabilizers and jibs.







VARIZOOM LENS/ZOOM CONTROLLERS These compact remote lens controllers allow the user to control the camcorder's zoom and focus through the LANC control port. They feature smooth pressure-sensitive thumb control for zoom, LED battery indicator, and 40" of LANC cable. The VZ-PG-L and PRO-L are compatible with Sony DSR200A, VX1000, VX2000, TRV900, PD-150, PD100A, Canon XL1, XL1S, GL1, Optura and Elura (with docking station). The VZ Stealth works on Canon and Sony LANC equipped camcorders and features a throttle variable-speed zoom, record/pause button, power on/off button and a LED battery light. The VZ Stealth LX adds autofocus on/off, data on/off, and tape search. The VZ-PG-EX and VZ-PRO-EX are for Sony PMW-EX1 and PMW-EX3 cameras.

ITEM	DESCRIPTION	PRICE
VZ-PG-L	. Pistol grip model	369.95
VZ-PRO-L	. Horizontal grip	339.95
VZ-STEALTH	. Throttle-style grip	199.95
VZ-STEALTH-LX	. Throttle-style grip w/ added features	229.95
VZ-PG-EX	. Pistol grip for the Sony PMW-EX1 and PMW-EX3	499.95
VZ-PRO-EX	. Comfort grip for the Sony PMW-EX1 and PMW-EX3	399.99

VARIZOOM DV MEDIA RIG The DV Media Rig pro support is the most sophisticated shoulder support available for professional MiniDV cameras. Unique features like the swiveling shoulder arch with vertical adjustment and articulating weight balance system allow for perfect balance and comfort. Also included is a rotating accessory mount & extra plush shoulder cushion. Supports most camcorders up to 7lbs.

DESCRIPTION VZ-DV-MEDIA-RIG..... Universal stabilizing shoulder support system..

> VARIZOOM VZ-LSP AND VZ-1 CAMERA SUPPORTS Lightweight, ergonomic, and stable shooting for your

video needs. The aluminum VZ-1 prosumer shoulder brace allows you to bend the support into the desired position, with multi-point adjustment. The bottom C bracket provides additional support for your camcorder while resting on a flat surface. The professional VZ-LSP features an abdomen pad, adjustable shoulder rest, and precision elevation. Shoulder and abdomen support carries the weight of the camera, eliminating stress and fatigue.

IIEM	DESCRIPTION	PRICE
VZ-LSP	Pro shoulder brace w/abdomen support for camcorders up to 8lbs	598.45
VZ-1SHOOTER	. Adjustable shoulder brace for small to medium cameras	123.45

