













































AKG C417 OMNI-DIRECTIONAL MICROPHONE SERIES Part of the MicroMic series, the C417 has an extended frequency

range of 20Hz-20kHz and features a design that can easily be hidden on a lapel on in clothing. It comes with a lapel clip and windscreen. Requires 48V phantom power.

DESCRIPTION ITEM C417/LMic w/mini-XLR connector and integrated phantom power **B29L**.....Battery pack for C417

(A) audio-technica.

always listening...

AUDIO-TECHNICA ATR3350 OMNI LAPEL The affordable ATR3350 omnidirectional lapel mic is reliable and effective. The newscaster-style electret condenser design has a 50Hz-18kHz frequency response and -54dB sensitivity at a 1000ohm impedance. Includes battery, 1/4" plug adapter, tie clip, and foam windscreen.



TEM	DESCRIPTION	PRICE
TR3350	Omni lapel mic	. 23.51

AUDIO-TECHNICA PR070 **CARDIOID CONDENSER LAVALIER**

MIC This miniature condenser microphone provides natural vocal reproduction and is also excellent for full sounding acoustic guitar pickup. It is equipped with a lowfrequency roll-off switch to reduce low frequency room noise and a cardioid polar pattern that further

isolates the desired sound source. Operates on battery or phantom power and has a 6' cable attached between the mic and power module. Includes mic clip, instrument adapter, windscreen, battery, and soft pouch.

ITEM	DESCRIPTION	PRICE
PR070	Lav/instrument mic, 100Hz-14kHz	119.06

AUDIO-TECHNICA AT803/AT831 LAPEL MICS

These clip-on lavalier mics were specifically designed for professional video, broadcast and performance applications. Specially tailored response assures crisp, natural voice and instrument pickup in an unobtrusive package. The omni-directional AT803 provides traditional performance while the cardioid pickup pattern of the



AT831 reduces ambient noise for improved sound isolation. The AT803 and AT831B are powered by 11-52V phantom power or a 1.5V AA-type battery. The AT831C and R use phantom power only. Includes clip, windscreen, and protective carrying case. The AT831B and R also include an instrument adapter mount and all but the AT831C include a power module with on/off/rolloff switch.

ITEM	DESCRIPTION	PRICE
AT803	Miniature omni lapel, phantom power or battery	166.97
AT831B	Miniature cardioid lapel, phantom power or battery	179.00
AT831C	Miniature cardioid lapel, phantom only, unterminated	93.99
AT831R	Miniature cardioid lapel, phantom only, no power module	196.62

AUDIO-TECHNICA AT899 SUBMINI OMNI LAPEL MICROPHONE Only 5mm in diameter with clean, accurate reproduction. Includes 12 accessories. Available in black or beige.

ITEM	DESCRIPTION	PRICE
AT899	.With battery/phantom power module	
	and low-cut switch	220.39
AT899CW	.With 4-pin AT wireless connector	145.81
	.5-pin connector for AT wireless	
AT899C	.With bare end cable for custom termination	133.57

(A) audio technica:

always listening...

AUDIO-TECHNICA MT830R **OMNI-DIRECTIONAL CONDENSER LAVALIER MICROPHONE** Designed to be worn as a lavalier or hidden in loose clothing or in the hair, the MT830R provides high intelligibility for lecturers, stage/TV performers and singers. The mic's wide-range capability ensures clean, accurate reproduction. It operates on phantom power only. Clothing clip

and windscreen me	iuucu.	
ITEM	DESCRIPTION	PRICE
MT830R	Includes AT8533 power module, black finish	183.68
MT830C	Includes 55" cable, unterminated, black finish	84.77
MT830CT5	Includes 55" cable with TA5F connector for ATW-U101	
	and Lectrosonics bodypack systems, black finish	118.66
MT830CT5-TH	Same as MT830CT5 with beige finish	118.66
MT830CW	Includes 55" cable with locking 4-pin connector	
	for Audio-Technica UniPak wireless, black finish	93.99
MT830CW-TH	Same as MT830CW with beige finish	93.99

COUNTRYMAN ISOMAX-B3 OMNI MICRO LAVALIER MIC The B3 lavalier mic is an amazing 4.6mm in diameter and virtually disappears on the wearer. An omni-directional condenser mic, the B3 has an ultra-flat frequency response from 10Hz-25kHz with SPL handling to 150dB. A rugged Kevlar-reinforced cable provides extremely low handling noise. The B3 is moisture and makeup resistant with an easily washable protective screen. Five colors are available: Black, White, Light Skin, Cocoa and Gray (models listed below are Black). The B3 may be ordered with XLR/phantom termination or pre-wired for a variety of wireless transmitters.

ITEM	DESCRIPTION	PRICE
B3P4FF05B	B3 lavalier mic, XLR	180.24
B3W4FF05B-AT	B3 for Audio-Technica, 4-pin	182.67
B3W4FF05B-SA	B3 for Samson, 6-pin	182.67
B3W4FF05B-SV	B3 for Samson, 3-pin	174.07
B3W4FF05B-S3	B3 for Sennheiser, 3-pin	203.80
B3W4FF05B-SL	B3 for Shure TA4F	174.07
B3W4FF05B-S0	B3 for Sony, 4-pin	203.80
B3W4FF05B-TS	B3 for Telex TA4F	174.07
B3W4FF05B-TT	B3 for Telex LEMO, 4-pin	182.67
B3W4FF05B-VS	B3 for Vega TA4F	174.07
B3W4FF05B-NC	B3 with 2-wire pigtails	148.33
	Replacement windscreen	
	Replacement beltclip	
AXBPM	Battery module	110.54

COUNTRYMAN ISOMAX-B6 MICRO LAPEL MIC The B6 is the world's smallest lapel mic. At only .1" in diameter, the B6 offers a 40Hz-25kHz response, is available in four colors and has a Kevlar reinforced cable for high strength and ultra-low noise. Get the visual effect of a hidden mic without the hassle and loss of sound quality you get from hiding one in clothing. The B6 is resistant to sweat and makeup and can be custom configured with connectors for most wireless transmitters

or for XLR inputs with phantom power.

01 101 11 <u>—</u> 1111 p 010 11	F	
ITEM	DESCRIPTION	PRICE
B6P4FF05B	. Omni sub-micro lapel mic, black	287.05
B6P4FF05G	. Omni sub-micro lapel mic, gray	287.05
	. Omni sub-micro lapel mic, light beige	
	Omni sub-micro lapel mic. white	

COUNTRYMAN EMW LAPEL MIC This electret condenser mic offers an omni-directional polar pattern, uniform pickup and a wide frequency range of 20Hz-20kHz. A mere 1/8" thick, the flat EMW offers discreet placement for broadcast and performance. Other features include: Kevlar-reinforced cable with low handling noise, sealed design for excellent moisture resistance and a variety of clip options. Three fre-

quency response patterns are available: "F" Flat-response, "S" Shelved-up response (6dB curve, 2kHz-15kHz) and "P" Peaked-response (sharp upward curve at 12kHz). All versions are available pre-wired for wireless use.

ITEM	DESCRIPTION	PRICE
MEMWP4F05B	DESCRIPTIONEMW, XLR, flat response	178.58
MEMWP4P05B	EMW, XLR, peaked response	178.58
MEMWP4S05B	EMW, XLR, shelved-up response	178.58
	Replacement tie clip, black	
AEMWVIPER-B	Viper clothing clip	13.02
	Replacement windscreen	





TRYMAN ISOMAX-II MICS

The Isomax-II series of precision electret condenser microphones are equally suited for recording and sound reinforcement. Available in four polar pat-



terns (omni, cardioid, hypercardioid and figure-8), the Isomax-II's have extremely low noise, a uniform frequency response from 10Hz-25kHz and are capable of handling high SPLs to 150dB. The subtle black finish and miniature size allow for unobtrusive use in television and theater applications. Other features: 10' cord with XLR output, mounting clip and windscreen. Phantom power required.

ITEM		PRICE
M20P6FF10	. Omni-directional lavalier mic	189.16
M2BP6FF10	. Figure-8 lavalier mic-Isomax-2B	189.16
M2CP6FF10	. Cardioid lavalier mic-Isomax-2C	189.16
M2HP6FF10	. Hyper-cardioid lavalier mic-Isomax-2H	189.16
A2WS	. Replacement windscreen, black	9.99
AXBPM	Battery module	110.54




DPA

DPA MINIATURE MICS Miniature mics with 5.4mm diaphragms, resistant to humidity, sweat, wind and popping, all models require remote power and should be used with adapters listed below. Available in white, beige and black.

ITEM	DESCRIPTION	PRICE
4060	. Lapel high sensitivity, MicroDot connector	443.00
4061	. Lapel low sensitivity, MicroDot connector	443.00
4062	. Lapel extra-low sensitivity, MicroDot connector	443.00
4065	. Headband mic, MicroDot connector	568.00
4066	. Adjustable headband mic, MicroDot connector	635.00
Micro-Dot Adapter	S	
DAD6001BC	. XLR, 48V phantom with belt clip	99.00
DAD6003	. For Sennheiser SK50/250/3063	80.00
DAD6008	. For Sony WRT820/860	93.00
	. For Shure TA4F	
DAD6011	. For Vega, Lemo, Shure U1L	93.00
	. For Lectrosonics M185	
DAD6017	. For AKG PT40/60/80/81.Samson UT1L/VT2L	73.00
DAD6019	. For Sony WRT805, Sennheiser Evolution/SK300	87.00
	. For Telex TA4F	
	For ATW-T101, TA5F, Lectrosonics	


DPA FMK4071 FILM MICROPHONE KIT

This microphone kit is made for film or TV production when the mic needs to be invisible. The kit contains an omni-directional 4071-BM miniature 5.4mm condenser microphone (preequalized for speech clarity) and various microphone concealment fixtures, specially designed to solve both hiding and clothing noise problems. Operates from phantom power when used with DAD6001 XLR/48V adapter. The 5.9' cable terminates in a MicroDot connector. See MicroDot adapters in the DPA miniature microphone listings (previous column).



FMK4071 DAD6001BC....

EV RE90L AND RE92L LAPEL MICROPHONES Compact, lightweight lavalier mics with a smooth frequency response and XLR terminations. Perfect



Cardioid, condenser, includes two-stage windscreen,



RIMICR	ØDI OPHONE	* S			86	
RØDE	LAVALIER	MIC	Røde's lav	ra-		

lier mic features low handling noise and designed to be worn discreetly. Includes a mic clip, detachable cable, a water-resistant pop filter, mini furry windscreen, adjustment tools, cleaning wipes, and an anti-trauma water-resis-



tant case. Mic is compatible with Røde's MiCon™ adapters (see below).

ITEM	DESCRIPTION	PRICE
LAVALIER	Omnidirectional lav mic, black, 60Hz-18kHz	249.00



RØDE PINMIC WEARABLE MIC Røde's discrete PINMIC features a removable capsule and a mesh head. Features a mic clip and is designed for use with Røde's MiConTM adapter system (see below).

ITEM	DESCRIPTION	PRICE
PINMIC	Miniature omni lapel mic, black, 60Hz-18kHz	249.00

MICON ACCESSORIES FOR RØDE LAVALIER/PINMIC SYSTEMS Adapters and cables to connect Røde Pinmic and Lavalier to various wireless systems.

ITEM		PRICE
MICON-1	Adapter for Sennheiser SK500, SK300G3, SK100G3,	
	SK500G2, SK300G2, SK2-Freeport	18.00
MICON-2	3.5 stereo mini jack adapter (1V minimum power supply)	18.00
MICON-3	Adapter for Shure UR1, UR1M, ULX1, SLX1, PGX1, PG1	23.00
MICON-4	Adapter for Audio Technica UniPak	
	Body-Pack Series 1800, 2000, 3000	27.00
MICON-5	48V phantom power adapter, 3-pin XLR	27.00
MICON-CABLE-1.2	2M 4ft MiCon cable	39.00
MICON-CABLE-3N	1 9ft MiCon cable	32.00


























































single tie clip, dual-tie clip and belt clip for inline module....... 319.00







































ACCESSORIES











sanken

SANKEN COS 11D MINI LAVALIER MICS Specifically to diminish the instances where interference is an issue, this omnidirectional, selfpolarized condenser mic has a frequency range of 50Hz-20kHz, and a sensitivity rating of -35dB. It is ideal



for live broadcasting, location recording and studio applications and operates on 48V phantom power (COS-11D) or battery power (COS-11D-BP). Includes clip, windscreen, rubber mount, AA battery and vinyl case. Available in black, gray, beige

ITEM	DESCRIPTION	PRICE
COS-11D	Mini lavalier mic, 48V, XLR	. 449.00
COS-11D-BP	Mini lavalier mic, battery powered, XLR	. 449.00

SENNHEISER

SENNHEISER MKE2 OMNI MICRO LAPEL CONDENSER Available unwired for a variety of wireless applications, wired to an XLR connector or as part of the K6 modular system. 6mm in diameter and flat from 20Hz-20kHz. Gold versions have reduced sensitivity and improved moisture resistance.

	DESCRIPTION Pigtail, black finish	PRICE
	Pigtail, buff finish	
	Pigtail, black finish	
	For use with the K6 power unit	
	For EW wireless, black finish	
	With XLR for phantom power	
	Power module for MKE2-60	
MZQ222	Replacement clip for MKE2	12.85

SHURE

SHURE MICROFLEX LAPEL MICS The Microflex lapel condenser mics feature high sensitivity, a frequency response of 50Hz-17kHz, interchangeable condenser cartridges (MX models), & a variety of low-visibility mounting options. MX models are terminated to XLR & include a belt-clip preamp.



MC models are terminated to XLR & include a detachable preamp. WL versions are terminated with TA4F connectors for Shure wireless systems.


ITEM	DESCRIPTION	PRICE
MX183	. Omni-directional condenser lapel mic, phantom only	160.52
MX184	. Supercardioid condenser lapel mic, phantom only	178.61
MX185	. Cardioid condenser lapel mic, phantom only	172.97
MC50B	. Omni-directional sub-miniature lapel with preamp	266.27
MC51B	. Omni-directional sub-miniature lapel with preamp	278.99
WL183	. Omni-directional, terminated for Shure wireless (TA4F)	91.74
WL184	. Supercardioid, terminated for Shure wireless (TA4F)	113.70
WL185	. Cardioid, terminated for Shure wireless (TA4F)	107.24
R183B	. Omni-directional cartridge option for MX184/MX185	32.54
R184B	. Supercardioid cartridge option for MX183/MX185	52.57
R185B	. Cardioid cartridge option for MX183/MX184	45.06

SHURE SM11 OMNI DYNAMIC LAVALIER For those who need a dynamic lavalier microphone, the SM11 is the smallest model available. Shure ruggedness and dependability in a mic no longer than a paper clip.

0	oancoo ana acpenaabini, in a ime	no ionger man a paper empi
ITEM	DESCRIPTION	PRICE
SM11CN	Omni lavalier	101.84

SHURE SM93 OMNI MICRO CONDENSER LAPEL The SM93 lapel microphone is ideal for

broadcast, stage and film because of its tiny size and clear, tailored frequency response. Features: Omni-directional pattern, a variety



ITEM	DESCRIPTION	PRICE
SM93	. Omni-directional lapel mic, preamp, XLR out	135.18
WL93	. Omni-directional lapel mic for Shure wireless (TA4F)	68.54
WL93T	. Same as WL93 with tan finish	68.54

SONY

SONY ELECTRET SERIES CONDENSER MICS

These mics operate on a single AA battery and come with a urethane windscreen and clip.



SONY ECM44B OMNI-DIRECTIONAL Mic head 8.5x14.5mm. Freq. resp. 40Hz-15kHz. Max input: 122dB SPL. Dynamic range: 90+dB. Connector: XLR.

ITEM	DESCRIPTION Omni-directional lapel mic	PRICE
ECM44B/9X	Omni-directional lapel mic	CALL
ECM44BC	Omni-directional for Sony 4-pin wireless	CALL
ECM44BMP	For Sony Mini-Lock wireless	CALL
	Replacement windscreen	
SADH44B	Replacement tie clip for ECM44	CALL

SONY ECM55B OMNI-DIRECTIONAL Mic head 10.6x21mm. Freq. resp. 30Hz-18kHz. max input: 126dB SPL. Dynamic range: 98+dB. Connector: XLR.

ITEM	DESCRIPTION	PRICE
ECM55B	Omni-directional lapel mic	CALL
SADH55B	Replacement tie clip for ECM55B	CALL

SONY ECM66B UNI-DIRECTIONAL Mic head 10.6x24.2mm. Freq. resp. 70Hz-14kHz Max input: 130dB SPL. Dynamic range: 101+dB. Connector: XLR

ITEM	DESCRIPTION	PRICE
ECM66B	Uni-directional lapel mic	CALL
ECM66BC	Uni-directional for Sony 4-pin wireless	CALL

SONY ECM77B ULTRA MINI OMNI-DIRECTIONAL Mic head 5.6x12.55mm. Freq. resp. 40Hz-20kHz. Max input: 120dB SPL. Dynamic range: 90+dB. Connector: XLR.

ITEM	DESCRIPTION	PRICE
ECM77B	Mini omni-directional lapel mic	CALL
ECM77BC/9X	Mini omni-directional for Sony 4-pin wireless	CALL
ADR77B	Replacement windscreen	CALL
	Replacement tie clip for ECM77B	

SONY ECM88B ELECTRET CONDENSER MICS A miniature omnidirectional electret-condenser microphone ideally suited for qualitycritical applications in broadcasting, theater and field production. A dualcapsule design effectively nulls out cable and handling noises and delivers wide, flat frequency response which makes it useful for lapel speech pickup and music recording applications. Has a Sony 4-pin connector (SMC9-4P) to connect with WRT-8B or WRT-822B wireless transmitters and DC78 power supply with XLR output.

ITEM	DESCRIPTION	PRICE
ECM88B	. Mini omni-directional condenser mic	CALL
DC78	. Replacement power supply/XLR adapter	CALL
ADR88B	. Optional urethane windscreen	CALL



TRAM TR50 LAVALIER MICROPHONE With TRAM INDU LAVALIER INTO COLOR INT

MICROPHONES electret condenser microphone easily combines with boom microphones and has an extensive range of mounting options. It provides a wide frequency response and very low rubbing noise. It includes a detachable 250W power supply and is available in black, gray, tan or white.

ITEM	DESCRIPTION	PRICE
TR50LX	Lavalier mic with Telex lemo, 4-pin	. 244.11
TR50ML	Lavalier mic with Lectrosonics TA5F	. 234.83
TR50-MS	Lavalier mic with Shure TA4F	. 234.83
TR50SET	Lavalier mic with Sennheiser 3.5mm TRS	. 235.76
TR50PS	Lavalier mic, XLR, hardwired to power supply,	
	can use internal battery power	. 323.94
TR50NCM0	Lavalier mic with no connector	. 181.00
TR50PSNCMO	Lavalier mic with no connector, hardwired to power	
	supply, can use internal battery power	. 185.64

